



BMM Ispat Ltd.,

ENVIRONMENTAL MONITORING REPORT



**Danapur Village, Hosapete Taluk,
Vijayanagara District, PIN-583222, Karnataka.**

STAGE-II

January - 2023

Prepared by

M/s. Premier Analytical Laboratories,

Near Ganesh Gas Godown Beside Govt. Primary School,
Amaravathi, **HOSPET – 583201**, Vijayanagara Dist., Karnataka.
Ph No: 08394 228683, Email: premierlabhpt@yahoo.com

PREFACE

The industries should monitor environmental parameters as per the frequency and locations given in the CFE/CFO. And the same should be submitted on every month to the respective pollution control board.

As part of the conditions and inherent concern on health of the employees and surroundings *M/s. BMM Ispat Ltd.*, as appointed *M/s. Premier Analytical Laboratories, Hosapete*, to carry out the environmental pollution monitoring on AAQ Monitoring, Fugitive monitoring within the plant, Stack monitoring submit the same to the Pollution Control Board.


Accordingly, *M/s. Premier Analytical Laboratories, Hosapete*, carried out the pollution monitoring as per the standard sampling methods prescribed by CPCB, for AAQ Monitoring, Fugitive monitoring within the plant, Stack monitoring & Personal Dust Sampling as per the CFO. These monitoring has been carried out in a frequency as mentioned in the CFO and the same report is being submitted to the Board.

We sincerely thank to officials of *M/s. BMM Ispat Ltd.*, for their valuable co-ordination & support during the sampling and reporting.

for *Premier Analytical Laboratories*

Place: Hosapete
Date: 04.02.2023




K. Suvarna
(Quality Manager)

1.0 EXECUTIVE SUMMARY

1.1 INTRODUCTION


The journey of the BMM Group is a reflection of the path tread by every entrepreneur who believes in the human potential and one's own ability to bring about a life affirming change that transcends time. BMM Group was born out of this committed belief of Late Shri Udaichand Singhi.

Entrenched in the Indian ethos, with an astute understanding of market needs, values and sensibilities **Mr. Dinesh Kumar Singhi** inherited the legacy from his father and has built the BMM Group on sound fundamentals since 1998. He steered the company towards growth by being the first mining company to establish a power generation plant for captive use, and creating a steel plant from the captive ore mine. Over the last 12 years, BMM has been able to add value to every relationship under his able and dynamic leadership.

Today, BMM is a 4900 Crores Company due to its focus on market orientation and optimal usage of technology to achieve process efficiency and value addition. BMM has always believed in the principle of sharing and hence continues to transfer this benefit derived from sustained growth to its employees, partners and associates. The unique value proposition that defines the very fabric of the BMM culture is the firm's belief in unleashing this 'potential in tones' in terms of its human capital, continuous growth and consistent benefits to its stakeholders.

The human potential at BMM is reflected in the depth of domain expertise across diverse sectors and dynamism of youth at various levels in the Organization. Business operations lead by professionals with decades of market understanding and a dynamic team enables BMM to deliver superior product quality. This human potential keeps BMM attuned to scaling new heights and meeting customer expectations. While consistently adding value to its partners, BMM is sensitive to its responsibility towards the environment by implementing best practices in its Business Operations and contribution to society through various social Endeavors.

BMM has a commitment of being a good Corporate Citizen and is committed to achieving business goals through ethical means. BMM hence has been able to have deeper relevance to society by creating value that is inclusive and truly benefits all.



1.2 PROMOTERS OF THE PROJECT

BMM Group, one of the leading Steel, Power & Mining companies in India that has achieved the present level under the leadership and guidance of **Sri. Dinesh Kumar Singhi**, the Founder & Chairman of the group, is promoting the project. His vision is to globalize the company business and do value addition by operating responsibly and in a sustainable manner in exploring, exploiting, excavating and processing minerals followed by setting up steel plant facilities.

BMM is a step towards forward integration has set up new merchant Bar Mill. The works is located at:

BMM ISPAT LIMITED
(Registered Office & Works)
#114, Danapur
Hosapete - 583 222
Vijayanagara Dist., Karnataka
Phone +91 08394-264000, +91 9686550808/09
Fax - 08394 264010

1.3 Site Location

BMM ISPAT LIMITED is located at Danapur about 15 Kms away from Hosapete in Karnataka. The plant site can be connected by national highway, viz. NH-13. The plant is 1 km away from the NH-13 near Danapur village. The nearest railway station is Hospet; Bangalore is at a distance of 300 kms. Seaport is Belikere and Karwar, the nearest Airport is in the private sector belonging to JSW, a Jindal Group company at Thoranagallu (Vidyanagara).

M/s. BMM ISPAT Ltd., Has accorded Environmental Clearance for 2.0 MTPA Integrated Steel Plant, with the following facilities.

S.N.	Items	Capacity
1	Iron ore beneficiation plant	3.40 MTPA
2	Palletizing Plant	1.20 MTPA
3	DRI Plant	0.70 MTPA
4	Coke Oven	0.80 MTPA
5	Sinter Plant	2.50 MTPA
6	Blast furnace	1.70 MTPA
7	EAF & BOF Steel making shop	2.30 MTPA
8	Continuous casting machines Slab Caster Billet Caster	1.10 MTPA 1.10 MTPA
9	Rolling mills: Hot strip mill Structural/wire rods	1.00 MTPA 1.00 MTPA
10	Oxygen Plant	2x500 TPD
11	Calcining	1,080 TPD
12	Cement Plant	1.40 MTPA
13	Power Plant	230 MW

Out of the above units, presently **4 x 500 TPD Sponge Iron Plants** and **1X70 MW Thermal Power Plants** have been commissioned on August 2011. Beneficiation plant-2, Pellet Plant-2 are commissioned on March 2012. 2X70 MW Thermal based power plants have commissioned on Jan 2013, EAF, Steel Making Shop, CCM, Rolling Mill, Oxygen plants are commissioned on August 2015. Remaining units are under various stages of implementation.

Hence environmental pollution monitoring is being carried out for 4 x 500 TPD sponge iron plants, 1X70 MW Thermal Power Plant, 1.3MTPA Beneficiation, 1.2MTPA Pellet Plant, 2X70MW Power plant, SMS, and RML.

1.4 The report includes environmental monitoring data collected at above site for the month of **January-2023**. The Parameters monitored are:

- ❖ Ambient Air Quality
- ❖ Fugitive Dust Level
- ❖ Stack Emission

2.0 SCOPE AND METHODOLOGY

2.1 PREAMBLE

The scope of the study and the present report covers the detailed characterization of the existing environmental status in and around the plant area for major environmental components viz. Ambient & work zone air quality, Fugitive Emission, Noise level and water quality & Stack Emission.

2.2 AMBIENT AIR QUALITY

To assess the ambient air quality status, monitoring stations were identified 6 Location plant site. Work zone air monitoring stations were identified in the major work spots. Based on the production activities the parameters chosen for ambient air quality. Were Particulate Matter PM₁₀, Particulate Matter (size less than 2.5 μ m) PM_{2.5}.

2.2.1 PARTICULATE MATTER (PM₁₀)(size less than 10 μ m).

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM₁₀ in ambient air

Reference Method: IS 5182 Part 23 Method of Measurement of Air Pollution: Respirable Suspended Particulate Matter (PM₁₀) cyclonic flow technique.

Principle of the method

Air is drawn through a size-selective inlet and through a 20.3 X 25.4 cm (8 X 10 in) filter at a flow rate, which is typically 1132 L/min. Particles with aerodynamic diameter less than the cut-point of the inlet are collected, by the filter. The mass of these particles is determined by the difference in filter weights prior to and after sampling. The concentration of PM₁₀ in the designated size range is calculated by dividing the weight gain of the filter by the volume of air sampled.

Sampling

Field Sampling - Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the faceplate wing nuts and remove the faceplate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the faceplate and tighten the wing nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-

controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading, take out the filter media from the sampler, and put in a container or envelope.

Analysis

Filter inspection: Inspect the filter for pin holes using a light table. Loose particles should be removed with a soft brush. Apply the filter identification number or a code to the filter if it is not a numbered. Condition the filter in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take initial weight of the filter paper (Wi) before sampling. Condition the filter after sampling in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take final weight of the filter paper (Wf).

2.2.2 Particulate Matter (PM_{2.5})(size less than 2.5µm)

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM_{2.5} in ambient air.

Reference Method: USEPA 2001 Method of Measurement of Air Pollution: Particulate Matter (PM_{2.5}) cyclonic flow technique.

Principle

An electrically powered air sampler draws ambient air at a constant volumetric flow rate (16.7 lpm) maintained by a mass flow / volumetric flow controller coupled to a microprocessor into specially designed inertial particle-size separator (i.e. cyclones or impactors) where the suspended particulate matter in the PM_{2.5} size ranges is separated for collection on a 47 mm polytetrafluoroethylene (PTFE) filter over a specified sampling period. Each filter is weighed before and after sample collection to determine the net gain due to the particulate matter. The mass concentration in the ambient air is computed as the total mass of collected particles in the PM_{2.5} size ranges divided by the actual volume of air sampled, and is expressed in µg/m³. The microprocessor reads averages and stores five-minute averages of ambient temperature, ambient pressure, filter temperature and volumetric flow rate. In

addition, the microprocessor calculates the average temperatures and pressure, total volumetric flow for the entire sample run time and the coefficient of variation of the flow rate.

2.2.3 Sulphur Dioxide (SO₂)

Purpose: The purpose of this protocol is to provide guidelines for monitoring and analysis of sulphur dioxide in ambient air.

Reference Method: Modified West & Gaeke Method (IS 5182 Part 2 Method of Measurement of Air Pollution: Sulphur dioxide).

Sulphur dioxide from air is absorbed in a solution of potassium tetra chloromercurate (TCM). A dichlorosulphitomercurate complex, which resists oxidation by the oxygen in the air, is formed. Once formed, this complex is stable to strong oxidants such as ozone and oxides of nitrogen and therefore, the absorber solution may be stored for some time prior to analysis. The complex is made to react with para-rosaniline and formaldehyde to form the intensely coloured pararosaniline methyl sulphonie acid. The absorbance of the solution is measured by means of a suitable spectrophotometer.

Sampling

Place 30 ml of absorbing solution in an impinger and sample for four hours at the flow rate of 1 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

Replace any water lost by evaporation during sampling by adding distilled water up to the calibration mark on the absorber. Mix thoroughly, pipette out 10 ml of the collected sample into a 25 ml volumetric flask. Add 1 ml 0.6% sulphamic acid and allow reacting for 10 minutes to destroy the nitrite resulting from oxides of nitrogen. Add 2 ml of 0.2% formaldehyde solution and 2 ml pararosaniline solution and make up to 25 ml with distilled water. Prepare a blank in the same manner using 10 ml of unexposed absorbing reagent. After a 30 min colour development interval and before 60 minutes, measure and record the absorbance of samples and reagent blank at 560 nm. Use distilled water; not the reagent blank, as the optical reference.

2.2.4 Nitrogen Di Oxide (NO₂):**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of nitrogen dioxide in ambient.

Principle of the method

Modified Jacobs & Hochheiser Method (IS 5182 Part 6 Methods for Measurement of Air Pollution: Oxides of nitrogen)

Ambient nitrogen dioxide (NO₂) is collected by bubbling air through a solution of sodium hydroxide and sodium arsenite. The concentration of nitrite ion (NO₂) produced during sampling is determined calorimetrically by reacting the nitrite ion with phosphoric acid, sulfanilamide, and N-(1-naphthyl)- ethylenediamine dihydrochloride (NEDA) and measuring the absorbance of the highly coloured azo-dye at 540 nm.

2.2.5 Ozone (Chemical method)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of ozone in ambient air.

Principle of the method

Micro-amounts of ozone and the oxidants liberate iodine when absorbed in a 1% solution of potassium iodine buffered at pH 6.8 + 0.2. The iodine is determined spectrophotometrically by measuring the absorption of tri-iodide ion at 352 nm.

Sampling

Place 10 ml of absorbing solution in a standard impinger and sample for one hour at the flow rate of 1 L/min. Do not expose the absorbing reagent to direct sunlight. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

If, appreciable evaporation of the absorbing solution occurs during sampling, add water to bring the liquid volume to 10 ml. Within 30 to 60 minutes after sample collection, read the absorbance in a cuvette at 352 nm against a reference cuvette containing distilled water. Measure the absorbance of the unexposed reagent and subtract the value from the absorbance of the sample.

2.2.6 Ammonia(NH₃)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of ammonia in ambient air.

Principle of the method

Indophenol method Ammonia in the atmosphere is collected by bubbling a measured volume of air through a dilute solution of sulphuric acid to form ammonium sulphate. The ammonium sulphate formed in the sample is analysed calorimetrically by reaction with phenol and alkaline sodium hypochlorite to produce indophenol. The reaction is accelerated by the addition of Sodium Nitroprusside as catalyst.

Sampling

Place 10 ml of absorbing solution in an impinger and sample for one hour at the flow rate of 1 to 2 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle

Analysis

Transfer contents of the sample bottle to a 25 ml glass stopper graduated cylinder. Maintain all the solutions and sample at 25° C. Add 2 ml buffer. Add 5 ml of working phenol solution, mix, and fill to about 22 ml. Add 2.5 ml of working hypochlorite solution and rapidly mix. Dilute to 25 ml, mix and store in the dark for 30 minutes to develop colour. Measure the absorbance of the solution at 630 nm on a spectrophotometer using 1 cm cells. Prepare a reagent blank and field blank and measure the absorbance as done in the analysis of samples.

2.2.7 Benzo(a)Pyrene**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of Benzo (a) Pyrene (BaP) in ambient air.

Principle of the Method

It is based on BIS method IS 5182 (Part 12):2004 and USEPA method (TO-13). This method is designed to collect particulate phase PAHs in ambient air and fugitive emissions and to determine individual PAH compounds using capillary gas chromatograph equipped with flame ionization detector. It is a high volume

(1.2m³/min) sampling method capable of detecting sub.ng/m³ concentration of PAH in 24 hours sample (i.e., collected in 3 shifts of 8 hour each with 480 m³ sampling volume of air).

Sampling

24 hr. sampling using PM10 high volume sampler with 8 hourly samples using EPM 2000 glass fibre or equivalent filter.

Sample Processing

Extraction: Filter papers (half of all the filters papers collected in a day) are cut into strips using scissors and transfer to 250 ml beaker. Add ~50 ml. of Toluene (GC/HPLC grade). These samples are extracted with toluene using ultra sonic bath for about 30 minutes. Repeat the procedure twice (50ml x 2 times) for complete extraction. Alternatively, sample can be extracted using soxhlet extraction apparatus for about 8 hr. with Toluene and repeat it twice.

Filtration

Filter the extracted samples with Whatman filter paper no.41 containing 2 gm of Anhydrous Sodium Sulphate (to remove moisture).

Sample injection

Take 2µl of sample from the amber vial using standard gas tight syringe and inject in the Capillary GC-FID instrument for analysis. Record the resulting concentration of each PAH compound including B(a)P. A 10ng/µl concentration B(a)P or other PAH standards are to be injected in GC/FID instrument with every batch of samples. As a control Internal Standard of 10 ng/µl conc. is added to each sample prior to the analysis in case of internal calibration is used.

2.2.8

Benzene

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analyzed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

Principle of the Method

IS 5182 (Part 11): 2006, the charcoal tubes are available in different sizes and contain varying amount of activated charcoal. The ambient air is sucked through the tube using a low flow sampler used for collection of BTX sample in a way that results in an enrichment of the relevant substances in the activated charcoal. Desorption of the adsorbed benzene is done using carbon disulphide (CS₂). The substances desorbed in the CS₂ are analyzed by capillary gas chromatography. A flame ionization detector (FID) is used for analysis while quantification is performed using the internal/external standard.

Gas Chromatograph

Any suitable gas chromatograph with flame ionization detector (FID) with fused silica capillary columns having a length of 25 m or more, an internal diameter of 320 μ m or below and with a stationary phase film thickness less than 1.5 μ m as follows or equivalent may be recommended.

Sampling

Selection of Sorbent Tube - Samples are collected in glass sampling tube filled with an activated charcoal (coconut shell), Chromo sorb 106 or other suitable adsorbent.

Analytical Procedure

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analysed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

2.2.9

Carbon Monoxide (CO)

Principle:

Samples containing carbon monoxide in the range of 0 to 100 mg/l are analysed on a non-dispersive infrared absorption gas analyser, namely, an electro-optical spectrophotometer with no spectral dispersion component. It may consist of a single or double source of infrared energy and one or more infrared detectors separated by an optical cell or cells through one or more of which the sample flows, whereby the specific spectral absorption of the component of interest is determined.

Non dispersive Infrared (NDIR) Gas Analyser

The apparatus shall be constructed so as to be suitable for operating within the temperature range of 15°C to 40°C and in a relative humidity range of 0 to 90 percent. The apparatus shall embody facilities for the analysis of continuously applied sample or a discrete sample of volume of 2.0 litres. In the later case the purification train shall be of such a design and dead volume that 2.0 litres is adequate for its proper flushing out. The apparatus shall include facilities for the visual inspection of results and also for their recording. The scale shall be divided into steps of 1.0 percent full scale division (fsd).

Though the basic instrument recommended is for (0 to 100) mg/l range, for samples of higher mg/l range the instrument may be used with proper dilution and conditioning of the samples.

2.2.10 Lead (Pb), Nickel (Ni) & Arsenic (As)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of Lead (Pb), Nickel (Ni) & Arsenic (As) in ambient air.

Principle of the method

The Atomic Absorption Spectroscopy (AAS) technique makes use of absorption spectrometry to assess the concentration of an analyte in the sample. The method is based on active sampling using PM10 Respirable Dust Sampler and then sample analysis is done by atomic absorption spectrophotometer.

Sampling procedure

Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the face-plate wing-nuts and remove the face plate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the face-plate and tighten the wing-nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading and take out the filter media from the sampler and put in a container or envelope.

3.0 Fugitive Emission Monitoring

Fugitive air quality was monitored 40 samples were collected from the analyzed for SPM analyzed by gravimetric method. Work Zone Air quality was monitored at all Plant area and material handling area.

4.0 Stack Monitoring

Stack Monitoring was Collected 60 Sample from Vayubodhan Stack sampler VSS1 stack monitoring was used for drawing the flue gas. Sulphur dioxide and oxides of Nitrogen in the flue gas was sampled by bubbling flue gas solution respectively and the analyses of the pollutants were done as per the Indian Standard procedures prescribed by CPCB/BIS. Stack Emission level was monitored as per the statutory requirement on twice in a month.

4.1 Stack Emissions Monitoring Methodology

Sampling Procedure

Pre-Sampling Activities

Weigh the properly conditioned thimble/filter and place it into the clean, air tight Container. Designate appropriate label or ID No. to each thimble/filter container. Particulate matter emission of "Stack Monitoring - Material and Methodology for is kinetic Sampling.

Field activity starts with the collection of detailed information from the industry about the products, raw materials, fuels, and stack dimensions.

4.2 Traverse Point Calculation

Calculate the traverse point and accordingly mark the distance from tip of the Nozzle, on Pitot tube and probe. Do not forget to add the collar length of port to the calculated traverses. For detailed calculation of "Stack Monitoring- Material and Methodology for isokinetic sampling.

4.3 Determination of Dust Concentration

Determine the mass of dust collected in the thimble by difference i.e., weighing the thimble before and after the run. Dry the thimble in an oven for about 2 hours at 120°C prior to sampling. After sampling, cool, dry and again weigh the thimble along with dust maintaining the same condition as prior to sampling.

DATA ANALYSIS

4.4 BUFFERZONE AMBIENT AIR QUALITY STATUS

Danapur Village (A1)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 76.51, 21.02, 10.86 & 14.00 $\mu\text{g}/\text{m}^3$ respectively. All above the values were found within the Limits. And the results given in **Annexure-1**.

Mariyammanahalli Village (A2)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 74.79, 20.33, 9.52 & 12.89 $\mu\text{g}/\text{m}^3$ respectively. All above the values were found within the Limits. And the results given in **Annexure-2**.

Hanumanahalli Village (A3)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 73.72, 18.50, 9.07 & 12.24 $\mu\text{g}/\text{m}^3$ respectively. All above the values were found within the Limits. Results given in **Annexure -3**.

Galemmanagudi Village (A4)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 69.14, 18.08, 8.20 & 10.59 $\mu\text{g}/\text{m}^3$ respectively. All above the values were found within the Limits. Results given in **Annexure -4**.

Gunda Village (A5)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 67.46, 17.71, 7.57 & 10.91 $\mu\text{g}/\text{m}^3$ respectively. All above the values were found within the Limits. Results given in **Annexure -5**.

Gunda Tanda Village (A6)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 70.59, 19.79, 7.72 & 11.46 $\mu\text{g}/\text{m}^3$ respectively. All above the values were found within the Limits. Results given in **Annexure -6**.

5.1 FUGITIVE DUST CONCENTRATION

Fortnightly fugitive air quality was monitored all plant area SPM value minimum 391.37 $\mu\text{g}/\text{m}^3$, maximum value 1958.27 $\mu\text{g}/\text{m}^3$ and average value 1239.74 $\mu\text{g}/\text{m}^3$. The Fugitive air quality 1st & 2nd Fortnight Results given in **Annexure -7 & Annexure -8**.

5.2 STACK MONITORING

Stack emission level was monitored all chimneys' PM values (mg/Nm^3) 1st and 2nd Fortnight Minimum Value 14.63 mg/Nm^3 , Maximum Value 42.20 mg/Nm^3 & Average Value 31.36 mg/Nm^3 . 1st & 2nd Fortnight Results are given in **Annexure-9 to Annexure-21**.

5.3 CONCLUSION

All the monitored Environmental parameters were found to be well within the statutory norms and the same are enclosed as follows.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY23/R073
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
 Month : JANUARY-2023
 Location : A1-Danapur Village
 Duration of Monitoring : 24 Hour
 Report Issued Date : 04.02.2023
 Report Number : ULR-TC619323000001001F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
02.01.2023	03.01.2023	4249	79.86	100	22.83	60	10.13	80	14.28	80
03.01.2023	04.01.2023	4264	85.10		19.92		8.35		10.39	
09.01.2023	10.01.2023	4356	66.70		18.79		11.80		15.80	
10.01.2023	11.01.2023	4374	71.40		19.93		10.91		11.92	
16.01.2023	17.01.2023	4481	67.96		20.57		9.57		16.77	
17.01.2023	18.01.2023	4503	80.93		22.54		10.02		11.36	
23.01.2023	24.01.2023	4612	75.21		19.91		12.14		18.16	
24.01.2023	25.01.2023	4635	84.89		23.66		13.92		13.30	
Average			76.51		21.02		10.86		14.00	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / AAS-217 BL	Enviro instruments / EI-133
3	Serial No	R.D.S. / 14-A-142	PM2.5/PM10 Sampler / 158-K-20
4	Calibration Date	01.04.2022	07.03.2022
5	Calibration Due Date	31.03.2023	06.03.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit.
-----------	--

Reviewed by



K. Suvama
 Authorised Signatory
 K. Suvama
 Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY23/R073
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : CO Analyser
Month : JANUARY-2023
Location : A1-Danapur Village
Duration of Monitoring : 1 Hour
Report Issued Date : 04.02.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	02.01.2023	4249	0.12	4.0
2	03.01.2023	4264	0.16	
3	09.01.2023	4356	0.10	
4	10.01.2023	4374	0.09	
5	16.01.2023	4481	0.13	
6	17.01.2023	4503	0.12	
7	23.01.2023	4612	0.14	
8	24.01.2023	4635	0.11	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---



K. Suvana
Authorised Signatory
K. Suvana
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-02

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference	:	WO/ADMIN/FY23/R073
Sample collected by	:	Global Environment & Mining Services
Discipline	:	Chemical
Group	:	Atmospheric Pollution
Sample Type	:	Ambient Air Quality Monitoring
Particulars of Sample Collected	:	Respirable Dust Sampler, FPS Sampler
Month	:	JANUARY-2023
Location	:	A2-Mariyammanahalli Village
Duration of Monitoring	:	24 Hour
Report Issued Date	:	04.02.2023
Report Number	:	ULR-TC619323000001002F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
02.01.2023	03.01.2023	4250	75.63	100	21.80	60	10.24	80	12.89	80
03.01.2023	04.01.2023	4265	83.22		19.47		6.68		9.84	
09.01.2023	10.01.2023	4357	58.68		17.11		11.13		12.75	
10.01.2023	11.01.2023	4375	64.25		18.08		8.46		14.55	
16.01.2023	17.01.2023	4482	87.19		24.76		11.02		11.92	
17.01.2023	18.01.2023	4504	69.81		19.60		7.57		14.41	
23.01.2023	24.01.2023	4613	76.43		21.34		11.80		15.80	
24.01.2023	25.01.2023	4636	83.10		20.48		9.24		10.95	
Average			74.79		20.33		9.52		12.89	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / APM -460BL	Enviro instruments / EI-133
3	Serial No	R.D.S./330-DTF-2005	PM2.5 /PM10 Sampler / 159-K-20
4	Calibration Date	01.04.2022	07.03.2022
5	Calibration Due Date	31.03.2023	06.03.2023

INFERENCE As per NAAQMS Standards (2009).
Report Status: - Measured Values for the above parameters are within the limit.

Reviewed by



K. Suvarna
Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



Leaders in Environment
Monitoring



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-02

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY23/R073
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : CO Analyser
Month : JANUARY-2023
Location : A2-Mariyammanahalli Village
Duration of Monitoring : 1 Hour
Report Issued Date : 04.02.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	02.01.2023	4250	0.20	4.0
2	03.01.2023	4265	0.18	
3	09.01.2023	4357	0.13	
4	10.01.2023	4375	0.11	
5	16.01.2023	4482	0.10	
6	17.01.2023	4504	0.14	
7	23.01.2023	4613	0.12	
8	24.01.2023	4636	0.21	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---



K. Suvama

Authorised Signatory
K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-03

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference	: WO/ADMIN/FY23/R073
Sample collected by	: Global Environment & Mining Services
Discipline	: Chemical
Group	: Atmospheric Pollution
Sample Type	: Ambient Air Quality Monitoring
Particulars of Sample Collected	: Respirable Dust Sampler, FPS Sampler
Month	: JANUARY-2023
Location	: A3-Hanumanahalli Village
Duration of Monitoring	: 24 Hour
Report Issued Date	: 04.02.2023
Report Number	: ULR-TC619323000001003F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS :5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
02.01.2023	03.01.2023	4251	78.59	100	21.27	60	9.24	80	13.72	80
03.01.2023	04.01.2023	4266	66.23		17.40		7.57		10.12	
09.01.2023	10.01.2023	4358	82.28		19.27		11.91		14.69	
10.01.2023	11.01.2023	4376	62.68		14.04		9.57		13.30	
16.01.2023	17.01.2023	4483	71.43		18.92		6.79		10.26	
17.01.2023	18.01.2023	4505	85.91		20.64		9.02		11.50	
23.01.2023	24.01.2023	4614	69.01		17.97		8.35		11.57	
24.01.2023	25.01.2023	4637	73.65		18.49		10.13		12.75	
Average			73.72		18.50		9.07		12.24	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Greentech instruments / GTI -151	Enviro instruments / EI-133
3	Serial No	R.D.S./242-DTC-2020	PM2.5 /PM10 Sampler / 160-K-20
4	Calibration Date	01.04.2022	07.03.2022
5	Calibration Due Date	31.03.2023	06.03.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit.
-----------	--



Reviewed by



B. Suvana
Authorised Signatory
K. Suvana
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



Leaders in Environment
Monitoring



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-03

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference	: WO/ADMIN/FY23/R073
Sample collected by	: Global Environment & Mining Services
Discipline	: Chemical
Group	: Atmospheric Pollution
Sample Type	: Ambient Air Quality Monitoring
Particulars of Sample Collected	: CO Analyser
Month	: JANUARY-2023
Location	: A3-Hanumanahalli Village
Duration of Monitoring	: 1 Hour
Report Issued Date	: 04.02.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	02.01.2023	4251	0.16	4.0
2	03.01.2023	4266	0.24	
3	09.01.2023	4358	0.11	
4	10.01.2023	4376	0.13	
5	16.01.2023	4483	0.12	
6	17.01.2023	4505	0.11	
7	23.01.2023	4614	0.18	
8	24.01.2023	4637	0.23	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---



[Signature]
Authorised Signatory
A. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-04

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY23/R073
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
 Month : JANUARY-2023
 Location : A4-Galemmannagudi Village
 Duration of Monitoring : 24 Hour
 Report Issue Date : 04.02.2023
 Report Number : ULR-TC619323000001004F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
04.01.2023	05.01.2023	4282	73.63	100	18.79	60	8.35	80	12.61	80
05.01.2023	06.01.2023	4301	60.30		15.14		10.13		10.12	
11.01.2023	12.01.2023	4396	70.69		15.12		8.46		11.36	
12.01.2023	13.01.2023	4420	58.41		18.25		7.46		8.87	
18.01.2023	19.01.2023	4528	69.86		16.39		6.57		10.26	
19.01.2023	20.01.2023	4549	75.46		19.70		9.35		9.84	
25.01.2023	26.01.2023	4658	67.18		19.62		8.68		9.29	
27.01.2023	28.01.2023	4665	77.62		21.59		6.57		12.40	
Average			69.14		18.08		8.20		10.59	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Ecotech instruments / AAS-217 BL	Enviro instruments / APM-550 G
3	Serial No	R.D.S. / 14-A-141	PM2.5 / PM10 Sampler / 06-DTF-2011
4	Calibration Date	01.04.2022	01.04.2022
5	Calibration Due Date	31.03.2023	31.03.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit.
-----------	--

Reviewed by



Authorised Signatory
K. Suvarna
 Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



Leaders in Environment
Monitoring



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-04

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY23/R073
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : CO Analyser
Month : JANUARY-2023
Location : A4-Galemmanagudi Village
Duration of Monitoring : 1 Hour
Report Issued Date : 04.02.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	04.01.2023	4282	0.23	4.0
2	05.01.2023	4301	0.18	
3	11.01.2023	4396	0.10	
4	12.01.2023	4420	0.22	
5	18.01.2023	4528	0.21	
6	19.01.2023	4549	0.14	
7	25.01.2023	4658	0.11	
8	27.01.2023	4665	0.15	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---



[Signature]

Authorised Signatory
K. Sivaraja
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-05

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference	: WO/ADMIN/FY23/R073
Sample collected by	: Global Environment & Mining Services
Discipline	: Chemical
Group	: Atmospheric Pollution
Sample Type	: Ambient Air Quality Monitoring
Particulars of Sample Collected	: Respirable Dust Sampler, FPS Sampler
Month	: JANUARY-2023
Location	: A5-Gunda Village
Duration of Monitoring	: 24 Hour
Report Issue Date	: 04.02.2023
Report Number	: ULR-TC619323000001005F

RESULTS

Parameters			PM10 [µg/m ³]		PM2.5 [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS :5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Received Sample	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
04.01.2023	05.01.2023	4283	68.79	100	19.10	60	10.47	80	12.06	80
05.01.2023	06.01.2023	4302	74.42		17.06		6.68		10.39	
11.01.2023	12.01.2023	4397	64.65		16.75		7.90		12.89	
12.01.2023	13.01.2023	4421	56.43		15.09		5.68		9.42	
18.01.2023	19.01.2023	4529	70.46		16.68		6.90		11.23	
19.01.2023	20.01.2023	4550	63.84		17.27		6.23		10.26	
25.01.2023	26.01.2023	4659	72.61		20.05		5.68		9.15	
27.01.2023	28.01.2023	4666	68.50		19.71		11.02		11.92	
Average			67.46		17.71		7.57		10.91	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Greentech instruments / GTI -154	Enviro instruments / APM-550 Mini
3	Serial No	R.D.S./263-OCT-2020	PM2.5 /PM10 Sampler / 08-DK-2011
4	Calibration Date	01.04.2022	01.04.2022
5	Calibration Due Date	31.03.2023	31.03.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit.
-----------	--

Reviewed by



R. Suvana
Authorised Signatory
R. Suvana
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-05

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY23/R073
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : CO Analyser
Month : JANUARY-2023
Location : A5-Gunda Village
Duration of Monitoring : 1 Hour
Report Issued Date : 04.02.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	04.01.2023	4283	<0.01	1.0
2	05.01.2023	4302	<0.01	
3	11.01.2023	4397	<0.01	
4	12.01.2023	4421	0.10	
5	18.01.2023	4529	<0.01	
6	19.01.2023	4550	0.08	
7	25.01.2023	4659	<0.01	
8	27.01.2023	4666	<0.01	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

Sl. NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE	As per NAAQMS Standards (2009). Report Status: - Measured Values for the above parameters are within the limit
-----------	---



K. Suvarna
Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-06

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference	: WO/ADMIN/FY23/R073
Sample collected by	: Global Environment & Mining Services
Discipline	: Chemical
Group	: Atmospheric Pollution
Sample Type	: Ambient Air Quality Monitoring
Particulars of Sample Collected	: Respirable Dust Sampler, FPS Sampler
Month	: JANUARY-2023
Location	: A6-Gunda Tanda Village
Duration of Monitoring	: 24 Hour
Report Issue Date	: 04.02.2023
Report Number	: ULR-TC619323000001006F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Received Sample	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
04.01.2023	05.01.2023	4284	71.96	100	20.70	60	8.57	80	11.92	80
05.01.2023	06.01.2023	4303	80.31		22.58		7.68		10.81	
11.01.2023	12.01.2023	4398	48.84		14.43		9.24		13.44	
12.01.2023	13.01.2023	4422	66.84		18.36		5.23		9.01	
18.01.2023	19.01.2023	4530	74.87		19.92		8.68		12.61	
19.01.2023	20.01.2023	4551	84.12		23.72		5.57		9.29	
25.01.2023	26.01.2023	4660	66.70		18.74		7.68		11.36	
27.01.2023	28.01.2023	4667	71.08		19.91		9.13		13.22	
Average			70.59		19.79		7.72		11.46	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Ecotech instruments / APM-460	Enviro instruments / APM-550 G
3	Serial No	R.D.S./325-DTT-2005	PM2.5 /PM10 Sampler / 06-DTF-2011
4	Calibration Date	01.04.2022	01.04.2022
5	Calibration Due Date	31.03.2023	31.03.2023

INFERENCE As per NAAQS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Reviewed by



Authorised Signatory
K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



Leaders in Environment
Monitoring



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-06

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference	: WO/ADMIN/FY23/R073
Sample collected by	: Global Environment & Mining Services
Discipline	: Chemical
Group	: Atmospheric Pollution
Sample Type	: Ambient Air Quality Monitoring
Particulars of Sample Collected	: CO Analyser
Month	: JANUARY-2023
Location	: A6-Gunda Tanda Village
Duration of Monitoring	: 1 Hour
Report Issued Date	: 04.02.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	04.01.2023	4284	<0.01	4.0
2	05.01.2023	4303	0.10	
3	11.01.2023	4398	<0.01	
4	12.01.2023	4422	<0.01	
5	18.01.2023	4530	<0.01	
6	19.01.2023	4551	<0.01	
7	25.01.2023	4660	0.09	
8	27.01.2023	4667	<0.01	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---



R. Swarna

Authorised Signatory

K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-07

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY23/RO73
3	Sample collected by	:	GLOBAL Environment & Mining Services
4	Particulars of sample collected	:	RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
5	Month	:	JANUARY-2023(1 st Fort Night)
6	Discipline	:	Chemical
7	Group	:	Atmospheric Pollution
8	Method adopted	:	IS 5182 (Part 4): 1999 RA 2014
9	Report Issued Date	:	04.02.2023
10	Report Number	:	PAL/BMM/2022-23/1042

RESULTS

Sl. No.	Location / Plant	Sample Code	Date Of Monitoring	Date Of Sample Receipt	SPM ($\mu\text{g}/\text{m}^3$)	Standard
I. Beneficiation Plant-II						
1.	Ball Mill Area (Zero Meter)	4270	03.01.2023	04.01.2023	1257.55	2000
2.	Iron Ore Hopper (Near Monsoon Shed)	4272	03.01.2023	04.01.2023	1579.53	2000
3.	Concentrate Thickner	4271	03.01.2023	04.01.2023	728.58	2000
II. Pellet Plant-I						
4.	PR-6	4273	03.01.2023	04.01.2023	718.62	2000
5.	Annual Cooler Pellet Discharge bin	4274	03.01.2023	04.01.2023	1564.35	2000
6.	Additive Grinding Building	4288	04.01.2023	05.01.2023	1515.79	2000
III. Sponge Iron Division -2 (Kiln 1 & 2)						
7.	Control room	4289	04.01.2023	05.01.2023	1573.13	2000
8.	Near Weigh bridge (dispatch)	4290	04.01.2023	05.01.2023	1843.91	2000
9.	Pellet Storage bin	4307	05.01.2023	06.01.2023	1838.18	2000
10.	Transfer House area	4291	04.01.2023	05.01.2023	1584.68	2000
11.	Production Separation Bin-PSB	4292	04.01.2023	05.01.2023	1233.68	2000
IV. Sponge Iron Division -2 (Kiln 3 & 4)						
12.	Near Control room	4308	05.01.2023	06.01.2023	1493.47	2000
13.	Near Coal Crusher	4310	05.01.2023	06.01.2023	1284.27	2000
14.	Near Product bin	4309	05.01.2023	06.01.2023	1572.50	2000
15.	Coal Drier	4311	05.01.2023	06.01.2023	1414.83	2000
V. Wagon Tipper/RMHS						
16.	Near Tipping point	4318	06.01.2023	07.01.2023	1207.63	2000
17.	Monsoon Shed (CPU)	4319	06.01.2023	07.01.2023	1717.41	2000
18.	MCC Room (2 nd Gate)	4320	06.01.2023	07.01.2023	1397.13	2000
VI. Power Plant-70 MW						
19.	70MW-DM Plant (Near R.O. Plant)	4321	06.01.2023	07.01.2023	1380.41	2000
20.	Coal Screen (near gate weigh bridge)	4380	10.01.2023	11.01.2023	1958.27	2000
21.	CFBC boiler	4322	06.01.2023	07.01.2023	924.64	2000
VII. 2X70MW Power Plant						
22.	Near Boiler	4381	10.01.2023	11.01.2023	911.81	2000
23.	Near Coal storage Shed	4382	10.01.2023	11.01.2023	546.17	2000
24.	Dolochar Processing Area	4383	10.01.2023	11.01.2023	1168.73	2000

Note: SPM -Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

Sl. NO	INSTRUMENT DETAILS	GEMS-01	GEMS-02	GEMS-03	GEMS-04	GEMS-05
1	Instrument Name	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler
2	Make & Model	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151
3	Serial No	RDS / 241-DTC-2020	RDS / 243-DTL-2020	RDS / 244-DTL-2020	RDS / 193-DTH-2019	RDS / 197-DTH-2019
4	Calibration Date	01.04.2022	01.04.2022	01.04.2022	01.04.2022	01.04.2022
5	Calibration Due Date	31.03.2023	31.03.2023	31.03.2023	31.03.2023	31.03.2023



B. Swamy
Authorised Signatory
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-08

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
5	Month	: JANUARY-2023(2 nd Fort Night)
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Method adopted	: IS 5182 (Part 4): 1999 RA 2014
9	Report Issued Date	: 04.02.2023
10	Report Number	: PAL/BMM/2022-23/1043

RESULTS

Sl. No.	Location / Plant	Sample Code	Date Of Monitoring	Date Of Sample Receipt	SPM ($\mu\text{g}/\text{m}^3$)	Standard
I. Beneficiation Plant-II						
1.	Ball Mill Area (Zero Meter)	4487	16.01.2023	17.01.2023	1462.33	2000
2.	Iron Ore Hopper (Near Monsoon Shed)	4489	16.01.2023	17.01.2023	748.04	2000
3.	Concentrate Thickner	4488	16.01.2023	17.01.2023	1069.50	2000
II. Pellet Plant-I						
4.	PR-6	4490	16.01.2023	17.01.2023	744.42	2000
5.	Annual Cooler Pellet Discharge bin	4491	16.01.2023	17.01.2023	814.46	2000
6.	Additive Grinding Building	4509	17.01.2023	18.01.2023	1338.92	2000
III. Sponge Iron Division -2 (Kiln 1 & 2)						
7.	Control room	4510	17.01.2023	18.01.2023	1778.61	2000
8.	Near Weigh bridge (dispatch)	4511	17.01.2023	18.01.2023	1659.76	2000
9.	Pellet Storage bin	4534	18.01.2023	19.01.2023	1533.69	2000
10.	Transfer House area	4512	17.01.2023	18.01.2023	1037.30	2000
11.	Production Separation Bin-PSB	4513	17.01.2023	18.01.2023	1039.77	2000
IV. Sponge Iron Division -2 (Kiln 3 & 4)						
12.	Near Control room	4535	18.01.2023	19.01.2023	1501.45	2000
13.	Near Coal Crusher	4537	18.01.2023	19.01.2023	1468.40	2000
14.	Near Product bin	4536	18.01.2023	19.01.2023	1475.16	2000
15.	Coal Dryer	4538	18.01.2023	19.01.2023	552.46	2000
V. Wagon Tipper/RMHS						
16.	Near Tipping point	4555	19.01.2023	20.01.2023	601.68	2000
17.	Monsoon Shed (CPU)	4556	19.01.2023	20.01.2023	1406.72	2000
18.	MCC Room (2 nd Gate)	4557	19.01.2023	20.01.2023	1316.89	2000
VI. Power Plant-70 MW						
19.	70MW-DM Plant (Near R.O. Plant)	4558	19.01.2023	20.01.2023	624.96	2000
20.	2 nd gate weigh bridge near Coal Screen	4571	20.01.2023	21.01.2023	1170.76	2000
21.	CFBC boiler	4559	19.01.2023	20.01.2023	1878.39	2000
VII. 2X70MW Power Plant						
22.	Near Boiler	4572	20.01.2023	21.01.2023	391.37	2000
23.	Near Coal storage Shed	4573	20.01.2023	21.01.2023	596.70	2000
24.	Dolochar Processing Area	4574	20.01.2023	21.01.2023	880.60	2000

Note: SPM -Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

SL NO	INSTRUMENT DETAILS	GEMS-01	GEMS-02	GEMS-03	GEMS-04	GEMS-05
1	Instrument Name	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler
2	Make & Model	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151
3	Serial No	RDS / 241-DTC-2020	RDS / 243-DTL-2020	RDS / 244-DTL-2020	RDS / 193-DTH-2019	RDS / 197-DTH-2019
4	Calibration Date	01.04.2022	01.04.2022	01.04.2022	01.04.2022	01.04.2022
5	Calibration Due Date	31.03.2023	31.03.2023	31.03.2023	31.03.2023	31.03.2023



K. Suvama
Authorised Signatory
K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-09

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: Pellet Plant-2 ESP
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: 04.01.2023 & 17.01.2023
12	Date of Sample Analysis	: 04.01.2023 & 17.01.2023
13	Date Sample Analysis Completion	: 05.01.2023 & 18.01.2023
14	Report Issued Date	: 04.02.2023
15	Report Number	: ULR-TC619323000001043F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	100
3	Stack Diameter (mtr)	4.4

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1st Fort Night	2nd Fort Night	
				03.01.2023	16.01.2023	
	Date of Monitoring					
	Sample Code			4267	4484	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	30	28	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	79	75	-
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	5.97	5.86	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	326835	320813	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	277569	275044	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	40.03	40.36	100
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	97.23	82.94	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005(RA 2017)	mg/Nm ³	10.25	8.20	NS

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Reviewed by



K. Suvarna

Authorised Signatory

K. Suvarna

Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-09

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 SI.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: Pellet Plant-2 ESP
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: 04.01.2023 & 17.01.2023
12	Date of Sample Analysis	: 04.01.2023 & 17.01.2023
13	Date Sample Analysis Completion	: 05.01.2023 & 18.01.2023
14	Report Issued Date	: 04.02.2023

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	100
3	Stack Diameter (mtr)	4.4

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				03.01.2023	16.01.2023	
	Date of Monitoring			4267	4484	
	Sample Code					
9	Carbon Monoxide	GEMS/SOP/69	%	0.009	0.008	-

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.



B. Swarna
Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT Analysis Report of Stack Emission

ANNEXURE-10

1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY23/R073
3	Sample collected by	:	GLOBAL Environment & Mining Services
4	Particulars of sample collected	:	Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	:	Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	:	Chemical
7	Group	:	Atmospheric Pollution
8	Sample Type	:	Stack Monitoring
9	Sampling Location	:	SID Axis 1 & 2
10	Month of Sampling	:	JANUARY-2023
11	Date of Sample Received	:	06.01.2023 & 19.01.2023
12	Date of Sample Analysis	:	06.01.2023 & 19.01.2023
13	Date Sample Analysis Completion	:	07.01.2023 & 20.01.2023
14	Report Issued Date	:	04.02.2023
15	Report Number	:	ULR-TC619323000001044F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1st Fort Night	2nd Fort Night	
				05.01.2023	18.01.2023	
	Date of Monitoring					
	Sample Code			4304	4531	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	29	29	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	129	131	-
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	7.66	7.60	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	194694	193422	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	144705	142616	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	40.21	39.58	100
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	406.12	354.64	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005(RA 2017)	mg/Nm ³	53.30	36.90	NS

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Q

Reviewed by



K. Suvama

Authorised Signatory
K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-10

Analysis Report of Stack Emission

1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY23/R073
3	Sample collected by	:	GLOBAL Environment & Mining Services
4	Particulars of sample collected	:	Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	:	Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	:	Chemical
7	Group	:	Atmospheric Pollution
8	Sample Type	:	Stack Monitoring
9	Sampling Location	:	SID Axis 1 & 2
10	Month of Sampling	:	JANUARY-2023
11	Date of Sample Received	:	06.01.2023 & 19.01.2023
12	Date of Sample Analysis	:	06.01.2023 & 19.01.2023
13	Date Sample Analysis Completion	:	07.01.2023 & 20.01.2023
14	Report Issued Date	:	04.02.2023

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				05.01.2023	18.01.2023	
				4304	4531	
9	Carbon Monoxide	GEMS/SOP/69	%	0.023	0.026	1%

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.



R. Swam
Authorised Signatory
K. Suvana
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-11

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: SID Axis 3&4
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: 11.01.2023 & 21.01.2023
12	Date of Sample Analysis	: 11.01.2023 & 23.01.2023
13	Date Sample Analysis Completion	: 12.01.2023 & 24.01.2023
14	Report Issued Date	: 04.02.2023
15	Report Number	: ULR-TC619323000001015F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
	Date of Monitoring Sample Code			10.01.2023	21.01.2023	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	28	28	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	131	134	-
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	7.83	7.78	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	199275	198003	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	147628	145223	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	33.05	31.60	100
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	31.46	337.48	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	6.15	62.92	NS

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.



Reviewed by



K. Suvarna

Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)
ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-11

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/R073
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: SID Axis 3&4
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: 11.01.2023 & 21.01.2023
12	Date of Sample Analysis	: 11.01.2023 & 23.01.2023
13	Date Sample Analysis Completion	: 12.01.2023 & 24.01.2023
14	Report Issued Date	: 04.02.2023

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				10.01.2023	21.01.2023	
	Date of Monitoring			4377	4585	
	Sample Code					
9	Carbon Monoxide	GEMS/SOP/69	%	0.002	0.028	1%

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.



K. Suvarna
Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-12

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 SLNo: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: 1X70 MW-CFBC Boiler ESP
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: 12.01.2023& 24.01.2023
12	Date of Sample Analysis	: 12.01.2023& 24.01.2023
13	Date Sample Analysis Completion	: 13.01.2023& 25.01.2023
14	Report Issued Date	: 04.02.2023
15	Report Number	: ULR-TC619323000001046F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				11.01.2023	23.01.2023	
	Date of Monitoring					
	Sample Code			4399	4615	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	28	29	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	126	121	-
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	6.58	6.43	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	167462	163645	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	125253	123642	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	42.20	35.05	50
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	11.44	80.08	600
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	4.10	151.70	300

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Reviewed by



B. Swarna

Authorised Signatory

K. Suvarna

Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka.
Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-12

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: 1X70 MW-CFBC Boiler ESP
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: 12.01.2023& 24.01.2023
12	Date of Sample Analysis	: 12.01.2023& 24.01.2023
13	Date Sample Analysis Completion	: 13.01.2023& 25.01.2023
14	Report Issued Date	: 04.02.2023
15	Report Number	: ULR-TC619323000001046F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				11.01.2023	23.01.2023	
9	Carbon Monoxide	GEMS/SOP/69	%	0.002	0.019	-

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.



B. Swarna
Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-13

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/R073
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: 2X70 MW CFBC Boiler ESP
10	Month of Sampling	: JANUARY-2023
11	Date of Sample Received	: -
12	Date of Sample Analysis	: -
13	Date Sample Analysis Completion	: -
14	Report Issued Date	: 04.02.2023
15	Report Number	: -

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr.)	110.0
3	Stack Diameter (mtr)	8.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
	Date of Monitoring			1 st Fort Night	2 nd Fort Night	
	Sample Code			-	-	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	Shutdown	Shutdown	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C			-
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec			-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr			-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr			-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³			100
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³			600
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³			300
9	Carbon Monoxide	GEMS/SOP/69	%			-

Note: NS- Not Specified. RA: Reaffirmed

Reviewed by



Authorised Signatory

K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-14

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/R073
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 SL.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(1 st Fort Night)
10	Date of Sample Received	: 10.01.2023
11	Date of Sample Analysis	: 10.01.2023
12	Date Sample Analysis Completion	: 11.01.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001048F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Beneficiation Plant-2											
1	Iron Ore Cone Crusher	-	-	---	-	-	-	30	1.20	-	50
2	Iron Ore Screening	09.01.2023	4368	---	28	39	5.61	30	0.90	22.71	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Iron Ore Cone Crusher	-	-	-
2	Iron Ore Screening	12850	12246	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Q

Reviewed by



K. Suvarna

Authorised Signatory

K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-15

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/R073
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(1 st Fort Night)
10	Date of Sample Received	: 04.01.2023& 05.01.2023
11	Date of Sample Analysis	: 04.01.2023& 05.01.2023
12	Date Sample Analysis Completion	: 05.01.2023& 06.01.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001049F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Pellet Plant-II											
3	Additive grinding mill	03.01.2023	4269	---	31	38	4.75	6.0	0.50	34.66	50
4	Mixer building	03.01.2023	4268	---	31	39	5.56	6.0	0.35	33.35	50
5	Pellet discharge point	04.01.2023	4287	---	29	42	5.88	20	0.50	25.80	50

Sl. No	Pellet Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
3	Additive grinding mill	3358	3219	-
4	Mixer building	1926	1839	-
5	Pellet discharge point	4150	3924	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the Limits.

Reviewed by



Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-16

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(1 st Fort Night)
10	Date of Sample Received	: 07.01.2023, 11.01.2023 & 12.01.2023
11	Date of Sample Analysis	: 07.01.2023, 11.01.2023 & 12.01.2023
12	Date Sample Analysis Completion	: 09.01.2023, 12.01.2023 & 13.01.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001050F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2 X 500 TPD Sponge Iron Kiln 1 & 2											
6	Cooler Discharge -1	06.01.2023	4315	---	28	36	4.72	30	1.20	29.00	50
7	Cooler Discharge -2	06.01.2023	4316	---	29	38	5.03	30	1.20	30.20	50
8	Coal stock house	06.01.2023	4317	---	29	38	4.73	30	1.20	15.97	50
9	Production Separation bin1&2	10.01.2023	4378	---	28	38	4.87	30	1.20	31.43	50
10	Production Separation bin3&4	10.01.2023	4379	---	30	37	5.33	30	1.20	34.24	50
11	Transfer House	11.01.2023	4401	---	28	37	5.13	30	1.20	35.25	50

Sl. No	2 X 500 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
6	Cooler Discharge -1	19220	18626	-
7	Cooler Discharge -2	20482	19665	-
8	Coal stock house	19261	18492	-
9	Production Separation bin-1&2	19831	19034	-
10	Production Separation bin-3&4	21704	20869	-
11	Transfer House	20890	20094	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Reviewed by



Authorised Signatory
K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-17

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(1 st Fort Night)
10	Date of Sample Received	: 10.01.2023,12.01.2023, 13.01.2023 & 14.01.2023
11	Date of Sample Analysis	: 10.01.2023,12.01.2023, 13.01.2023 & 14.01.2023
12	Date Sample Analysis Completion	: 11.01.2023,13.01.2023, 14.01.2023 & 16.01.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001051F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/s	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2X500 TPD Sponge Iron Kiln 3&4											
12	Coal Primary Screen	---	---	---	-	-	-	30	1.20	-	50
13	Coal Stock House -1 & coal stock house-2	---	---	---	-	-	-	30	1.20	-	50
14	Cooler Discharge -1	12.01.2023	4424	---	29	38	4.80	30	1.30	35.86	50
15	Cooler Discharge -2 & PSB transfer tower	11.01.2023	4400	---	31	38	5.45	30	1.4	32.57	50
16	Production Bunker & Intermediate bin	12.01.2023	4425	---	30	39	5.40	35	1.90	36.36	50
17	Production Separation bin	13.01.2023	4448	---	30	37	5.50	35	1.90	32.20	50
18	Pellet Stock house	---	---	---	-	-	-	30	1.20	-	50
19	Dolochar Stock House 1 & 2	---	---	---	-	-	-	30	1.20	-	50
20	CPU Building	09.01.2023	4367	---	29	40	5.31	35	1.50	31.83	50

Sl. No	2X500 TPD Sponge Iron Kiln 3&4	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
12	Coal Primary Screen	-	-	-
13	Coal Stock House -1 & coal stock house-2	-	-	-
14	Cooler Discharge -1	22939	21940	-
15	Cooler Discharge -2 & PSB transfer tower	30207	28910	-
16	Production Bunker & Intermediate bin	55125	53535	-
17	Production Separation bin	56146	54878	-
18	Pellet Stock house	-	-	-
19	Dolochar Stock House 1 & 2	-	-	-
20	CPU Building	33785	32035	-

INFERENCE: The Measured Values are within the limits.



Reviewed by



K. Suvarna

Authorised Signatory

K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-18

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/R073
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(2 nd Fort Night)
10	Date of Sample Received	: 31.01.2023
11	Date of Sample Analysis	: 01.02.2023
12	Date Sample Analysis Completion	: 02.02.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001052F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Beneficiation Plant-2											
1	Iron Ore Cone Crusher	-	-	---	-	-	-	30	1.20	-	50
2	Iron Ore Screening	31.01.2023	4679	---	31	36	5.38	30	0.90	20.55	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Iron Ore Cone Crusher	-	-	-
2	Iron Ore Screening	12323	11850	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Reviewed by



Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School,
Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-19

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/RO73
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 Sl.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(2nd Fort Night)
10	Date of Sample Received	: 17.01.2023 & 18.01.2023
11	Date of Sample Analysis	: 17.01.2023 & 18.01.2023
12	Date Sample Analysis Completion	: 18.01.2023 & 19.01.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001053F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Pellet Plant-II											
3	Additive grinding mill	16.01.2023	4486	---	31	36	5.01	6.0	0.50	27.04	50
4	Mixer building	16.01.2023	4485	---	31	37	5.34	5.0	0.35	30.28	50
5	Pellet discharge point	17.01.2023	4508	---	31	41	5.82	20	0.50	24.68	50

Sl. No	Pellet Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
3	Additive grinding mill	3542	3485	-
4	Mixer building	1850	1814	-
5	Pellet discharge point	4114	3933	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Reviewed by



Authorised Signatory
K. Suvarna
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-20

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY23/R073
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VSS-1 SI.No: Stack Monitoring Kit/ 304-DTB-2007
5	Instrument Details	: Calibration Date: 07.02.2022 Calibration Due Date: 06.02.2023
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: JANUARY-2023(2 nd Fort Night)
10	Date of Sample Received	: 20.01.2023, 21.01.2023
11	Date of Sample Analysis	: 20.01.2023, 21.01.2023
12	Date Sample Analysis Completion	: 21.01.2023, 23.01.2023
13	Report Issued Date	: 04.02.2023
14	Report Number	: ULR-TC619323000001054F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2 X 500 TPD Sponge Iron Kiln 1 & 2											
6	Cooler Discharge -1	19.01.2023	4552	---	29	37	4.86	30	1.20	33.01	50
7	Cooler Discharge -2	19.01.2023	4553	---	30	38	4.68	30	1.20	31.53	50
8	Coal stock house	19.01.2023	4554	---	31	39	4.62	30	1.20	14.63	50
9	Production Separation bin-1&2	20.01.2023	4568	---	28	39	4.98	30	1.20	33.42	50
10	Production Separation bin-3&4	20.01.2023	4569	---	29	37	5.21	30	1.20	35.10	50
11	Transfer House	20.01.2023	4570	---	30	36	4.96	30	1.20	30.39	50

Sl. No	2 X 500 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
6	Cooler Discharge -1	19790	19092	-
7	Cooler Discharge -2	19057	18294	-
8	Coal stock house	18813	17947	-
9	Production Separation bin-1&2	20279	19430	-
10	Production Separation bin-3&4	21215	20437	-
11	Transfer House	20197	19463	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.



Reviewed by



K. Suvama

Authorised Signatory

K. Suvama

Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services)

ISO 9001 : 2015, 45001 : 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka.

Tel. : 08394 - 228683 / email : premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-21

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY23/R073
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VSS-1
Sl.No: Stack Monitoring Kit/ 304-DTB-2007
- 5 Instrument Details : Calibration Date: 07.02.2022
Calibration Due Date: 06.02.2023
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : JANUARY-2023(2nd Fort Night)
- 10 Date of Sample Received : 21.01.2023,24.01.2023&31.01.2023
- 11 Date of Sample Analysis : 23.01.2023,24.01.2023& 01.02.2023
- 12 Date Sample Analysis Completion : 23.01.2023,25.01.2023& 02.02.2023
- 13 Report Issued Date : 04.02.2023
- 14 Report Number : ULR-TC619323000001055F

RESULTS

Sl. NO	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/s	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2X500 TPD Sponge Iron Kiln 3&4											
12	Coal Primary Screen	---	---	---	-	-	-	30	1.20	-	50
13	Coal Stock House -1 & coal stock house-2	---	---	---	-	-	-	30	1.20	-	50
14	Cooler Discharge -1	21.01.2023	4586	---	30	38	4.69	30	1.30	28.85	50
15	Cooler Discharge -2 & PSB transfer tower	21.01.2023	4587	---	29	39	5.43	30	1.4	31.97	50
16	Production Bunker & Intermediate bin	23.01.2023	4616	---	30	39	5.30	35	1.90	34.82	50
17	Production Separation bin	23.01.2023	4617	---	31	38	5.55	35	1.90	31.14	50
18	Pellet Stock house	---	---	---	-	-	-	30	1.20	-	50
19	Dolochar Stock House 1 & 2	---	---	---	-	-	-	30	1.20	-	50
20	CPU Building	31.01.2023	4680	---	29	37	5.32	35	1.50	29.49	50

Sl. No	2X500 TPD Sponge Iron Kiln 3&4	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
12	Coal Primary Screen	-	-	-
13	Coal Stock House -1 & coal stock house-2	-	-	-
14	Cooler Discharge -1	22413	21451	-
15	Cooler Discharge -2 & PSB transfer tower	30096	28692	-
16	Production Bunker & Intermediate bin	54104	52544	-
17	Production Separation bin	56656	55381	-
18	Pellet Stock house	-	-	-
19	Dolochar Stock House 1 & 2	-	-	-
20	CPU Building	33849	32975	-

INFERENCE: The Measured Values are within the limits.

Reviewed by



Authorised Signatory
K. Suvama
Quality Manager

Note : 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.