

ENVIRONMENTAL MONITORING REPORT



Danapur Village, Hosapete Taluk, Vijayanagara District, PIN-583222, Karnataka.

STAGE-II

FEBRUARY - 2023

Prepared by

M/s. Premier Analytical Laboratories

Near Ganesh Gas Godown, Beside Govt.Primary School, Amaravathi, **HOSAPETE-583201**,Vijayanagara District, Karnataka. Ph.No: 08394 228683, email:premierlabhpt@yahoo.com

STAGE-2

PREFACE

The industries should monitor environmental parameters as per the frequency and locations given in the CFE/CFO. And the same should be submitted on every month to the

respective pollution control board.

As part of the conditions and inherent concern on health of the employees and

surroundings M/s. BMM Ispat Ltd., as appointed M/s. Premier Analytical Laboratories,

Hosapete, to carry out the environmental pollution monitoring on AAQ Monitoring, Fugitive

monitoring within the plant, Stack monitoring submit the same to the Pollution Control

Board.

Accordingly, M/s. Global Environment & Mining Services, Hosapete, carried out the pollution

monitoring as per the standard sampling methods prescribed by CPCB, for AAQ Monitoring,

Fugitive monitoring within the plant, Stack monitoring & Personal Dust Sampling as per the

CFO. These monitoring has been carried out in a frequency as mentioned in the CFO and the

same report is being submitted to the Board.

We sincerely thank to officials of *M/s. BMM Ispat Ltd.*, for their valuable co-ordination &

support during the sampling and reporting.

for Premier Analytical Laboratories

Place: Hosapete Date: 06.03.2023



K. Suvarna (Quality Manager)

K. Suvarna Qualitay Manager

M/S. BMM ISPAT LIMITED.,

1.0 EXECUTIVE SUMMARY

1.1 INTRODUCTION

The journey of the BMM Group is a reflection of the path tread by every entrepreneur who believes in the human potential and one's own ability to bring about a life affirming change that transcends time. BMM Group was born out of this committed belief of Late Shri UdaichandSinghi.


Entrenched in the Indian ethos, with an astute understanding of market needs, values and sensibilities *Mr. Dinesh Kumar Singhi* inherited the legacy from his father and has built the BMM Group on sound fundamentals since 1998. He steered the company towards growth by being the first mining company to establish a power generation plant for captive use, and creating a steel plant from the captive ore mine. Over the last 12 years, BMM has been able to add value to every relationship under his able and dynamic leadership.

Today, BMM is a 4900 Crores Company due to its focus on market orientation and optimal usage of technology to achieve process efficiency and value addition. BMM has always believed in the principle of sharing and hence continues to transfer this benefit derived from sustained growth to its employees, partners and associates. The unique value proposition that defines the very fabric of the BMM culture is the firm's belief in unleashing this 'potential in tones' in terms of its human capital, continuous growth and consistent benefits to its stakeholders.

The human potential at BMM is reflected in the depth of domain expertise across diverse sectors and dynamism of youth at various levels in the Organization. Business operations lead by professionals with decades of market understanding and a dynamic team enables BMM to deliver superior product quality. This human potential keeps BMM attuned to scaling new heights and meeting customer expectations. While consistently adding value to its partners, BMM is sensitive to its responsibility towards the environment by implementing best practices in its Business Operations and contribution to society through various social Endeavors.

BMM has a commitment of being a good Corporate Citizen and is committed to achieving business goals through ethical means. BMM hence has been able to have deeper relevance to society by creating value that is inclusive and truly benefits all.





1.2 PROMOTERS OF THE PROJECT

BMM Group, one of the leading Steel, Power & Mining companies in India that has achieved the present level under the leadership and guidance of **Sri. Dinesh Kumar Singhi**, the Founder & Chairman of the group, is promoting the project. His vision is to globalize the company business and do value addition by operating responsibly and in a sustainable manner in exploring, exploiting, excavating and processing minerals followed by setting up steel plant facilities.

BMM is a step towards forward integration has set up new merchant Bar Mill. The works is located at:

BMM ISPAT LIMITED
(Registered Office & Works)
#114, Danapur
Hosapete - 583 222
Vijayanagara Dist., Karnataka
Phone +91 08394-264000, +91 9686550808/09
Fax - 08394 264010

1.3 Site Location

BMM ISPAT LIMITED is located at Danapur about 15 Kms away from Hosapete in Karnataka. The plant site can be connected by national highway, viz. NH-13. The plant is 1 km away from the NH-13 near Danapur village. The nearest railway station is Hospet; Bangalore is at a distance of 300 kms. Seaport is Belikere and Karwar, the nearest Airport is in the private sector belonging to JSW, a Jindal Group company at Thoranagallu (Vidyanagara).



M/s. BMM ISPAT Ltd., Has accorded Environmental Clearance for 2.0 MTPA Integrated Steel Plant, with the following facilities.

S.N.	Items	Capacity
1	Iron ore beneficiation plant	3.40 MTPA
2	Palletizing Plant	1.20 MTPA
3	DRI Plant	0.70 MTPA
4	Coke Oven	0.80 MTPA
5	Sinter Plant	2.50 MTPA
6	Blast furnace	1.70 MTPA
7	EAF & BOF Steel making shop	2.30 MTPA
8	Continuous casting machines	
	Slab Caster	1.10 MTPA
	Billet Caster	1.10 MTPA
9	Rolling mills:	7 1
	Hot strip mill	1.00 MTPA
se	Structural/wire rods	1.00 MTPA
10	Oxygen Plant	2x500 TPD
11	Calcining	1,080 TPD
12	Cement Plant	1.40 MTPA
13	Power Plant	230 MW

Out of the above units, presently **4** x **500 TPD Sponge Iron Plants** and **1X70 MW Thermal Power Plants** have been commissioned on August 2011. Beneficiation plant-2, Pellet Plant-2 are commissioned on March 2012. 2X70 MW Thermal based power plants have commissioned on Jan 2013, EAF, Steel Making Shop, CCM, Rolling Mill, Oxygen plants are commissioned on August 2015. Remaining units are under various stages of implementation.

Hence environmental pollution monitoring is being carried out for 4 x 500 TPD sponge iron plants, 1X70 MW Thermal Power Plant, 1.3MTPA Beneficiation, 1.2MTPA Pellet Plant, 2X70MW Power plant, SMS, and RML.

- **1.4** The report includes environmental monitoring data collected at above site for the month of **February-2023**. The Parameters monitored are:
 - Ambient Air Quality
 - Fugitive Dust Level
 - Stack Emission

2.0 SCOPE AND METHODOLOGY

2.1 PREAMBLE

The scope of the study and the present report covers the detailed characterization of the existing environmental status in and around the plant area for major environmental components viz. Ambient & work zone air quality, Fugitive Emission, Noise level and water quality & Stack Emission.

2.2 AMBIENT AIR QUALITY

To assess the ambient air quality status, monitoring stations were identified 6 Location plant site. Work zone air monitoring stations were identified in the major work spots. Based on the production activities the parameters chosen for ambient air quality. Were Particulate Matter PM10, Particulate Matter (size less than $2.5\mu m$) PM2.5.

2.2.1 PARTICULATE MATTER (PM<u>10</u>)(size less than 10μm).

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM10 in ambient air

Reference Method: IS 5182 Part 23 Method of Measurement of Air Pollution: Respirable Suspended Particulate Matter (PM10) cyclonic flow technique.

Principle of the method

Air is drawn through a size-selective inlet and through a 20.3 X 25.4 cm (8 X 10 in) filter at a flow rate, which is typically 1132 L/min. Particles with aerodynamic diameter less than the cut-point of the inlet are collected, by the filter. The mass of these particles is determined by the difference in filter weights prior to and after sampling. The concentration of PM10 in the designated size range is calculated by dividing the weight gain of the filter by the volume of air sampled.

Sampling

Field Sampling - Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the faceplate wing nuts and remove the faceplate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the faceplate and tighten the wing nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-



controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading, take out the filter media from the sampler, and put in a container or envelope.

Analysis

Filter inspection: Inspect the filter for pin holes using a light table. Loose particles should be removed with a soft brush. Apply the filter identification number or a code to the filter if it is not a numbered. Condition the filter in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take initial weight of the filter paper (Wi) before sampling. Condition the filter after sampling in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take final weight of the filter paper (Wf).

2.2.2 Particulate Matter (PM2.5) (size less than 2.5μm)

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM2.5 in ambient air.

Reference Method: USEPA 2001 Method of Measurement of Air Pollution: Particulate Matter (PM2.5) cyclonic flow technique.

Principle

An electrically powered air sampler draws ambient air at a constant volumetric flow rate (16.7 lpm) maintained by a mass flow / volumetric flow controller coupled to a microprocessor into specially designed inertial particle-size separator (i.e. cyclones or impactors) where the suspended particulate matter in the PM2.5 size ranges is separated for collection on a 47 mm polytetrafluoroethylene (PTFE) filter over a specified sampling period. Each filter is weighed before and after sample collection to determine the net gain due to the particulate matter. The mass concentration in the ambient air is computed as the total mass of collected particles in the PM2.5 size ranges divided by the actual volume of air sampled, and is expressed in μ g/m3. The microprocessor reads averages and stores five-minute averages of ambient temperature, ambient pressure, filter temperature and volumetric flow rate. In

M/S. BMM ISPAT LIMITED.,

addition, the microprocessor calculates the average temperatures and pressure, total volumetric flow for the entire sample run time and the coefficient of variation of the flow rate.

2.2.3 Sulphur Dioxide (SO2)

Purpose: The purpose of this protocol is to provide guidelines for monitoring and analysis of sulphur dioxide in ambient air.

Reference Method: Modified West &Gaeke Method (IS 5182 Part 2 Method of Measurement of Air Pollution: Sulphur dioxide).

Sulphur dioxide from air is absorbed in a solution of potassium tetra chloromercurate (TCM). A dichlorosulphitomercurate complex, which resists oxidation by the oxygen in the air, is formed. Once formed, this complex is stable to strong oxidants such as ozone and oxides of nitrogen and therefore, the absorber solution may be stored for some time prior to analysis. The complex is made to react with para-rosaniline and formaldehyde to form the intensely coloured pararosaniline methyl sulphonic acid. The absorbance of the solution is measured by means of a suitable spectrophotometer.

Sampling

Place 30 ml of absorbing solution in an impinger and sample for four hours at the flow rate of 1 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

Replace any water lost by evaporation during sampling by adding distilled water up to the calibration mark on the absorber. Mix thoroughly, pipette out 10 ml of the collected sample into a 25 ml volumetric flask. Add 1 ml 0.6% sulphamic acid and allow reacting for 10 minutes to destroy the nitrite resulting from oxides of nitrogen. Add 2 ml of 0.2% formaldehyde solution and 2 ml pararosaniline solution and make up to 25 ml with distilled water. Prepare a blank in the same manner using 10 ml of unexposed absorbing reagent. After a 30 min colour development interval and before 60 minutes, measure and record the absorbance of samples and reagent blank at 560 nm. Use distilled water; not the reagent blank, as the optical reference.



2.2.4 Nitrogen Di Oxide (NO_2) :

Purpose

The purpose of this protocol is to provide guidelines for monitoring of nitrogen dioxide in ambient.

Principle of the method

Modified Jacobs & Hochheiser Method (IS 5182 Part 6 Methods for Measurement of Air Pollution: Oxides of nitrogen)

Ambient nitrogen dioxide (NO2) is collected by bubbling air through a solution of sodium hydroxide and sodium arsenite. The concentration of nitrite ion (NO2) produced during sampling is determined calorimetrically by reacting the nitrite ion with phosphoric acid, sulfanilamide, and N-(1-naphthyl)- ethylenediamine dihydrochloride (NEDA) and measuring the absorbance of the highly coloured azo-dye at 540 nm.

2.2.5 <u>Ozone (Chemical method)</u>

Purpose

The purpose of this protocol is to provide guidelines for monitoring of ozone in ambient air.

Principle of the method

Micro-amounts of ozone and the oxidants liberate iodine when absorbed in a 1% solution of potassium iodine buffered at pH 6.8 + 0.2. The iodine is determined spectrophotometrically by measuring the absorption of tri-iodide ion at 352 nm.

Sampling

Place 10 ml of absorbing solution in a standard impinger and sample for one hour at the flow rate of 1 L/min. Do not expose the absorbing reagent to direct sunlight. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

If, appreciable evaporation of the absorbing solution occurs during sampling, add water to bring the liquid volume to 10 ml. Within 30 to 60 minutes after sample collection, read the absorbance in a cuvette at 352 nm against a reference cuvette containing distilled water. Measure the absorbance of the unexposed reagent and subtract the value from the absorbance of the sample.



2.2.6 Ammonia(NH_3)

Purpose

The purpose of this protocol is to provide guidelines for monitoring of ammonia in ambient air.

Principle of the method

Indophenol method Ammonia in the atmosphere is collected by bubbling a measured volume of air through a dilute solution of sulphuric acid to form ammonium sulphate. The ammonium sulphate formed in the sample is analysed calorimetrically by reaction with phenol and alkaline sodium hypochlorite to produce indophenol. The reaction is accelerated by the addition of Sodium Nitroprusside as catalyst.

Sampling

Place 10 ml of absorbing solution in an impinger and sample for one hour at the flow rate of 1 to 2 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle

Analysis

Transfer contents of the sample bottle to a 25 ml glass stopper graduated cylinder. Maintain all the solutions and sample at 25° C. Add 2 ml buffer. Add 5 ml of working phenol solution, mix, and fill to about 22 ml. Add 2.5 ml of working hypochlorite solution and rapidly mix. Dilute to 25 ml, mix and store in the dark for 30 minutes to develop colour. Measure the absorbance of the solution at 630 nm on a spectrophotometer using 1 cm cells. Prepare a reagent blank and field blank and measure the absorbance as done in the analysis of samples.

2.2.7 Benzo(a)Pyrene

Purpose

The purpose of this protocol is to provide guidelines for monitoring of Benzo (a) Pyrene (BaP) in ambient air.

Principle of the Method

It is based on BIS method IS 5182 (Part 12):2004 and USEPA method (TO-13). This method is designed to collect particulate phase PAHs in ambient air and fugitive emissions and to determine individual PAH compounds using capillary gas chromatograph equipped with flame ionization detector. It is a high volume

M/S. BMM ISPAT LIMITED.,

(1.2m3/min) sampling method capable of detecting sub.ng/m3 concentration of PAH in 24 hours sample (i.e., collected in 3 shifts of 8 hour each with 480 m3 sampling volume of air).

Sampling

24 hr. sampling using PM10 high volume sampler with 8 hourly samples using EPM 2000 glass fibre or equivalent filter.

Sample Processing

Extraction: Filter papers (half of all the filters papers collected in a day) are cut into strips using scissors and transfer to 250 ml beaker. Add \sim 50 ml. of Toluene (GC/HPLC grade). These samples are extracted with toluene using ultra sonic bath for about 30 minutes. Repeat the procedure twice (50ml x 2 times) for complete extraction. Alternatively, sample can be extracted using soxhlet extraction apparatus for about 8 hr. with Toluene and repeat it twice.

Filtration

Filter the extracted samples with Whatman filter paper no.41 containing 2 gm of Anhydrous Sodium Sulphate (to remove moisture).

Sample injection

Take $2\mu l$ of sample from the amber vial using standard gas tight syringe and inject in the Capillary GC-FID instrument for analysis. Record the resulting concentration of each PAH compound including B(a)P. A $10ng/\mu l$ concentration B(a)P or other PAH standards are to be injected in GC/FID instrument with every batch of samples. As a control Internal Standard of 10 $ng/\mu l$ conc. is added to each sample prior to the analysis in case of internal calibration is used.

2.2.8 Benzene

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analyzed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

Principle of the Method

IS 5182 (Part 11): 2006, the charcoal tubes are available in different sizes and contain varying amount of activated charcoal. The ambient air is sucked through the tube using a low flow sampler used for collection of BTX sample in a way that results in an enrichment of the relevant substances in the activated charcoal. Desorption of the adsorbed benzene is done using carbon disulphide (CS2). The substances desorbed in the CS2 are analyzed by capillary gas chromatography. A flame ionization detector (FID) is used for analysis while quantification is performed using the internal/external standard.

Gas Chromatograph

Any suitable gas chromatograph with flame ionization detector (FlO) with fused silica capillary columns having a length of 25 m or more, an internal diameter of 320 11m or below and with a stationary phase film thickness less than 1.5 11m as follows or equivalent may be recommended.

Sampling

Selection of Sorbent Tube '- Samples are collected in glass sampling tube filled with an activated charcoal (coconut shell), Chromo sorb 106 or other suitable adsorbent.

Analytical Procedure

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analysed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

2.2.9 <u>Carbon Monoxide (CO)</u>

Principle:

Samples containing carbon monoxide in the range of 0 to 100 mg/l are analysed on a non-dispersive infrared absorption gas analyser, namely, an electro-optical spectrophotometer with no spectral dispersion component. It may consist of a single or double source of infrared energy and one or more infrared detectors separated by an optical cell or cells through one or more of which the sample flows, whereby the specific spectral absorption of the component of interest is determined.

M/S. BMM ISPAT LIMITED.,

Non dispersive Infrared (NDIR) Gas Analyser

The apparatus shall be constructed so as to be suitable for operating within the temperature range of 15°C to 40°C and in a relative humidity range of 0 to 90 percent. The apparatus shall embody facilities for the analysis of continuously applied sample or a discrete sample of volume of 2.0 litres. In the later case the purification train shall be of such a design and dead volume that 2.0 litres Pis adequate for its proper flushing out. The apparatus shall include facilities for the visual inspection of results and also for their recording. The scale shall be divided into steps of 1.0 percent full scale division (fsd).

Though the basic instrument recommended is for (0 to 100) mg/l range, for samples of higher mg/l range the instrument may be used with proper dilution and conditioning of the samples.

2.2.10 Lead (Pb), Nickel (Ni) & Arsenic (As)

Purpose

The purpose of this protocol is to provide guidelines for monitoring of Lead (Pb), Nickel (Ni) & Arsenic (As) in ambient air.

Principle of the method

The Atomic Absorption Spectroscopy (AAS) technique makes use of absorption spectrometry to assess the concentration of an analyte in the sample. The method is based on active sampling using PM10 Respirable Dust Sampler and then sample analysis is done by atomic absorption spectrophotometer.

Sampling procedure

Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the face-plate wing-nuts and remove the face plate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the face-plate and tighten the wing-nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading and take out the filter media from the sampler and put in a container or envelope.



3.0 Fugitive Emission Monitoring

Fugitive air quality was monitored 40 samples were collected from the analyzed for SPM analyzed by gravimetric method. Work Zone Air quality was monitored at all Plant area and material handling area.

4.0 Stack Monitoring

Stack Monitoring was Collected 60 Sample from Vayubodhan Stack sampler VSS1 stack monitoring was used for drawing the flue gas. Sulphur dioxide and oxides of Nitrogen in the flue gas was sampled by bubbling flue gas solution respectively and the analyses of the pollutants were done as per the Indian Standard procedures prescribed by CPCB/BIS. Stack Emission level was monitored as per the statutory requirement on twice in a month.

4.1 <u>Stack Emissions Monitoring Methodology</u>

Sampling Procedure

Pre-SamplingActivities

Weigh the properly conditioned thimble/filter and place it into the clean, air tight Container. Designate appropriate label or ID No. to each thimble/filter container. Particulate matter emission of "Stack Monitoring – Material and Methodology for is kinetic Sampling.

Field activity starts with the collection of detailed information from the industry about the products, raw materials, fuels, and stack dimensions.

4.2 Traverse Point Calculation

Calculate the traverse point and accordingly mark the distance from tip of the Nozzle, on Pitot tube and probe. Do not forget to add the collar length of port to the calculated traverses. For detailed calculation of "Stack Monitoring– Material and Methodology for isokinetic sampling.

4.3 Determination of Dust Concentration

Determine the mass of dust collected in the thimble by difference i.e., weighing the thimble before and after the run. Dry the thimble in an oven for about 2 hours at 120°C prior to sampling. After sampling, cool, dry and again weigh the thimble along with dust maintaining the same condition as prior to sampling.

DATA ANALYSIS

4.4 <u>BUFFERZONE AMBIENT AIR QUALITY STATUS</u> Danapur Village (A1)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 67.45, 27.59, $12.06\&14.28~\mu g/m^3$ respectively. All above the values were found within the Limits. And the results given in **Annexure-1**.

Mariyammanahalli Village (A2)

At this location, average of PM10, PM2.5, SO2, NO2values Average 66.25, 23.99, $10.98\&13.42~\mu g/m^3$ respectively. All above the values were found within the Limits. And the results given in **Annexure-2**.

Hanumanahalli Village (A3)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 67.21, 26.23, $9.10\&11.31~\mu g/m^3$ respectively. All above the values were found within the Limits. Results given in **Annexure-3**.

Galemmanagudi Village (A4)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 64.24, 23.37, 8.96 &11.20 μ g/m³respectively. All above the values were found within the Limits. Results given in **Annexure-4**.

Gunda Village (A5)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 64.81, 22.61, 9.51&11.44 μ g/m³respectively. All above the values were found within the Limits. Results given in **Annexure-5**.

Gunda Tanda Village (A6)

At this location, average of PM10, PM2.5, SO2, NO2 values Average 65.50, 20.30, 8.51 & $10.39~\mu g/m^3 respectively$. All above the values were found within the Limits. Results given in **Annexure-6**.



5.1 FUGITIVE DUST CONCENTRATION

Fortnightly fugitive air quality was monitored all plant area SPM value minimum $504.24 \mu g/m^3$, maximum value $1954.19 \mu g/m^3$ and average value $1514.05 \mu g/m^3$. The Fugitive air quality 1^{st} & 2^{nd} Fortnight Results given in **Annexure-7** & **Annexure-8**.

5.2 STACK MONITORING

Stack emission level was monitored all chimneys' PM values (mg/Nm³) 1st and 2ndFortnight Minimum Value 13.17mg/Nm³, Maximum Value 43.40mg/Nm³& Average Value 31.03mg/Nm³. 1st& 2nd Fortnight Results are given in **Annexure-9 to Annexure-21**.

5.3 <u>CONCLUSION</u>

All the monitored Environmental parameters were found to be well within the statutory norms and the same are enclosed as follows.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry

Customer Reference

Sample collected by

Discipline

Group

Sample Type

Particulars of Sample Collected

Month .

Location

Duration of Monitoring

Report Issued Date

Report Number

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY23/R073

Global Environment & Mining Services

Chemical

Atmospheric Pollution

Ambient Air Quality Monitoring

Respirable Dust Sampler, FPS Sampler

FEBRUARY-2023

A1-Danapur Village

24 Hour

06.03.2023

ULR-TC619323000051057F

RESULTS

	Parameters		PM [μg/		100	1 _{2.5} 'm³]	St [µg/	- T		0 ₂ /m³}	
	Reference Method		IS:5182 (Part (RF-2	-23)	USEPA Gravir Met	netric	IS:5182: 2001 (Part-2) (Pa		1S :5 (Part-6	S:5182: rt-6) 2066 rF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STU	Result	STD	Result	SI D	
01.02.2023	02.02.2023	4694	71.43		26.57		9.39		12.13		
02.02.2023	03.02.2023	4718	68.39	1	31.76	1	11.59		14.65		
06.02.2023	07.02.2023	4770	60.19	1	28.12	1	15.07		17.16		
07.02.2023	08.02.2023	4789	61.80		36.56	1	12.41		14.42		
13.02.2023	14.02.2023	4910	69.20	100	23.41	60	11.25	80	13.50	63	
14.02.2023	15.02.2023	4918	72.33		17.61		14.61	0.,	16.25	CU	
20.02.2023	21.02.2023	4995	70.16		24.70		8.93		10.23		
21.02.2023	22.02.2023	5011	66.11		31.99		13.22		15.22		
	Average		67.45		27.59		12.06		14.28		

SL NO		INSTRUMENT DETAILS	
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (PPS)
2	Make & Model	Enviro instruments / AAS-217 RL	Enviro instruments / El-133
3	Serial No	R.D.S. / 14-A-142	PM2.5/PM10 Sampler / 158-K-2J
4	Calibration Date	01.04.2022	07.03.2022
5	Calibration Due Date	31.03.2023	06.03.2023

INFERENCE

As per NAAQMS Standards (2009),

Report Status: - Measured Values for the above parameters are within the limit.





Authorised Signatory K. Suvarna

Qualitay Manager

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

Customer Reference

WO/ADMIN/FY23/R073

Sample collected by

Global Environment & Mining Services

Discipline

Chemical

Group

Atmospheric Pollution

Sample Type

Ambient Air Quality Monitoring

Particulars of Sample Collected

CO Analyser

FEBRUARY-2023

Location **Duration of Monitoring**

A1-Danapur Village

1 Hour

Report Issued Date

06.03.2023

RESULTS

Standa	CO (1 Hour) [mg/m³]	Sample Code	Date of Sampling	Sl. No.
	0.08	4694	01.02.2023	1
=	0.14	4718	02.02.2023	2
-	0.17	4770	06.02.2023	3
-	0.13	4789	07.02.2023	4
4.0	0.09	4910	13.02.2023	5
-	0.16	4918	14.02.2023	6
4	0.10	4995	20.02.2023	7
-	0.07	5011	21.02.2023	8

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour) ND - Not Detected

SL NO	INS	TRUMENT DETAILS
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CC
3	Serial No	180883821
4	Calibration Date	09.07.2022
5	Calibration Due Date	08.07.2023

INFERENCE As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit

Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.

HOSPET





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-02

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry

Customer Reference Sample collected by

Discipline Group

Sample Type

Particulars of Sample Collected

Month -

Location

Duration of Monitoring

Report Issued Date

Report Number

 $BMM\ Ispat\ Ltd.,\ Danapur,\ Hosapete Taluk,\ Vijayanagara\ District.$

WO/ADMIN/FY23/R073

Global Environment & Mining Services

Chemical

Atmospheric Pollution

Ambient Air Quality Monitoring

Respirable Dust Sampler, FPS Sampler

FEBRUARY-2023

A2-Mariyammanahalli Village

24 Hour

06.03.2023

ULR-TC619323000001058F

RESULTS

il excession					оошто					
Parameters			PM [μg/i		(1000)	M _{2.5} /m³]		0 ₂ /m³]	(i) 1	02
Reference Method				2006 23) 017)	USEP	A 2001 ric Method	IS:5182 (Par		IS:5 (Part-6	/m³] 182: 6) 2006 (017)
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.02.2023	02.02.2023	4695	61.84		16.32		8.23		10.64	
02.02.2023	03.02.2023	4719	68.00		25.30		10.90		10.64	
06.02.2023	07.02.2023	4771	61.10		23.58		7.42		13.73	
07.02.2023	08.02.2023	4790	62.29	i	21.87				9.15	
13.02.2023	14.02.2023	4911	68.65	100	26.61	60	10.55		12.36	
14.02.2023	15.02.2023	4919	72.71	100	29.17	00	13.33	80	15.22	80
20.02.2023	21.02.2023	4996	73.12		22.49		11.01		14.42	
21.02.2023	22.02.2023	5012	62.34		26.60	-	12.29		15.33	
	Average		66.25		23.99		14.14 10.98		16.48 13.42	

SL NO		INSTRUMENT DETAILS	
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / APM -460BL	
3	Serial No	R.D.S./330-DTF-2005	Enviro instruments / EI-133
4	Calibration Date	01.04.2022	PM2.5 /PM10 Sampler / 159-K-20
5	Calibration Due Date		07.03.2022
5	Calibration Due Date	31.03.2023	06.03.2023

As per NAAQMS Standards (2009), INFERENCE Report Status: - Measured Values for the above parameters are within the limit.



Reviewed by



Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-02

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry **Customer Reference**

Sample collected by Discipline

Group Sample Type

Particulars of Sample Collected

Month Location

Duration of Monitoring

Report Issued Date

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY23/R073

Global Environment & Mining Services

Chemical

Atmospheric Pollution

Ambient Air Quality Monitoring

CO Analyser

FEBRUARY-2023

A2-Mariyammanahalli Village

1 Hour 06.03.2023

RESULTS

SI. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m³]	Standard
1	01.02.2023	4695	0.13	
2	02.02.2023	4719	0.17	1
3	06.02.2023	4771	0.10	1
4	07.02.2023	4790	0.08	1
5	13.02.2023	4911	0.12	4.0
6	14.02.2023	4919	0.09	1
7	20.02.2023	4996	0.13	1
8	21.02.2023	5012	0.17	1

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour) ND - Not Detected

SL NO	INSTRUMENT DETAILS					
1	Instrument Name	CO Gas Detector				
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CC				
3	Serial No	180883821				
4	Calibration Date	09.07.2022				
5	Calibration Due Date	08.07.2023				

As per NAAQMS Standards (2009), INFERENCE Report Status: - Measured Values for the above parameters are within the limit



Authorised Signatory K. Suvarna





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-03

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry Customer Reference

Sample collected by

Discipline Group

Sample Type

Particulars of Sample Collected

Month Location

Duration of Monitoring Report Issued Date

Report Number

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY23/R073

Global Environment & Mining Services

Chemical

Atmospheric Pollution

Ambient Air Quality Monitoring

Respirable Dust Sampler, FPS Sampler

FEBRUARY-2023

A3-Hanumanahalli Village

24 Hour

06.03.2023

ULR-TC619323000001059F

RESULTS

			DI		ODIO					
Parameters			PM [µg/		PM [μg/	747	SO [μg/	T 882		0 ₂ /m ³]
Reference Method		Circo		2: 2006 :-23) 017)	USEPA Gravin Meti	netric	IS:5182 (Part (RF-20	: 2001 t-2)	IS :5 (Part-6	182: 5) 2006 2017)
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.02.2023	02.02.2023	4696	66.12		23.30		10.09		12.24	
02.02.2023	03.02.2023	4720	65.57		33.07		8.81		12.24	1
06.02.2023	07.02.2023	4772	66.75	1	20.25	1			10.53	
07.02.2023	08.02.2023	4791	68.11		19.74	1	7.65		9.50	
13.02.2023	14.02.2023	4912	64.75	100	30.89		9.39		12.93	
14.02.2023	15.02.2023	4920	71.29	100		60	8.93	80	10.41	80
20.02.2023	21.02.2023	4997	60.65		22.06		10.32		13.50	
21.02.2023	22.02.2023	5013	74.51		26.41		7.77		9.84	
	Average	5015			34.13		9.85		11.56	
	11 Cluge		67.21		26.23		9.10		11.31	

SL NO	INSTRUMENT DETAILS						
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)				
2	Make & Model	Greentech instruments / GTI -151					
3	Serial No	R.D.S./242-DTC-2020	Enviro instruments / EI-133 PM2.5 /PM10 Sampler / 160-K-20				
4	Calibration Date	01.04.2022					
5 Calibration Due Date		24.02.2022	07.03.2022				
Cambration Due Date		31.03.2023	06.03.2023				

s per NAAQMS Standards (2009), INFERENCE Report Status: - Measured Values for the above parameters are within the limit.





Swan **Authorised Signatory** K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services)
ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-03

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry Customer Reference Sample collected by

Sample collected by

Discipline

Group Sample Type

Particulars of Sample Collected

Month Location

Duration of Monitoring Report Issued Date : BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY23/R073

: Global Environment & Mining Services

: Chemical

Atmospheric Pollution

: Ambient Air Quality Monitoring

: CO Analyser

FEBRUARY-2023

: A3-Hanumanahalli Village

1 Hour

06.03.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m³]	Standard
1	01.02.2023	4696	0.11	
2	02.02.2023	4720	0.16	1
3	06.02.2023	4772	0.21	1
4	07.02.2023	4791	0.15	1
5	13.02.2023	4912	0.09	4.0
6	14.02.2023	4920	0.13	1
7	20.02.2023	4997	0.17	1
8	21.02.2023	5013	0.08	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS				
1	Instrument Name	CO Gas Detector			
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CC			
3	Serial No	180883821			
4	Calibration Date	09.07.2022			
5	Calibration Due Date	08.07.2023			

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit

MOSPET OF

- R. Swaens.

Authorised Signatory
K. Suvaras

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

TEST REPORT

ANNEXURE-04

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Global Environment & Mining Services

Respirable Dust Sampler, FPS Sampler

WO/ADMIN/FY23/R073

Atmospheric Pollution

Ambient Air Quality Monitoring

Name of the Industry

Customer Reference

Sample collected by

Discipline

Group

Sample Type

Particulars of Sample Collected

Month

Location

Duration of Monitoring

Report Issue Date Report Number

FEBRUARY-2023 A4-Galemmanagudi Village

Chemical

24 Hour

06.03.2023

ULR-TC619323000001060F

RESULTS

					0210					
Parameters		Parameters		10 m³]	PM [μg/			0 ₂ /m³]		02 /m³]
Reference Method			(Part	IS:5182: 2006 (Part-23) (RF-2017) USEPA 2001 Gravimetric Method		IS:5182: 2001 IS:5182 (Part-2) (Part-6) 20 (RF-2017) (RF-2012)		3) 2006		
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
03.02.2023	04.02.2023	4741	68.75		22.16		9.97		12.70	
04.02.2023	05.02.2023	4758	50.29		17.81		8.23		10.64	
08.02.2023	09.02.2023	4813	63.63		27.79		9.85		11.67	
09.02.2023	10.02.2023	4829	68.11		19.59		7.88		10.41	
15.02.2023	16.02.2023	4933	65.16	100	27.87	60	6.49	80	8.70	80
16.02.2023	17.02.2023	4950	70.17		20.60		9.51		11.56	
22.02.2023	23.02.2023	5040	58.61		28.55	_	11.36		13.73	
23.02.2023	24.02.2023	5060	69.22		22.56		8.35		10.18	
	Average		64.24		23.37		8.96		11.20	

SLNO	INSTRUMENT DETAILS						
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)				
2	Make & Model	Ecotech instruments / AAS-217 BL	Enviro instruments / APM-550 G				
3	Serial No	R.D.S. / 14-A-141	PM2.5 /PM10 Sampler / 06-DTF-2011				
4	Calibration Date	01.04.2022	01.04.2022				
5	Calibration Due Date	31.03.2023	31.03.2023				

As per NAAQMS Standards (2009), INFERENCE Report Status: - Measured Values for the above parameters are within the limit.

Reviewed by



- B. Swaens Authorised Signatory

K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services)
ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-04

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry Customer Reference

Sample collected by

Discipline Group

Sample Type

Particulars of Sample Collected

Month Location

Duration of Monitoring

Report Issued Date

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY23/R073

Global Environment & Mining Services

Chemical

Atmospheric Pollution

Ambient Air Quality Monitoring

CO Analyser

FEBRUARY-2023

A4-Galemmanagudi Village

1 Hour

06.03.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m³]	Standard
1	03.02.2023	4741	0.13	
2	04.02.2023	4758	0.15	
3	08.02.2023	4813	0.19	
4	09.02.2023	4829	0.11	
5	15.02.2023	4933	0.06	4.0
6	16.02.2023	4950	0.18	1
7	22.02.2023	5040	0.12	1
8	23.02.2023	5060	0.10	1

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS					
1	Instrument Name	CO Gas Detector				
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-C0				
3	Serial No	180883821				
4	Calibration Date	09.07.2022				
5	Calibration Due Date	08.07.2023				

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit



Authorized Signature

Authorised Signatory

K. Suvarna





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-05

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry Customer Reference

Sample collected by Discipline

Group Sample Type

Particulars of Sample Collected

Month Location

Duration of Monitoring Report Issue Date Report Number

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY23/R073

Global Environment & Mining Services

Chemical

Atmospheric Pollution

Ambient Air Quality Monitoring

Respirable Dust Sampler, FPS Sampler

FEBRUARY-2023

A5-Gunda Village 24 Hour

06.03.2023

ULR-TC619323000001061F

RESULTS

					LOULIS							
		[µg/				[2.5 [m3]	SO	Contract Con	100000	62		
	Reference Method				IS:5182: 2006 (Part-23) USEPA 2 (RF-2017) Gravimetric		PA 2001 IS		[μg/m3] IS:5182: 2001 (Part-2)		[µg/n:3] IS:5182: (Part-6) 2006	
Date of Sampling	Date of Received Sample	Sample Code	Result	STD	Result	STD	(RF-20	017) STD	(RF-2	017) STD		
03.02.2023	04.02.2023	4742	61.17						11001111	311		
04.02.2023	05.02.2023	4759	68.16	-	18.58		8 35		10.41			
03.02.2023	09.02.2023	4814	64.92		27.35		10.67		12.83			
09.02.2023	10.02.2023	4830	70.57		21.39		7.88		9.73			
15.02.2023	16.02.2023	4934	54.59	100	18.41		9.04		11.21			
16.02.2023	17.02.2023	4951	62.63	100	27.23	60	11.36	80	13.16	80		
22.02.2023	23.02.2023	5041	67.51		22.94		9.28	1	11.44	00		
23.02.2023	24.02.2023	5061	68.94		18.90		8.70	i	10.53			
	Average	5001	64.81	}	26.08 22.61	F	10.78 9.51		12.24			

SL NO			9.51 11.44	
	-	INSTRUMENT CETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)		
2	Make & Model		Fine Particulate Sampler (FPS)	
3	Serial No	Greentech instruments / GTI -154	Enviro instruments / APM-550 Mini	
		R.D.S./263-OCT-2020		
4	Calibration Date		PM2.5 /PM10 Sampler / 08-DK-2011	
5	Calibration Due Date	Calibration Due Duto		
T		31.03.2023	01.04.2022	
INFE	NCE As per NAAQMS Standards (2009),		31.03.2023	

Report Status: - Measured Values for the above parameters are within the limit.







Authorised Signatory

Qualitav Manager

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period : 1) Water - 15 days, 2) Ores - 3 months,





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

TEST REPORT

ANNEXURE-05

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

WO/ADMIN/FY23/R073

Atmospheric Pollution

Ambient Air Quality Monitoring

Global Environment & Mining Services

Name of the Industry

Customer Reference

Sample collected by

Discipline Group

Sample Type

Particulars of Sample Collected

Month

Location

Duration of Monitoring Report Issued Date

CO Analyser

Chemical

FEBRUARY-2023 A5-Gunda Village

1 Hour 06.03.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m³]	Standard
1	03.02.2023	4742	< 0.01	
2	04.02.2023	4759	< 0.01	1
3	08.02.2023	4814	< 0.01	1
4	09.02.2023	4830	0.09	1
5	15.02.2023	4934	< 0.01	4.0
6	16.02.2023	4951	0.07	1
7	22.02.2023	5041	< 0.01	1
8	23.02.2023	5061	< 0.01	1

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour) ND - Not Detected

SL NO	INSTRUMENT DETAILS					
1	Instrument Name	CO Gas Detector				
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-C0				
3	Serial No	180883821				
4	Calibration Date	09.07.2022				
5	Calibration Due Date	08.07.2023				

As per NAAQMS Standards (2009), INFERENCE Report Status: - Measured Values for the above parameters are within the limit



B. Swann **Authorised Signatory** K. Suvama

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-06

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry Customer Reference

Sample collected by

Discipline Group

Sample Type

Particulars of Sample Collected

Month Location

Duration of Monitoring Report Issue Date

Report Number

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY23/R073

: Global Environment & Mining Services

: Chemical

: Atmospheric Pollution

: Ambient Air Quality Monitoring

Respirable Dust Sampler, FPS Sampler

: FEBRUARY-2023

A6-Gunda Tanda Village

: 24 Hour

06.03.2023

: ULR-TC619323000001062F

RESULTS

Parameters		rarameters		10 m 3]	PM [μg/		S0 [μg/	1000 Contract	77.40	O ₂ /m³]
Reference Method		IS:5182: 2006 USEPA 2001 IS:5182: 2001 (Part-23) Gravimetric (Part-2) (RF-2017) Method (RF-2017)		(Part-23) Gravimetric (Part-2			182: 6) 2006 (017)			
Date of Sampling	Date of Received Sample	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
03.02.2023	04.02.2023	4743	64.68		20.35		8.70		10.76	
04.02.2023	05.02.2023	4760	51.88	1	18.91	1	7.30		9.15	
08.02.2023	09.02.2023	4815	74.21	1	16.87	1	7.88	_	10.07	
09.02.2023	10.02.2023	4831	64.97		22.72	1	6.72		8.81	
15.02.2023	16.02.2023	4935	60.68	100	17.20	60	9.74	80	10.99	80
16.02.2023	17.02.2023	4952	62.65		25.59	1 30	10.55	- 00	12.93	00
22.02.2023	23.02.2023	5042	67.97		21.43		7.65		9.27	
23.02.2023	24.02.2023	5062	76.98		19.34		9.51		11.10	
	Average		65.50		20.30		8.51	l l	10.39	

SL NO	INSTRUMENT DETAILS						
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)				
2	Make & Model	Ecotech instruments / APM-460	Enviro instruments /APM-550 G				
3	Serial No	R.D.S./325-DTT-2005	PM2.5 /PM10 Sampler / 06-DTF-2011				
4	Calibration Date	01.04.2022	01.04.2022				
5	Calibration Due Date	31.03.2023	31.03.2023				

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.



Reviewed by



Authorised Signatory

K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services)

ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-06

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry Customer Reference

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.WO/ADMIN/FY23/R073

Sample collected by

: Global Environment & Mining Services

Discipline Group

: Chemical

Sample Type

Atmospheric Pollution

Particulars of Sample Collected

Ambient Air Quality Monitoring

Month

CO Analyser

Location

: FEBRUARY-2023

Duration of Monitoring

: A6-Gunda Tanda Village

Report Issued Date

: 1 Hour

06.03.2023

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m³]	Standard
1	03.02.2023	4743	<0.01	
2	04.02.2023	4760	0.12	1
3	08.02.2023	4815	<0.01	-
4	09.02.2023	4831	<0.01	1
5	15.02.2023	4935	0.05	4.0
6	16.02.2023	4952	<0.01	1
7	22.02.2023	5042	0.11	1
8	23.02.2023	5062	<0.01	1

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour) ND - Not Detected

SL NO	INSTRUMENT DETAILS				
2	Instrument Name	CO Gas Detector			
	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CC			
3	Serial No	180883821			
4	Calibration Date	09.07.2022			
5	Calibration Due Date	08.07.2023			

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit



Authorised Signatory
K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-07

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

1 Name of the Industry BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

Customer Reference

WO/ADMIN/FY22/R038

3 Sample collected by

GLOBAL Environment & Mining Services

4 Particulars of sample collected RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05) FEBRUARY-2023(1st Fort Night)

5 Month

Chemical

6 Discipline Group

Atmospheric Pollution

Method adopted 8

IS 5182 (Part 4): 1999 RA 2014

9 Report Issued Date

06.03.2023

Report Number

PAL/BMM/2022-23/1065

RESULTS

		ALEGO EL I				
Sl. No.	Location / Plant	Sample	Date Of	Date Of	SPM	Chandan
I. Renefi	ciation Plant-II	Code	Monitoring	Sample Receipt	(μg/m³)	Standard
1.	Ball Mill Area (Zero Meter)					
2.		4700	01.02.2023	02.02.2023	1134.84	2000
3.	Iron Ore Hopper (Near Monsoon Shed)	4701	01.02.2023	02.02.2023	849.86	2000
II. Pellet	Concentrate Thickner	4702	01.02.2023	02.02.2023	1161.83	2000
	PR-6					
<u>4.</u> 5.		4703	01.02.2023	02.02.2023	846.33	2000
6.	Annual Cooler Pellet Discharge bin	4704	01.02.2023	02.02.2023	1800.53	2000
	Additive Grinding Building	4721	02.02.2023	03.02.2023	1936.90	2000
	ge Iron Division -2 (Kiln 1 & 2)					
7.	Control room	4722	02.02.2023	03.02.2023	1907.79	2000
8.	Near Weigh bridge (dispatch)	4723	02.02.2023	03.02.2023	1824.55	2000
9.	Pellet Storage bin	4744	03.02.2023	04.02.2023	666.75	2000
10.	Transfer House area	4724	02.02.2023	03.02.2023	1796.10	2000
11.	Production Separation Bin-PSB	4725	02.02.2023	03.02.2023	1841.05	2000
	e Iron Division -2 (Kiln 3 & 4)				1011.05	2000
12.	Near Control room	4745	03.02.2023	04.02.2023	1910.80	2000
13.	Near Coal Crusher	4747	03.02.2023	04.02.2023	1887.41	2000
14.	Near Product bin	4746	03.02.2023	04.02.2023	1433.63	2000
15.	Coal Drier	4748	03.02.2023	04.02.2023	1932.04	2000
. Wagon	Tipper/RMHS		00.02.2020	04.02.2023	1732.04	2000
16.	Near Tipping point	4773	06.02.2023	07.02.2023	1477.10	2000
17.	Monsoon Shed (CPU)	4761	04.02.2023	05.02.2023	1712.73	2000
18.	MCC Room (2 nd Gate)	4762	04.02.2023	05.02.2023	1911.32	
I. Power	Plant-70 M		0110212020	03.02.2023	1911.32	2000
19.	70MW-DM Plant (Near R.O. Plant)	4763	04.02.2023	05.02.2023	1246.05	2000
20.	Coal Screen (near gate weigh bridge)	4765	04.02.2023	05.02.2023	1346.37	2000
21.	CFBC boiler	4764	04.02.2023		1843.56	2000
	MW Power Plant	1701	04.02.2023	05.02.2023	1328.94	2000
	Near Boiler	4774	06.02.2023	07.02.2023	F04.24	2000
23.	Near Coal storage Shed	4775	06.02.2023		504.24	2000
	Dolochar Processing Area	4776	06.02.2023	07.02.2023	1441.10	2000
e: SPM -Si	uspended Particulate matter (μg/m³), INFEREN	CE. The Messure 3 17	00.02.2023	07.02.2023	645.17	2000

SLNO INSTRUMENT DETAILS GEMS-01 GEMS-02 GEMS-03 GEMS-04 GEMS-05 Respirable Dust Respirable Dust 1 Instrument Name Respirable Dust Respirable Dust Respirable Dust Sampler Sampler Sampler Sampler Sampler Greentech 2 Greentech Make & Model Greentech Greentech Instruments/GTI-151 Instruments/GTI-151 Instruments/GTI-151 Instruments/GTI-151 Instruments/GTI-151 3 Serial No RDS / 241-DTC-2020 RDS / 243-DTL-2020 RDS / 244-DTL-2020 RDS / 193-DTH-2019 RDS / 197-DTH-2019 4 **Calibration Date** 01.04.2022 01.04.2022 01.04.2022 01.04.2022 01.04.2022 **Calibration Due Date** 31.03.2023 31.03.2023 31.03.2023 31.03.2023 31.03.2023

Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.





(Environment Monitoring & Minerals Testing Services) ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-08

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

1 Name of the Industry

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

2 Customer Reference

: WO/ADMIN/FY22/R038

3 Sample collected by

GLOBAL Environment & Mining Services

4 Particulars of sample collected

RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05) FEBRUARY-2023(2nd Fort Night)

5 Month6 Disciple

Chemical

6 Discipline7 Group

Atmospheric Pollution

8 Method adopted

IS 5182 (Part 4): 1999 RA 2014

9 Report Issued Date

06.03.2023

10 Report Number

GEMS/BMM/2022-23/1066

RESULTS

SI. No.	Location / Plant	Sample	Date Of	Date Of	SPM	
31. NO.	Location / Plant	Code	Monitoring	Sample Receipt	(μg/m³)	Standard
	ciation Plant-II			- попристенения	(146/111)	
1.	Ball Mill Area (Zero Meter)	4957	16.02.2023	17.02.2023	1703.66	2000
2.	Iron Ore Hopper (Near Monsoon Shed)	4959	16.02.2023	17.02.2023	1266.48	2000
3.	Concentrate Thickner	4958	16.02.2023	17.02.2023	1498.50	2000
II. Pellet						
4.	PR-6	4960	16.02.2023	17.02.2023	1104.50	2000
5.	Annual Cooler Pellet Discharge bin	4961	16.02.2023	17.02.2023	1899.76	2000
6.	Additive Grinding Building	4979	17.02.2023	18.02.2023	1237.59	2000
	ge Iron Division -2 (Kiln 1 & 2)					2000
7.	Control room	4980	17.02.2023	18.02.2023	1850.77	2000
8.	Near Weigh bridge (dispatch)	4981	17.02.2023	18.02.2023	1954.19	2000
9.	Pellet Storage bin	4985	18.02.2023	19.02.2023	1389.86	2000
10.	Transfer House area	4982	17.02.2023	18.02.2023	1742.10	2000
11.	Production Separation Bin-PSB	4983	17.02.2023	18.02.2023	1870.42	2000
	ge Iron Division -2 (Kiln 3 & 4)				1070.12	2000
12.	Near Control room	4986	18.02.2023	19.02.2023	1813.34	2000
13.	Near Coal Crusher	4987	18.02.2023	19.02.2023	1756.63	2000
14.	Near Product bin	4988	18.02.2023	19.02.2023	1836.31	2000
15 .	Coal Dryer	4989	18.02.2023	19.02.2023	1777.07	2000
. Wagon	Tipper/RMHS			1710212025	1777.07	2000
16.	Near Tipping point	5018	21.02.2023	22.02.2023	1918.68	2000
17.	Monsoon Shed (CPU)	5003	20.02.2023	21.02.2023	1064.83	2000
18.	MCC Room (2 nd Gate)	5002	20.02.2023	21.02.2023	941.52	2000
I. Power	Plant-70 MW		2010212020	21.02.2023	741.32	2000
19.	70MW-DM Plant (Near R.O. Plant)	5004	20.02.2023	21.02.2023	1773.46	2000
20.	2 nd gate weigh bridge near Coal Screen	5006	20.02.2023	21.02.2023	1685.65	2000
21.	CFBC boiler	5007	20.02.2023	21.02.2023	1904.57	2000
II. 2X70N	MW Power Plant			21.02.2023	1704.37	2000
22.	Near Boiler	5019	21.02.2023	22.02.2023	602.06	2000
23.	Near Coal storage Shed	5020	21.02.2023	22.02.2023	1164.42	2000
24.	Dolochar Processing Area	5021	21.02.2023	22.02.2023	1777.24	2000

Particulate matter (µg/m³), INFERENCE: The Measured Values are within the limits. SLNO INSTRUMENT DETAILS GEMS-01 GEMS-02 GEMS-03 GEMS-04 GEMS-05 Respirable Dust Respirable Dust Respirable Dust 1 Instrument Name Respirable Dust Respirable Dust Sampler Sampler Sampler Sampler Sampler Greentech 2 Make & Model Greentech Greentech Greentech Instruments/GTI-151 Instruments/GTI-151 Instruments/GTI-151 Instruments/GTI-151 Instruments/GTI-151 3 Serial No RDS / 241-DTC-2020 RDS / 243-DTL-2020 RDS / 244-DTL-2020 RDS / 193-DTH-2019 RDS / 197-DTH-2019 4 **Calibration Date** 01.04.2022 01.04.2022 01.04.2022 01.04.2022 01.04.2022 31.03.2023 **Calibration Due Date** 31.03.2023 31.03.2023 31.03.2023 31.03.2023



Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-09

Analysis Report of Stack Emission

1 Name of the Industry

2 Customer Reference

3 Sample collected by

4 Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Sampling Location

10 Month of Sampling

11 Date of Sample Received

Date of Sample AnalysisDate Sample Analysis Completion

14 Report Issued Date

15 Report Number

3

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY22/RO38

: GLOBAL Environment & Mining Services

Vayubodhan Stack sampler / VSS-1

Sl. No: Stack Monitoring Kit/304-DTB-2007

: Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

: Chemical

Atmospheric Pollution

Stack Monitoring

: Pellet Plant-2 ESP

FEBRUARY-2023

10.02.2023 &23.02.2023

10.02.2023 &23.02.2023

11.02.2023 &24.02.2023

06.03.2023

: ULR-TC619323000001076F

Stack Details

1 Fuel Used

2 Stack Height (mtr)

Stack Diameter (mtr)

Coal 100

4.4

Emission Details

		Parameters Method Date of Monitoring		Result		
Sl. No.	Parameters		Unit	1 st Fort Night	2 nd Fort Night	Permissible
	Date of Monitoring			09.02.2023	22.02.2023	Limit
	Sample Code			4832	5043	i i
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	31	29	
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	91	86	
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	6.97	6.05	(1 €0)
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m³/hr	381581	331215	
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm³/hr	312352	275261	•
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm³	35.60	42.70	100
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm³	108.68	91.52	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005(RA 2017)	mg/Nm³	14.35	10.25	NS

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Reviewed by



Authorised Signatory

K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-09

Analysis Report of Stack Emission

1 Name of the Industry 2

Customer Reference Sample collected by 3

Particulars of sample collected

5 Instrument Details

6 Discipline 7 Group

8 Sample Type Sampling Location

10 Month of Sampling

Date of Sample Received Date of Sample Analysis

Date Sample Analysis Completion

14 Report Issued Date

15 Report Number BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY22/R038

GLOBAL Environment & Mining Services Vayubodhan Stack sampler/ VSS-1

SI. No: Stack Monitoring Kit/ 304-DTB-2007

Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring **Pellet Plant-2 ESP**

: FEBRUARY-2023 : 10.02.2023 & 23.02.2023

: 10.02.2023 & 23.02.2023 : 11.02.2023 & 24.02.2023

06.03.2023

: 1422

Stack Details

1 Fuel Used

2 Stack Height (mtr) 3 Stack Diameter (mtr) Coal 100

4.4

Emission Details

	Parameters			Re		
Sl. No.		Method	Unit	1 st Fort Night	2 nd Fort	Permissible
	Date of Monitoring			09.02.2023	Night 22.02.2023	Limit
9	Sample Code Carbon Monoxide	CPMG (COP) (CO		4832	5043	
Note: N	S- Not Specified. RA: Reaffirmed. INFER	GEMS/SOP/69	%	0.012	0.007	

N

of Swann **Authorised Signatory** K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters, 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-10

Analysis Report of Stack Emission

1	Name of the Industry
2	Customer Reference

3 Sample collected by

4 Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Sampling Location

10 Month of Sampling

Date of Sample ReceivedDate of Sample Analysis

Date of Sample AnalysisDate Sample Analysis Completion

14 Report Issued Date

15 Report Number

2

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY22/RO38

: GLOBAL Environment & Mining Services

: Vayubodhan Stack sampler/ VSS-1

Sl. No: Stack Monitoring Kit/ 304-DTB-2007

: Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

: Chemical

: Atmospheric Pollution

: Stack Monitoring

SID Axis 1 &2

FEBRUARY-2023

11.02.2023 &24.02.2023

11.02.2023&24.02.2023

13.02.2023&25.02.2023 06.03.2023

: ULR-TC619323000001077F

Stack Details

1 Fuel Used

Stack Height (mtr)

3 Stack Diameter (mtr)

Coal 70.0

3.00

Emission Details

	Domester	Parameters		Result		20	
Sl.	Parameters	Method	Unit	1st Fort	2nd Fort	Permissible	
No.	Data of Manitania			Night	Night	Limit	
	Date of Monitoring			10.02.2023	23.02.2023		
	Sample Code			4854	5068		
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	30	28		
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	117	125		
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	7.75	7.94	-	
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m³/hr	197239	202075	-	
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm³/hr	151107	151242		
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm³	43.40	37.10	100	
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm³	343.20	386.10	NS	
8	Nitrogen Dioxide	IS:11255 (Part7): 2005(RA 2017)	mg/Nm³	49.20	43.05	NS	

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Reviewed by



Authorised Signatory

Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School,

Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-10

Analysis Report of Stack Emission

1	Name of the Industry
2	Customer Reference

3 Sample collected by

4 Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Sampling Location

10 Month of Sampling

11 Date of Sample Received

12 Date of Sample Analysis

13 Date Sample Analysis Completion

14 Report Issued Date

15 Report Number

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY22/R038

GLOBAL Environment & Mining Services

Vayubodhan Stack sampler/ VSS-1

SI. No: Stack Monitoring Kit/ 304-DTB-2007

: Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring

SID Axis 1 &2

FEBRUARY-2023

11.02.2023 & 24.02.2023

: 11.02.2023 & 24.02.2023

13.02.2023 & 24.02.2023

06.03.2023

1429

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Power store			Result		Permissible
	Parameters	Method	Unit	1st Fort 2nd Fort		
	Date of Monitoring			Night	Night	Limit
				10.02.2023	23.02.2023	
-	Sample Code			4854	5068	
9	Carbon Monoxide	GEMS/SOP/69	%	0.018	0.021	1%

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Authorised Signatory
K. Suvarna





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-11

Analysis Report of Stack Emission

1 Name of the Industry

2 Customer Reference

3 Sample collected by

Particulars of sample collected

Instrument Details

6 Discipline

7 Group

8

Sample Type 9

Sampling Location 10 Month of Sampling

11 Date of Sample Received

12 Date of Sample Analysis

13 Date Sample Analysis Completion

14 Report Issued Date

15 Report Number BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY22/RO38

GLOBAL Environment & Mining Services

Vayubodhan Stack sampler/ VSS-1

Sl. No: Stack Monitoring Kit/ 304-DTB-2007

Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring

SID Axis 3&4

FEBRUARY-2023

13.02.2023 &25.02.2023

13.02.2023 &25.02.2023

14.02.2023 &27.02.2023

06.03.2023

ULR-TC619323000001078F

Stack Details

1 Fuel Used Coal 2 Stack Height (mtr) 70.0 3 Stack Diameter (mtr) 3.00

Emission Details

SI. No.	Parameters			Result			
	1	Method	Unit	1.st Fort Night	2 nd Fort Night	Permissible	
	Date of Monitoring			11.02.2023	24.02.2023	Limit	
	Sample Code	, and the second		4887	5083		
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	29	30		
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	138		·	
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec		127		
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)		7.70	7.85		
5	Gas flow rate at NTP	IS-11255(Part 03)1905(RA 2014)	m³/hr	195967	199784	•	
6	Particulate Matter	IS-11255(Part 03)1985(RA 2014)	Nm³/hr	142705	149094		
7		IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm³	28.70	36.50	100	
	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm³	48.62	77.22		
8	Nitrogen Dioxide	IS:11255 (Fart7): 2005 (PA 2017)	m = /N 2	10.15		NS:	
te: N	S- Not Specified, RA: Reaffirmed, II	NFERENCE: The Measured Values are w	ing/ Mills	10.45	24.60	NS	

Reviewed by



8 - Swaens Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, ISO 45001: 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-11

Analysis Report of Stack Emission

1 Name of the Industry 2

Customer Reference 3 Sample collected by

Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group 8 Sample Type

Sampling Location

10 Month of Sampling 11 Date of Sample Received

12 Date of Sample Analysis 13

Date Sample Analysis Completion 14 Report Issued Date

15 Report Number BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY22/RO38

GLOBAL Environment & Mining Services Vayubodhan Stack sampler/ VSS-1

SI. No: Stack Monitoring Kit/ 304-DTB-2007

Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring

SID Axis 3&4

FEBRUARY-2023

13.02.2023 & 25.02.2023

13.02.2023 & 25.02.2023 14.02.2023 & 27.02.2023

06.03.2023

1454

Stack Details

1 Fuel Used

Stack Height (mtr) 2 3 Stack Diameter (mtr)

Coal 70.0 3.00

Emission Details

SI. No.	Parameters	Method		Result		
	1 arameters		Unit	1 st Fort 2 nd Fort Night Night		Permissible
	Date of Monitoring		1	11.02.2023	24.02.2023	Limit
	Sample Code	47-00-00-00-00-00-00-00-00-00-00-00-00-00		4887	5083	
9	Carbon Monoxide S- Not Specified, RA: Reaffirmed, INFFR	GEMS/SOP/69	%	0.014	0.019	1%

affirmed. INFERENCE: The Measured Values are within the limits.

8. Iwaca. **Authorised Signatory** K. Suvarna





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-12

Analysis Report of Stack Emission

Name of the Industry 1

2 Customer Reference

3 Sample collected by

Particulars of sample collected

5 Instrument Details

6 Discipline

Group

8 Sample Type

9 Sampling Location

10 Month of Sampling

11 Date of Sample Received

12 Date of Sample Analysis

13 **Date Sample Analysis Completion**

Report Issued Date

Report Number

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY22/RO38

GLOBAL Environment & Mining Services

Vayubodhan Stack sampler/ VSS-1

Sl. No: Stack Monitoring Kit/ 304-DTB-2007

Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring

1X70 MW-CFBC Boiler ESP

FEBRUARY-2023

14.02.2023 & 25.02.2023

14.02.2023 & 25.02.2023

15.02.2023 & 27.02.2023

06.03.2023

ULR-TC619323000001079F

Stack Details

1 Fuel Used Coal 2 Stack Height (mtr) 70.0 3 Stack Diameter (mtr) 3.00

Emission Details

	Parameters	Parameters Method		Re		
Sl. No.	- arameters			1st Fort	2nd Fort	Permissible
	Date of Monitoring	1	Unit	Night	Night	Limit
	Sample Code			13.02.2023	24.02.2023	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	00	4913	5082	
2	Stack Temperature		oC.	32	28	•
100 m		IS: 11255 (Part 1) - 1985 (RA 2014)	°C	135	119	_
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec	6.93	6.48	<u>-</u>
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m³/hr			-
5	Gas flow rate at NTP		Charles and Charles	176370	164917	
6		IS-11255(Part 03)1985(RA 2014)	Nm³/hr	129006	125239	
	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm³	31.30	38.80	FO
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	O,			50
8	Nitrogen Dioxide		mg/Nm³	42.90	60.60	600
	S- Not Specified, RA: Reaffirmed, IN	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm³	22.55	49.20	300

ified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Reviewed by



& Swoon Authorised Signatory

K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liability of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001 : 2015, ISO 45001 : 2018 Certified Laboratory

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Ballari Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-12

Analysis Report of Stack Emission

1	Name	of	the	Industry

2 Customer Reference

3 Sample collected by

4 Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Sampling Location

10 Month of Sampling

11 Date of Sample Received

12 Date of Sample Analysis

13 Date Sample Analysis Completion

14 Report Issued Date

15 Report Number

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY22/R038

: GLOBAL Environment & Mining Services

: Vayubodhan Stack sampler/ VSS-1

SI. No: Stack Monitoring Kit/ 304-DTB-2007

: Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

: Chemical

Atmospheric Pollution

: Stack Monitoring

: 1X70 MW-CFBC Boiler ESP

FEBRUARY-2023

14.02.2023 & 25.02.2023

14.02.2023 & 25.02.2023

15.02.2023 & 27.02.2023

06.03.2023

1468

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

	Parameters			Res	sult	
Sl. No.	1 at affecters	Method	Unit	1 st Fort Night	2 nd Fort	Permissible
	Date of Monitoring			13.02.2023	Night 24.02.2023	Limit
_	Sample Code			4913	5082	
9	Carbon Monoxide	GEMS/SOP/69	%	0.005	0.009	-

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Authorised Signatory
K. Suyana





(Environment Monitoring & Minerals Testing Services)
ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-13

Analysis Report of Stack Emission

1 Name of the Industry

2 Customer Reference

3 Sample collected by

4 Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Sampling Location

10 Month of Sampling

11 Date of Sample Received

12 Date of Sample Analysis

13 Date Sample Analysis Completion

14 Report Issued Date

15 Report Number

3

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY22/R038

: GLOBAL Environment & Mining Services

Vayubodhan Stack sampler/ VSS-1

Sl. No: Stack Monitoring Kit/ 304-DTB-2007

Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

: Chemical

: Atmospheric Pollution

: Stack Monitoring

2X70 MW CFBC Boiler ESP

: FEBRUARY-2023

: -

. .

: 06.03.2023

: -

Stack Details

1 Fuel Used2 Stack Heig

Stack Height (mtr)

Stack Diameter (mtr)

Coal 110.0 8.00

Emission Details

	Parameters			Re	sult		
Sl. No.	100000000000000000000000000000000000000	Method	Unit	1 st Fort Night	2 nd Fort Night	Permissible	
	Date of Monitoring				Night	Limit	
	Sample Code				-		
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	-	•		
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C			•	
3	Velocity of Fuel Gas	IS: 11255 (Part 1) - 1985 (RA 2014)	m/sec			•	
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m³/hr			•	
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)		61		•	
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	Nm³/hr	Shutdown	Shutdown	•	
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm³			100	
8	Nitrogen Dioxide		mg/Nm³			600	
9	Carbon Monoxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm³		Ì	300	
(0.70	S- Not Specified. RA: Reaffirmed	GEMS/SOP/69	%		i i	_	

Reviewed by

Authorised Signatory
K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-14

Analysis Report of Stack Emission

1	Name of the Industry	

Customer Reference

3 Sample collected by

Particulars of sample collected

5 **Instrument Details**

6 Discipline

7 Group

Sample Type 8

9 Month of Sampling

10 Date of Sample Received Date of Sample Analysis 11

12 **Date Sample Analysis Completion**

13 Report Issued Date

Report Number

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY22/RO38

GLOBAL Environment & Mining Services

Vayubodhan Stack sampler/ VSS-1

Sl. No: Stack Monitoring Kit/304-DTB-2007

Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring

FEBRUARY-2023(1st Fort Night)

15.02.2023

15.02.2023

16.02.2023

06.03.2023

ULR-TC619323000001080F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter	PM mg/Nm³	KSPCB Std
Lnin Bene	neys attached to Bag Filter (I ficiation Plant-2	De dusting Units)								<i>B</i> ,	mg/Nm ³
1	Iron Ore Cone Crusher	-						20	1.00		
2	Iron Ore Screening	14.02.2023	4925		- 100		-	30	1.20	-	50
					32	37	4.77	30			

SI. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm³/hr	KSPCB
1	Iron Ore Cone Crusher		Mill*/III	Std
2	Iron Ore Screening	10926	10492	
		10720	10483	-

Parameter	D
Particulate Matter (mg/Nm3)	Protocol
Gas flow rate at Stack Condition	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)
INFEDENCE: The Manager LUI	IS-11255(Part 03) (RA 2014)

ERENCE: The Measured Values are within the limits.



Reviewed by



Authorised Signatory K. Suvari

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in

the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-15

Analysis Report of Stack Emission

1	Name	of the	Industry

2 Customer Reference

3 Sample collected by

4 Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Month of Sampling

10 Date of Sample Received

11 Date of Sample Analysis

12 Date Sample Analysis Completion

13 Report Issued Date

14 Report Number

: BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

: WO/ADMIN/FY22/R038

: GLOBAL Environment & Mining Services

· Vayubodhan Stack sampler / VSS-1

Sl. No: Stack Monitoring Kit/304-DTB-2007

: Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

: Chemical

Atmospheric Pollution

: Stack Monitoring

FEBRUARY-2023(1st Fort Night)

10.02.2023

10.02.2023

: 11.02.2023

06.03.2023

: ULR-TC619323000001081F

RESULTS

SI. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta ºC	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm³
Chim	neys attached to Bag Filter (D	e dusting Units)									Jug/Mili-
Pelle	t Plant-II										
3	Additive grinding mill	09.02.2023	4836		32	36	4.94	6.0	0.50	29.90	50
4	Mixer building	09.02.2023	4835		30	37	4.84	6.0	0.35	31.43	50
5	Pellet discharge point	09.02.2023	4833		33	44	5.25	20	0.50	27.25	50

SI. No	Pellet Plant	Gas flow rate at Stack Condition m³/hr	Gas flow rate at NTP Nm³/br	KSPCB Std
3	Additive grinding mill	3450	3320	•
4	Mixer building	1822	1750	•
5	Pellet discharge point	3711	3478	-

Parameter	Protocol
Particulate Matter (mg/Nm3)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (R4 2014)

INFERENCE: The Measured Values are within the limits.



Authorised Signatory
K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services)
ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-16

Analysis Report of Stack Emission

- 1 Name of the Industry
- 2 Customer Reference
- 3 Sample collected by
- 4 Particulars of sample collected
- 5 Instrument Details
- 6 Discipline
- 7 Group
- 8 Sample Type
- 9 Month of Sampling
- 10 Date of Sample Received
- 11 Date of Sample Analysis
- 12 Date Sample Analysis Completion
- 13 Report Issued Date
- 14 Report Number

- : BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.
- : WO/ADMIN/FY22/RO38
- : GLOBAL Environment & Mining Services
- : Vayubodhan Stack sampler/ VSS-1
 - Sl. No: Stack Monitoring Kit/304-DTB-2007
- : Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024
 - : Chemical
- : Atmospheric Pollution
- : Stack Monitoring
- : FEBRUARY-2023(1st Fort Night)
- : 11.02.2023, 11.02.2023 & 16.02.2023
- : 11.02.2023, 11.02.2023 & 16.02.2023
- : 13.02.2023, 13.02.2023 & 17.02.2023
- : 06.03.2023
- : ULR-TC619323000001082F

RESULTS

SI. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta ºC	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm³
Chin	nneys attached to Bag Filter (De o	lusting Units)									mg/mm
2 X S	500 TPD Sponge Iron Kiln 1 & 2										
6	Cooler Discharge -1	10.02.2023	4855		29	36	4.43	30	1.20	34.33	50
7	Cooler Discharge -2	15.02.2023	4928		32	38	4.37	30	1.20	26.14	50
8	Coal stock house	10.02.2023	4856		31	37	4.15	30	1.20	13.17	50
9	Production Separation bin1&2	10.02.2023	4857		32	39	4.78	30	1.20	33.34	50
10	Production Separation bin3&4	10.02.2023	4858		33	40	4.88	30	1.20	25.88	50
11	Transfer House	11.02.2023	4888		29	38	4.78	30	1.20	34.98	50

SI. No	2 X 500 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m³/hr	Gas flow rate at NTP Nm³/hr	KSPCB Std
6	Cooler Discharge -1	18039	17411	- 1
7	Cooler Discharge -2	17795	17035	•
8	Coal stock house	16899	16241	
9	Production Separation bin-1&2	19464	18544	
10	Production Separation bin-3&4	19872	18859	
11	Transfer House	19464	18646	<u>:</u> -

Parameter	Protocol
Particulate Matter (mg/Nm3)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.



Reviewed by

Authorised Signatory

Qualitav Manager

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.



5



PREMIER ANALYTICAL LABORATORIES

(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-17

Analysis Report of Stack Emission

1 Name of the Industry BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District. 2

Customer Reference WO/ADMIN/FY22/RO38

3 Sample collected by **GLOBAL Environment & Mining Services**

Particulars of sample collected Vayubodhan Stack sampler / VSS-1

Sl. No: Stack Monitoring Kit/ 304-DTB-2007 Instrument Details Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

6 Discipline Chemical

Group Atmospheric Pollution

8 Sample Type Stack Monitoring 9 Month of Sampling

FEBRUARY-2023(1st Fort Night) 10 Date of Sample Received 13.02.2023,14.02.2023,16.02.2023

11 Date of Sample Analysis 13.02.2023,14.02.2023,16.02.2023 **Date Sample Analysis Completion** 14.02.2023,15.02.2023,17.02.2023

13 Report Issued Date 06.03.2023

Report Number ULR-TC619323000001083F

RESULTS

SI. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta ºC	TS °C	V m/s	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm ³
Chim	neys attached to Bag Filter (De	dusting Units)									
2X50	00 TPD Sponge Iron Kiln 3&4										
12	Coal Primary Screen				-	-	-	30	1.20		50
13	Coal Stock House -1 & coal stock house-2				-		-	30	1.20		50
14	Cooler Discharge -1	11.02.2023	4889		31	39	4.51	30	1.30	32.46	50
15	Cooler Discharge -2 & PSB transfer tower	11.02.2023	4890		33	40	5.06	30	1.4	40.67	50
16	Production Bunker & Intermediate bin	11.02.2023	4891		34	41	5.00	35	1.90	37.28	50
17	Production Separation bin	13.02.2023	4914		30	38	5.16	35	1.90	35.06	50
18	Pellet Stock house						-	30	1.20	-	50
19	Dolochar Stock House 1 & 2							30	1.20		50
20	CPU Building	15.02.2023	4936		30	37	4.85	35	1.50	30.58	50

SI. No	2X500 TPD Sponge Iron Kiln 3&4	Gas flow rate at Stack Condition m³/hr	Gas flow rate at NTP Nm³/hr	KSPCB Std				
12	Coal Primary Screen	Coal Primary Screen						
13	Coal Stock House -1 & coal stock house-2		-					
14	Cooler Discharge -1	21553	20556					
15	Cooler Discharge -2 & PSB transfer tower	28045	26603					
16	Production Bunker & Intermediate bin	51042	51042 49904					
17	Production Separation bin	52675						
18	Pellet Stock house							
19	Dolochar Stock House 1 & 2	nar Stock House 1 & 2						
20	CPU Building	30858	29664					

INFERENCE: The Measured Values are within the limits.



Reviewed by

K. Swaen Authorised Signatory K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters, 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

TEST REPORT

ANNEXURE-18

Analysis Report of Stack Emission

WO/ADMIN/FY22/R038

GLOBAL Environment & Mining Services

Sl. No: Stack Monitoring Kit/304-DTB-2007

Vayubodhan Stack sampler/ VSS-1

1	Name	of	the	Industry	
---	------	----	-----	----------	--

Customer Reference

3 Sample collected by

Particulars of sample collected

5 Instrument Details

Discipline 6

8 Sample Type

9 Month of Sampling

10 Date of Sample Received

11 Date of Sample Analysis

Date Sample Analysis Completion

Report Issued Date 13 Report Number

7 Group Atmospheric Pollution

Stack Monitoring

FEBRUARY-2023(2ndFort Night)

Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

23.02.2023

Chemical

23.02.2023

: 24.02.2023

06.03.2023

ULR-TC619323000001084F

RESULTS

SI. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm ³
Chi	nneys attached to Bag Filter (De dusting Units	i)								- O/
Ben	eficiation Plant-2										
1	Iron Ore Cone Crusher	-	-		-	326	-	30	1.20	•	50
2	Iron Ore Screening	22.02.2023	5044		33	38	4.74	30	0.90	26.88	50

SI. No	Beneficiation Plant	Gas flow rate at Stack Condition m³/hr	Gas flow rate at NTP Nm³/hr	KSPCB Std
1	Iron Ore Cone Crusher	-	•	
2	Iron Ore Screening	10857	10365	

Parameter	Protocol
Particulate Matter (mg/Nm3)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Reviewed by

B. Duran Authorised Signatory K. Suvarna

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

TEST REPORT

ANNEXURE-19

Analysis Report of Stack Emission

1	Name	of	the	Industry
-			CIIC	TITLE COLL Y

2 Customer Reference

3 Sample collected by

Particulars of sample collected

Instrument Details

6 Discipline

7 Group

8 Sample Type

Month of Sampling

Date of Sample Received 10

Date of Sample Analysis

Date Sample Analysis Completion

Report Issued Date 14 Report Number

Chemical Atmospheric Pollution

WO/ADMIN/FY22/RO38

GLOBAL Environment & Mining Services

Sl. No: Stack Monitoring Kit/304-DTB-2007

Vayubodhan Stack sampler / VSS-1

Stack Monitoring

FEBRUARY-2023(2ndFort Night)

Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024

17.02.2023

17.02.2023

18.02.2023

06.03.2023

ULR-TC619323000001085F

RESULTS


SI. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta ºC	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm ³
	neys attached to Bag Filte	r (De dusting Un	its)								
Pellet	Plant-II										
3	Additive grinding mill	16.02.2023	4954		31	36	4.52	6.0	0.50	31.76	50
4	Mixer building	16.02.2023	4955		33	38	4.76	6.0	0.35	30.57	50
5	Pellet discharge point	16.02.2023	4953		34	42	5.12	20	0.50	30.00	50

SI. No	Pellet Plant	Gas flow rate at NTP Condition m³/hr Gas flow rate at NTP Nm³/hr		KSPCB Std	
3 Additive grinding mill		3195	3144		
4	Mixer building	1649	1622		
5	Pellet discharge point	3620	3528		

Parameter	Protocol
Particulate Matter (mg/Nm3)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.









(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-20

Analysis Report of Stack Emission

- 1 Name of the Industry
- 2 Customer Reference
- 3 Sample collected by
- 4 Particulars of sample collected
- 5 Instrument Details
- 6 Discipline
- 7 Group
- 8 Sample Type
- 9 Month of Sampling
- 10 Date of Sample Received
- 11 Date of Sample Analysis
- 12 Date Sample Analysis Completion
- 13 Report Issued Date
- 14 Report Number

- : BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.
- : WO/ADMIN/FY22/RO38
- : GLOBAL Environment & Mining Services
- : Vayubodhan Stack sampler / VSS-1
 - Sl. No: Stack Monitoring Kit/304-DTB-2007
- : Calibration Date: 03.02.2023 Calibration Due Date: 03.02.2024
- : Chemical
- : Atmospheric Pollution
- : Stack Monitoring
- : FEBRUARY-2023(2ndFort Night)
- : 18.02.2023, 20.02.2023
- 18.02.2023, 20.02.2023
- 20.02.2023, 21.02.2023
- : 06.03.2023
- : ULR-TC619323000001086F

RESULTS

SI. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta ºC	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm ³
Chin	Chimneys attached to Bag Filter (De dusting Units)										
2 X 5	00 TPD Sponge Iron Kiln 1 & 2										
6	Cooler Discharge -1	17.02.2023	4977		33	38	4.66	30	1.20	33.26	50
7	Cooler Discharge -2	17.02.2023	4978		34	39	4.57	30	1.20	27.47	50
8	Coal stock house	18.02.2023	4987		30	36	4.34	30	1.20	14.97	50
9	Production Separation bin-1&2	18.02.2023	4989		32	37	4.85	30	1.20	31.71	50
10	Production Separation bin-3&4	18.02.2023	4990		34	38	4.96	30	1.20	29.39	50
11	Transfer House	18.02.2023	4991		33	39	4.92	30	1.20	33.61	50

SI. No	2 X 500 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm³/hr	KSPCB Std
6	Cooler Discharge -1	18976	18120	-
7	Cooler Discharge -2	18609	17683	-
8	Coal stock house	17673	17048	-
9 Production Separation bin-1&2		19749	18980	
10	Production Separation bin-3&4	20197	19302	-
11	Transfer House	20034	19065	

Parameter	Protocol	
Particulate Matter (mg/Nm3)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)	
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)	
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)	

INFERENCE: The Measured Values are within the limits.

Reviewed by

Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.





(Environment Monitoring & Minerals Testing Services) ISO 9001: 2015, 45001: 2018 Certified & NABL Accredited Testing Laboratory (TC-6193)

Near Old Ganesh Gas Godown, Beside Govt. Primary School, Amaravathi, HOSAPETE - 583 201, Vijayanagara Dist., Karnataka. Tel.: 08394 - 228683 / email: premierlabhpt@gmail.com

TEST REPORT

ANNEXURE-21

Analysis Report of Stack Emission

1	Mana a aftha In Joseph	
	Name of the Industry	

2 **Customer Reference**

3 Sample collected by

Particulars of sample collected

5 Instrument Details

6 Discipline

7 Group

8 Sample Type

9 Month of Sampling

10 Date of Sample Received

Date of Sample Analysis **Date Sample Analysis Completion**

13 Report Issued Date

14 Report Number BMM Ispat Ltd., Danapur, HosapeteTaluk, Vijayanagara District.

WO/ADMIN/FY22/RO38

GLOBAL Environment & Mining Services

Vayubodhan Stack sampler/ VSS-1

Sl. No: Stack Monitoring Kit/304-DTB-2007

Calibration Date: 03.02.2023

Calibration Due Date: 03.02.2024

Chemical

Atmospheric Pollution

Stack Monitoring

FEBRUARY-2023(2nd Fort Night)

21.02.2023& 22.02.2023

21.02.2023&22.02.2023

22.02.2023&23.02.2023 06.03.2023

ULR-TC619323000001087F

RESULTS

Sl. NO	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/s	Height (m)	Diameter (m)	PM mg/Nm³	KSPCB Std mg/Nm ³
Chir	nneys attached to Bag Filter (De	e dusting Units)									
2X5	00 TPD Sponge Iron Kiln 3&4	•									
12	Coal Primary Screen				-	-	¥	30	1.20		50
13	Coal Stock House -1 & coal stock house-2	:			-	-	-	30	1.20	•	50
14	Cooler Discharge -1	20.02.2023	4998		30	37	4.65	30	1.30	22.52	50
15	Cooler Discharge -2 & PSB transfer tower	20.02.2023	4999		31	39	5.09	30	1.4	35.08	50
16	Production Bunker & Intermediate bin	20.02.2023	5000		33	38	4.89	35	1.90	28.82	50
17	Production Separation bin	20.02.2023	5001		32	40	5.12	35	1.90	27.94	50
18	Pellet Stock house				-	-	•	30	1.20		50
19	Dolochar Stock House 1 & 2					-	-	30	1.20	-	50
20	CPU Building	21.02.2023	5014		30	36	4.93	35	1.50	29.60	50

SI. No	2X500 TPD Sponge Iron Kiln 3&4	Kiln 3&4 Gas flow rate at Stack Condition NTP Nm³/hr		KSPCB Std
12	Coal Primary Screen		•	-
13	Coal Stock House -1 & coal stock house-2	•		-
14	Cooler Discharge -1	22222	21407	-
15	Cooler Discharge -2 & PSB transfer tower	28211	26967	-
16	Production Bunker & Intermediate bin	49919	49116	•
17	Production Separation bin	52267	50931	
18	Pellet Stock house			
19	Dolochar Stock House 1 & 2		-	
20	CPU Building	31367	30758	-

INFERENCE: The Measured Values are within the limits.



Reviewed by

Swaen Authorised Signatory

Note: 1. The result listed above pertain only to the tested samples & applicable parameters. 2. Total liablity of our Laboratory is limited to the Invoice amount. 3. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law & should not be used in advertising media without prior written permission. 4. Sampling is not done by us unless otherwise specified. 5. The sample will be preserved for maximum period: 1) Water - 15 days, 2) Ores - 3 months, 3) Air - Discarded after analysis.