



BMM Ispat Ltd.,

ENVIRONMENTAL MONITORING REPORT



**Danapur Village, Hosapete Taluk,
Vijayanagara District, PIN-583222,
Karnataka.**

APRIL-2024

Prepared by



GLOBAL ENVIRONMENT & MINING SERVICES

NABL & MOEFCC Recognized Laboratory

(Consulting Engineers, Mine Designers, Geologists & Surveyors)

3rd main road, Basaveswara badavane

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Tel : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in

1.0 EXECUTIVE SUMMARY

1.1 INTRODUCTION

The journey of the BMM Group is a reflection of the path tread by every entrepreneur who believes in the human potential and one's own ability to bring about a life affirming change that transcends time. BMM Group was born out of this committed belief of Late Shri. Udai chand Singhi.

Entrenched in the Indian ethos, with an astute understanding of market needs, values and sensibilities **Mr. Dinesh Kumar Singhi** inherited the legacy from his father and has built the BMM Group on sound fundamentals since 1998. He steered the company towards growth by being the first mining company to establish a power generation plant for captive use, and creating a steel plant from the captive ore mine. Over the last 12 years, BMM has been able to add value to every relationship under his able and dynamic leadership.

Today, BMM is a 4900 Crores Company due to its focus on market orientation and optimal usage of technology to achieve process efficiency and value addition. BMM has always believed in the principle of sharing and hence continues to transfer this benefit derived from sustained growth to its employees, partners and associates. The unique value proposition that defines the very fabric of the BMM culture is the firm's belief in unleashing this 'potential in tones' in terms of its human capital, continuous growth and consistent benefits to its stakeholders.

The human potential at BMM is reflected in the depth of domain expertise across diverse sectors and dynamism of youth at various levels in the Organization. Business operations lead by professionals with decades of market understanding and a dynamic team enables BMM to deliver superior product quality. This human potential keeps BMM attuned to scaling new heights and meeting customer expectations. While consistently adding value to its partners, BMM is sensitive to its responsibility towards the environment by implementing best practices in its Business Operations and contribution to society through various social Endeavors.

BMM has a commitment of being a good Corporate Citizen and is committed to achieving business goals through ethical means. BMM hence has been able to have deeper relevance to society by creating value that is inclusive and truly benefits all.



1.2 PROMOTERS OF THE PROJECT

BMM Group, one of the leading Steel, Power & Mining companies in India that has achieved the present level under the leadership and guidance of **Sri. Dinesh Kumar Singhi**, the Founder & Chairman of the group, is promoting the project. His vision is to globalize the company business and do value addition by operating responsibly and in a sustainable manner in exploring, exploiting, excavating and processing minerals followed by setting up steel plant facilities.

BMM is a step towards forward integration has set up new merchant Bar Mill. The works is located at:

BMM ISPAT LIMITED
(Registered Office & Works)
#114, Danapur
Hosapete - 583 222
Vijayanagara Dist., Karnataka
Phone +91 08394-264000, +91 9686550808/09
Fax - 08394 264010

1.3 Site Location

BMM ISPAT LIMITED is located at Danapur about 15 Kms away from Hosapete in Karnataka. The plant site can be connected by national highway, viz. NH-13. The plant is 1 km away from the NH-13 near Danapur village. The nearest railway station is Hospet; Bangalore is at a distance of 300 kms. Seaport is Belikere and Karwar, the nearest Airport is in the private sector belonging to JSW, a Jindal Group company at Thoranagallu (Vidyanagara).

M/s. BMM ISPAT Ltd., Has accorded Environmental Clearance for 2.0 MTPA Integrated Steel Plant, with the following facilities.

S.N.	Items	Capacity
1	Iron ore beneficiation plant	4.70 MTPA
2	Palletizing Plant	2.40 MTPA
3	DRI Plant	0.70 MTPA
4	Coke Oven	0.80 MTPA
5	Sinter Plant	2.50 MTPA
6	Blast furnace	1.70 MTPA
7	EAF & BOF Steel making shop	2.30 MTPA
8	Continuous casting machines Slab Caster Billet Caster	1.10 MTPA 1.10 MTPA
9	Rolling mills: Hot strip mill Structural/wire rods	1.00 MTPA 1.00 MTPA
10	Oxygen Plant	2x500 TPD
11	Calcining	1,080 TPD
12	Cement Plant	1.40 MTPA
13	Power Plant	230 MW
14	Sponge Iron Division -1	2 x 100 TPD
15	Induction furnace (billets)	9000 tonnes/month
16	Rolling Mill (TMT rods)	9000 tonnes/month
17	Captive Power Plant	25 MW

Out of the above units, presently **4 x 500 TPD Sponge Iron Plants** and **1X70 MW Thermal Power Plants** have been commissioned on August 2011. Beneficiation plant-2, Pellet Plant-2 are commissioned on March 2012. 2X70 MW Thermal based power plants have commissioned on Jan 2013, EAF, Steel Making Shop, CCM, Rolling Mill, Oxygen plants are commissioned on August 2015. Remaining units are under various stages of implementation.

Hence environmental pollution monitoring is being carried out for 4 x 500 TPD sponge iron plants, 1X70 MW Thermal Power Plant, 1.3MTPA Beneficiation, 1.2MTPA Pellet Plant, 2X70MW Power plant, SMS, and RML.

1.4 The report includes environmental monitoring data collected at above site for the month of **APRIL-2024**. The Parameters monitored are:

- ❖ Ambient Air Quality
- ❖ Fugitive Dust Level
- ❖ Stack Emission
- ❖ Ambient Noise Level
- ❖ Water Quality

2.0 SCOPE AND METHODOLOGY

2.1 PREAMBLE

The scope of the study and the present report covers the detailed characterization of the existing environmental status in and around the plant area for major environmental components viz. Ambient & work zone air quality, Fugitive Emission, Noise level and water quality & Stack Emission.

2.2 AMBIENT AIR QUALITY

To assess the ambient air quality status, monitoring stations were identified 6 Location plant site. Work zone air monitoring stations were identified in the major work spots. Based on the production activities the parameters chosen for ambient air quality. Were Particulate Matter PM₁₀, Particulate Matter (size less than 2.5 μ m) PM_{2.5}.

2.2.1 PARTICULATE MATTER (PM₁₀)(size less than 10 μ m).

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM₁₀ in ambient air

Reference Method: IS 5182 Part 23 Method of Measurement of Air Pollution: Respirable Suspended Particulate Matter (PM₁₀) cyclonic flow technique.

Principle of the method

Air is drawn through a size-selective inlet and through a 20.3 X 25.4 cm (8 X 10 in) filter at a flow rate, which is typically 1132 L/min. Particles with aerodynamic diameter less than the cut-point of the inlet are collected, by the filter. The mass of these particles is determined by the difference in filter weights prior to and after sampling. The concentration of PM₁₀ in the designated size range is calculated by dividing the weight gain of the filter by the volume of air sampled.

Sampling

Field Sampling - Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the faceplate wing nuts and remove the faceplate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the faceplate and tighten the wing nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-

controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading, take out the filter media from the sampler, and put in a container or envelope.

Analysis

Filter inspection: Inspect the filter for pin holes using a light table. Loose particles should be removed with a soft brush. Apply the filter identification number or a code to the filter if it is not a numbered. Condition the filter in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take initial weight of the filter paper (Wi) before sampling. Condition the filter after sampling in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take final weight of the filter paper (Wf).

2.2.2 Particulate Matter (PM_{2.5})(size less than 2.5µm)

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM_{2.5} in ambient air.

Reference Method: USEPA 2001 Method of Measurement of Air Pollution:

Particulate Matter (PM_{2.5}) cyclonic flow technique.

Principle

An electrically powered air sampler draws ambient air at a constant volumetric flow rate (16.7 lpm) maintained by a mass flow / volumetric flow controller coupled to a microprocessor into specially designed inertial particle-size separator (i.e. cyclones or impactors) where the suspended particulate matter in the PM_{2.5} size ranges is separated for collection on a 47 mm polytetrafluoroethylene (PTFE) filter over a specified sampling period. Each filter is weighed before and after sample collection to determine the net gain due to the particulate matter. The mass concentration in the ambient air is computed as the total mass of collected particles in the PM_{2.5} size ranges divided by the actual volume of air sampled, and is expressed in µg/m³. The microprocessor reads averages and stores five-minute averages of ambient temperature, ambient pressure, filter temperature and volumetric flow rate. In

addition, the microprocessor calculates the average temperatures and pressure, total volumetric flow for the entire sample run time and the coefficient of variation of the flow rate.

2.2.3 **Sulphur Dioxide (SO₂)**

Purpose: The purpose of this protocol is to provide guidelines for monitoring and analysis of sulphur dioxide in ambient air.

Reference Method: Modified West & Gaeke Method (IS 5182 Part 2 Method of Measurement of Air Pollution: Sulphur dioxide).

Sulphur dioxide from air is absorbed in a solution of potassium tetra chloromercurate (TCM). A dichlorosulphitomercurate complex, which resists oxidation by the oxygen in the air, is formed. Once formed, this complex is stable to strong oxidants such as ozone and oxides of nitrogen and therefore, the absorber solution may be stored for some time prior to analysis. The complex is made to react with para-rosaniline and formaldehyde to form the intensely coloured pararosaniline methyl sulphonic acid. The absorbance of the solution is measured by means of a suitable spectrophotometer.

Sampling

Place 30 ml of absorbing solution in an impinger and sample for four hours at the flow rate of 1 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

Replace any water lost by evaporation during sampling by adding distilled water up to the calibration mark on the absorber. Mix thoroughly, pipette out 10 ml of the collected sample into a 25 ml volumetric flask. Add 1 ml 0.6% sulphamic acid and allow reacting for 10 minutes to destroy the nitrite resulting from oxides of nitrogen. Add 2 ml of 0.2% formaldehyde solution and 2 ml pararosaniline solution and make up to 25 ml with distilled water. Prepare a blank in the same manner using 10 ml of unexposed absorbing reagent. After a 30 min colour development interval and before 60 minutes, measure and record the absorbance of samples and reagent blank at 560 nm. Use distilled water; not the reagent blank, as the optical reference.

2.2.4 Nitrogen Di Oxide (NO₂):**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of nitrogen dioxide in ambient.

Principle of the method

Modified Jacobs &Hochheiser Method (IS 5182 Part 6 Methods for Measurement of Air Pollution: Oxides of nitrogen)

Ambient nitrogen dioxide (NO₂) is collected by bubbling air through a solution of sodium hydroxide and sodium arsenite. The concentration of nitrite ion (NO₂) produced during sampling is determined calorimetrically by reacting the nitrite ion with phosphoric acid, sulfanilamide, and N-(1-naphthyl)- ethylenediamine dihydrochloride (NEDA) and measuring the absorbance of the highly coloured azo-dye at 540 nm.

2.2.5 Ozone (Chemical method)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of ozone in ambient air.

Principle of the method

Micro-amounts of ozone and the oxidants liberate iodine when absorbed in a 1% solution of potassium iodine buffered at pH 6.8 + 0.2. The iodine is determined spectrophotometrically by measuring the absorption of tri-iodide ion at 352 nm.

Sampling

Place 10 ml of absorbing solution in a standard impinger and sample for one hour at the flow rate of 1 L/min. Do not expose the absorbing reagent to direct sunlight. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

If, appreciable evaporation of the absorbing solution occurs during sampling, add water to bring the liquid volume to 10 ml. Within 30 to 60 minutes after sample collection, read the absorbance in a cuvette at 352 nm against a reference cuvette containing distilled water. Measure the absorbance of the unexposed reagent and subtract the value from the absorbance of the sample.

2.2.6 Ammonia(NH₃)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of ammonia in ambient air.

Principle of the method

Indophenol method Ammonia in the atmosphere is collected by bubbling a measured volume of air through a dilute solution of sulphuric acid to form ammonium sulphate. The ammonium sulphate formed in the sample is analysed calorimetrically by reaction with phenol and alkaline sodium hypochlorite to produce indophenol. The reaction is accelerated by the addition of Sodium Nitroprusside as catalyst.

Sampling

Place 10 ml of absorbing solution in an impinger and sample for one hour at the flow rate of 1 to 2 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle

Analysis

Transfer contents of the sample bottle to a 25 ml glass stopper graduated cylinder. Maintain all the solutions and sample at 25° C. Add 2 ml buffer. Add 5 ml of working phenol solution, mix, and fill to about 22 ml. Add 2.5 ml of working hypochlorite solution and rapidly mix. Dilute to 25 ml, mix and store in the dark for 30 minutes to develop colour. Measure the absorbance of the solution at 630 nm on a spectrophotometer using 1 cm cells. Prepare a reagent blank and field blank and measure the absorbance as done in the analysis of samples.

2.2.7 Benzo(a)Pyrene**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of Benzo (a) Pyrene (BaP) in ambient air.

Principle of the Method

It is based on BIS method IS 5182 (Part 12):2004 and USEPA method (TO-13). This method is designed to collect particulate phase PAHs in ambient air and fugitive emissions and to determine individual PAH compounds using capillary gas chromatograph equipped with flame ionization detector. It is a high volume

(1.2m³/min) sampling method capable of detecting sub.ng/m³ concentration of PAH in 24 hours sample (i.e., collected in 3 shifts of 8 hour each with 480 m³ sampling volume of air).

Sampling

24 hr. sampling using PM10 high volume sampler with 8 hourly samples using EPM 2000 glass fibre or equivalent filter.

Sample Processing

Extraction: Filter papers (half of all the filters papers collected in a day) are cut into strips using scissors and transfer to 250 ml beaker. Add ~50 ml. of Toluene (GC/HPLC grade). These samples are extracted with toluene using ultra sonic bath for about 30 minutes. Repeat the procedure twice (50ml x 2 times) for complete extraction. Alternatively, sample can be extracted using soxhlet extraction apparatus for about 8 hr. with Toluene and repeat it twice.

Filtration

Filter the extracted samples with Whatman filter paper no.41 containing 2 gm of Anhydrous Sodium Sulphate (to remove moisture).

Sample injection

Take 2µl of sample from the amber vial using standard gas tight syringe and inject in the Capillary GC-FID instrument for analysis. Record the resulting concentration of each PAH compound including B(a)P. A 10ng/µl concentration B(a)P or other PAH standards are to be injected in GC/FID instrument with every batch of samples. As a control Internal Standard of 10 ng/µl conc. is added to each sample prior to the analysis in case of internal calibration is used.

2.2.8 Benzene

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analyzed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

Principle of the Method

IS 5182 (Part 11): 2006, the charcoal tubes are available in different sizes and contain varying amount of activated charcoal. The ambient air is sucked through the tube using a low flow sampler used for collection of BTX sample in a way that results in an enrichment of the relevant substances in the activated charcoal. Desorption of the adsorbed benzene is done using carbon disulphide (CS₂). The substances desorbed in the CS₂ are analyzed by capillary gas chromatography. A flame ionization detector (FID) is used for analysis while quantification is performed using the internal/external standard.

Gas Chromatograph

Any suitable gas chromatograph with flame ionization detector (FID) with fused silica capillary columns having a length of 25 m or more, an internal diameter of 320 μ m or below and with a stationary phase film thickness less than 1.5 μ m as follows or equivalent may be recommended.

Sampling

Selection of Sorbent Tube - Samples are collected in glass sampling tube filled with an activated charcoal (coconut shell), Chromo sorb 106 or other suitable adsorbent.

Analytical Procedure

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analysed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

2.2.9 Carbon Monoxide (CO)**Principle:**

Samples containing carbon monoxide in the range of 0 to 100 mg/l are analysed on a non-dispersive infrared absorption gas analyser, namely, an electro-optical spectrophotometer with no spectral dispersion component. It may consist of a single or double source of infrared energy and one or more infrared detectors separated by an optical cell or cells through one or more of which the sample flows, whereby the specific spectral absorption of the component of interest is determined.

Non dispersive Infrared (NDIR) Gas Analyser

The apparatus shall be constructed so as to be suitable for operating within the temperature range of 15°C to 40°C and in a relative humidity range of 0 to 90 percent. The apparatus shall embody facilities for the analysis of continuously applied sample or a discrete sample of volume of 2.0 litres. In the later case the purification train shall be of such a design and dead volume that 2.0 litres is adequate for its proper flushing out. The apparatus shall include facilities for the visual inspection of results and also for their recording. The scale shall be divided into steps of 1.0 percent full scale division (fsd).

Though the basic instrument recommended is for (0 to 100) mg/l range, for samples of higher mg/l range the instrument may be used with proper dilution and conditioning of the samples.

2.2.10 Lead (Pb), Nickel (Ni) & Arsenic (As)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of Lead (Pb), Nickel (Ni) & Arsenic (As) in ambient air.

Principle of the method

The Atomic Absorption Spectroscopy (AAS) technique makes use of absorption spectrometry to assess the concentration of an analyte in the sample. The method is based on active sampling using PM10 Respirable Dust Sampler and then sample analysis is done by atomic absorption spectrophotometer.

Sampling procedure

Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the face-plate wing-nuts and remove the face plate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the face-plate and tighten the wing-nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading and take out the filter media from the sampler and put in a container or envelope.

3.0 Fugitive Emission Monitoring

Fugitive air quality was monitored 40 samples were collected from the analyzed for SPM analyzed by gravimetric method. Work Zone Air quality was monitored at all Plant area and material handling area.

4.0 Stack Monitoring

Stack Monitoring was Collected 60 Sample from Vayubodhan Stack sampler VSS1 stack monitoring was used for drawing the flue gas. Sulphur dioxide and oxides of Nitrogen in the flue gas was sampled by bubbling flue gas solution respectively and the analyses of the pollutants were done as per the Indian Standard procedures prescribed by CPCB/BIS. Stack Emission level was monitored as per the statutory requirement on twice in a month.

4.1 Stack Emissions Monitoring Methodology

Sampling Procedure

Pre-Sampling Activities

Weigh the properly conditioned thimble/filter and place it into the clean, air tight Container. Designate appropriate label or ID No. to each thimble/filter container. Particulate matter emission of "Stack Monitoring – Material and Methodology for is kinetic Sampling.

Field activity starts with the collection of detailed information from the industry about the products, raw materials, fuels, and stack dimensions.

4.2 Traverse Point Calculation

Calculate the traverse point and accordingly mark the distance from tip of the Nozzle, on Pitot tube and probe. Do not forget to add the collar length of port to the calculated traverses. For detailed calculation of "Stack Monitoring– Material and Methodology for isokinetic sampling.

4.3 Determination of Dust Concentration

Determine the mass of dust collected in the thimble by difference i.e., weighing the thimble before and after the run. Dry the thimble in an oven for about 2 hours at 120°C prior to sampling. After sampling, cool, dry and again weigh the thimble along with dust maintaining the same condition as prior to sampling.

DATA ANALYSIS**4.4 BUFFERZONE AMBIENT AIR QUALITY STATUS****Danapur Village (A1)**

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 78.57, 26.30, 10.58 & 12.03 µg/m³ respectively. All above the values were found within the Limits. And the results given in **Annexure-1**.

Mariyammanahalli Village (A2)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 70.79, 21.60, 10.40 & 13.19 µg/m³ respectively. All above the values were found within the Limits. And the results given in **Annexure-2**.

Hanumanahalli Village (A3)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 75.97, 25.10, 11.83 & 13.39 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-3**.

Galemmanagudi Village (A4)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 73.24, 21.36, 8.12 & 10.25 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-4**.

G Nagalapura Village (A5)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 64.47, 16.86, 8.71 & 10.53 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-5**.

Gunda Tanda Village (A6)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 61.97, 18.18, 7.44 & 10.72 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-6**.

5.1 FUGITIVE DUST CONCENTRATION

Fortnightly fugitive air quality was monitored all plant area SPM value minimum 210.80 $\mu\text{g}/\text{m}^3$, maximum value 1934.46 $\mu\text{g}/\text{m}^3$ and average value 976.57 $\mu\text{g}/\text{m}^3$. The Fugitive air quality 1st & 2nd Fortnight Results given in **Annexure-7 to Annexure-10**.

5.2 STACK MONITORING

Stack emission level was monitored all chimneys' PM values (mg/Nm^3) 1st and 2ndFortnight Minimum Value 5.37 mg/Nm^3 , Maximum Value 41.03 mg/Nm^3 & Average Value 30.38 mg/Nm^3 . 1st & 2nd Fortnight Results are given in **Annexure-11 to Annexure-37**.

5.3 NOISE LEVEL MEASUREMENT

Noise level was recorded at 30 locations each in Ambient and work zone area using Sound Level Meter (Equinox-EQ 107 Instrument / Lutron) The Day time noise level values were ranging between 46.4 to 73.8 dB (A). The noise level status is given in **Annexure-38 to Annexure-39**.

5.4 Water Sample Collected at 14 locations in side plant and surrounding nearest villages and nearest surface water Sample Collected every Month. The Water Analysis Test Report is given in **Annexure-41 to Annexure-52**.

5.5 CONCLUSION

All the monitored Environmental parameters were found to be well within the statutory norms and the same are enclosed as follows.

PREFACE

The industries should monitor environmental parameters as per the frequency and locations given in the CFE/CFO. And the same should be submitted on every month to the respective pollution control board.

As part of the conditions and inherent concern on health of the employees and surroundings *M/s. BMM Ispat Ltd.*, as appointed *M/s. Global Environment & Mining Services, Hosapete*, to carry out the environmental pollution monitoring on AAQ Monitoring, Fugitive monitoring, Noise Monitoring, Water Analysis & Stack monitoring pollution and submit the same to the Pollution Control Board.


Accordingly, *M/s. Global Environment & Mining Services, Hosapete*, carried out the pollution monitoring as per the standard sampling methods prescribed by CPCB, for AAQ Monitoring, Fugitive monitoring within the plant, Stack Monitoring & Personal Dust Sampling as per the CFO. These monitoring has been carried out in a frequency as mentioned in the CFO and the same report is being submitted to the Board.

We sincerely thank to officials of *M/s. BMM Ispat Ltd.*, for their valuable co-ordination & support during the sampling and reporting.

for

GLOBAL Environment & Mining Services

Place: Hosapete
Date: 06.05.2024


K. Ramakrishna Reddy
(Technical Manager)





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-01
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : **APRIL-2024**
Location : **A1-Danapur Village**
Duration of Monitoring : 24 Hour
Report Issued Date : **06.05.2024**
Report Number : **ULR-TC532324000000016F**

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.04.2024	02.04.2024	20	76.87	100	35.24	60	12.14	80	14.85	80
02.04.2024	03.04.2024	58	82.41		23.92		11.68		12.93	
08.04.2024	09.04.2024	199	74.32		32.83		8.34		9.97	
09.04.2024	10.04.2024	208	83.05		22.98		9.36		10.71	
15.04.2024	16.04.2024	305	72.29		31.45		11.81		12.51	
16.04.2024	17.04.2024	329	75.75		17.58		10.40		11.34	
22.04.2024	23.04.2024	498	84.07		21.22		11.02		13.27	
23.04.2024	25.04.2024	519	79.80		25.15		9.92		10.65	
Average			78.57		26.30		10.58		12.03	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / EI-142 NL	Enviro instruments / EI-133
3	Serial No	R.D.S. / 197-C-21	PM2.5/PM10 Sampler / 158-K-20
4	Calibration Date	08.07.2023	28.03.2024
5	Calibration Due Date	24.07.2024	27.03.2025

INFERENCE

As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-01
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : APRIL-2024
 Location : A1-Danapur Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.05.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/16

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	01.04.2024	20	<0.01	4.0
2	02.04.2024	58	<0.01	
3	08.04.2024	199	<0.01	
4	09.04.2024	208	0.10	
5	15.04.2024	305	0.10	
6	16.04.2024	329	<0.01	
7	22.04.2024	498	0.14	
8	23.04.2024	519	0.10	


Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	08.07.2023
5	Calibration Due Date	07.07.2024

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-02
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : APRIL-2024
Location : A2-Mariyammanahalli Village
Duration of Monitoring : 24 Hour
Report Issued Date : 06.05.2024
Report Number : ULR-TC532324000000015F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS :5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.04.2024	02.04.2024	19	76.51	100	19.91	60	10.11	80	14.85	80
02.04.2024	03.04.2024	59	67.45		23.90		8.98		12.75	
08.04.2024	09.04.2024	201	61.55		22.89		10.58		11.97	
09.04.2024	10.04.2024	210	72.28		21.17		11.24		12.95	
15.04.2024	16.04.2024	306	82.68		17.41		9.92		11.13	
16.04.2024	17.04.2024	330	75.17		24.04		10.52		14.16	
22.04.2024	23.04.2024	500	68.55		20.61		10.74		13.28	
23.04.2024	25.04.2024	521	62.09		22.82		11.08		14.41	
Average			70.79		21.60		10.40		13.19	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Greentech instruments / GTI -151-N	Enviro instruments / EI-133
3	Serial No	466-DTE-2023	PM2.5 /PM10 Sampler / 159-K-20
4	Calibration Date	15.05.2023	28.03.2024
5	Calibration Due Date	14.05.2024	27.03.2025

INFERENCE

As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-02
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : APRIL-2024
 Location : A2-Mariyammanahalli Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.05.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/15

RESULTS

Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	01.04.2024	19	0.12	4.0
2	02.04.2024	59	0.10	
3	08.04.2024	201	0.11	
4	09.04.2024	210	0.10	
5	15.04.2024	306	0.12	
6	16.04.2024	330	<0.01	
7	22.04.2024	500	<0.01	
8	23.04.2024	521	<0.01	


Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)


ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	08.07.2023
5	Calibration Due Date	07.07.2024

INFERENCE

As per NAAQMS Standards (2009),
 Report Status: - Measured Values for the above parameters are within the limit


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-03
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : **APRIL-2024**
Location : **A3-Hanumanahalli Village**
Duration of Monitoring : 24 Hour
Report Issued Date : **06.05.2024**
Report Number : **ULR-TC532324000000073F**

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
04.04.2024	05.04.2024	118	83.16	100	24.62	60	10.61	80	14.20	80
05.04.2024	06.04.2024	143	72.94		28.91		11.37		12.76	
08.04.2024	09.04.2024	200	65.65		24.82		10.26		11.15	
09.04.2024	10.04.2024	209	76.77		29.99		12.16		14.55	
15.04.2024	16.04.2024	307	81.66		25.39		11.70		12.04	
18.04.2024	19.04.2024	396	70.13		22.71		10.76		12.79	
22.04.2024	23.04.2024	499	74.61		19.92		14.14		15.18	
23.04.2024	24.04.2024	520	82.82		24.45		13.67		14.41	
Average			75.97		25.10		11.83		13.39	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / EI-142 NL	Enviro instruments / EI-133
3	Serial No	R.D.S. / 197-C-21	PM2.5 / PM10 Sampler / 160-K-20
4	Calibration Date	08.07.2023	28.03.2024
5	Calibration Due Date	24.07.2024	27.03.2025

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-03
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : APRIL-2024
 Location : A3-Hanumanahalli Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.05.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/73

RESULTS


Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	04.04.2024	118	0.10	4.0
2	05.04.2024	143	0.11	
3	08.04.2024	200	0.12	
4	09.04.2024	209	<0.01	
5	15.04.2024	307	<0.01	
6	18.04.2024	396	0.10	
7	22.04.2024	499	<0.01	
8	23.04.2024	520	<0.01	


Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	08.07.2023
5	Calibration Due Date	07.07.2024

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-04
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : APRIL-2024
Location : A4-Galemmanagudi Village
Duration of Monitoring : 24 Hour
Report Issue Date : 06.05.2024
Report Number : ULR-TC532324000000017F

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Sample Received	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.04.2024	02.04.2024	21	83.19	100	24.47	60	8.54	80	11.50	80
02.04.2024	03.04.2024	60	81.98		21.04		6.15		8.04	
08.04.2024	09.04.2024	202	61.22		18.65		8.93		9.29	
09.04.2024	10.04.2024	211	67.67		20.35		7.51		10.24	
15.04.2024	16.04.2024	313	74.09		23.86		8.19		9.70	
16.04.2024	17.04.2024	331	76.66		19.59		8.48		10.68	
22.04.2024	23.04.2024	501	72.83		17.13		6.93		9.76	
23.04.2024	25.04.2024	522	68.32		25.82		10.24		12.78	
Average			73.24		21.36		8.12		10.25	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / EI-142 NL	Enviro instruments / EI-133
3	Serial No	R.D.S./198-C-21	PM2.5 /PM10 Sampler / 158-K-20
4	Calibration Date	08.07.2023	28.03.2024
5	Calibration Due Date	07.07.2024	27.03.2025

INFERENCE

As per NAAQMS Standards (2009),

Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-04
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : APRIL-2024
 Location : A4-Galemmanagudi Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.05.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/17

RESULTS


Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	01.04.2024	21	0.10	4.0
2	02.04.2024	60	<0.01	
3	08.04.2024	202	<0.01	
4	09.04.2024	211	<0.01	
5	15.04.2024	313	0.12	
6	16.04.2024	331	<0.01	
7	22.04.2024	501	<0.01	
8	23.04.2024	522	<0.01	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	08.07.2023
5	Calibration Due Date	07.07.2024

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-05
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : **APRIL-2024**
Location : **A5-G Nagalapura Village**
Duration of Monitoring : 24 Hour
Report Issue Date : **06.05.2024**
Report Number : **ULR-TC532324000000014F**

RESULTS

Parameters			PM10 [µg/m ³]		PM2.5 [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Received Sample	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.04.2024	02.04.2024	18	72.69	100	21.40	60	7.89	80	8.34	80
02.04.2024	03.04.2024	61	61.45		16.81		7.22		10.47	
08.04.2024	09.04.2024	203	56.14		15.98		8.92		9.15	
09.04.2024	10.04.2024	212	63.35		18.23		9.93		11.82	
15.04.2024	16.04.2024	314	58.71		19.71		11.28		12.70	
16.04.2024	17.04.2024	332	65.45		13.61		7.82		10.19	
22.04.2024	23.04.2024	502	70.64		12.70		9.42		12.72	
23.04.2024	25.04.2024	523	67.28		16.45		7.16		8.83	
Average			64.47		16.86		8.71		10.53	

SL.NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / EI-142 NL	Enviro instruments / EI-133
3	Serial No	R.D.S. / 198-C-21	PM2.5 / PM10 Sampler / 159-K-20
4	Calibration Date	08.07.2023	28.03.2024
5	Calibration Due Date	24.07.2024	27.03.2025

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-05
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : **APRIL-2024**
 Location : **A5- G Nagalapura Village**
 Duration of Monitoring : 1 Hour
 Report Issued Date : **06.05.2024**
 Report Number : **GEMS/BMM/NAAQ/2024-25/14**

RESULTS


Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	01.04.2024	18	<0.01	4.0
2	02.04.2024	61	0.12	
3	08.04.2024	203	<0.01	
4	09.04.2024	212	<0.01	
5	15.04.2024	314	<0.01	
6	16.04.2024	332	0.12	
7	22.04.2024	502	<0.01	
8	23.04.2024	523	<0.01	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	08.07.2023
5	Calibration Due Date	07.07.2024

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
------------------	---


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-06
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : **APRIL-2024**
Location : **A6-Gunda Tanda Village**
Duration of Monitoring : 24 Hour
Report Issue Date : **06.05.2024**
Report Number : **ULR-TC532324000000018F**

RESULTS

Parameters			PM ₁₀ [µg/m ³]		PM _{2.5} [µg/m ³]		SO ₂ [µg/m ³]		NO ₂ [µg/m ³]	
Reference Method			IS:5182: 2006 (Part-23) (RF-2017)		USEPA 2001 Gravimetric Method		IS:5182: 2001 (Part-2) (RF-2017)		IS:5182: (Part-6) 2006 (RF-2017)	
Date of Sampling	Date of Received Sample	Sample Code	Result	STD	Result	STD	Result	STD	Result	STD
01.04.2024	02.04.2024	22	61.59	100	17.47	60	6.91	80	11.13	80
02.04.2024	03.04.2024	62	52.19		15.81		7.92		9.88	
11.04.2024	12.04.2024	261	61.56		16.72		7.60		8.41	
12.04.2024	13.04.2024	286	63.41		20.96		10.51		11.29	
18.04.2024	19.04.2024	397	58.52		18.80		6.22		8.47	
19.04.2024	20.04.2024	420	62.54		15.99		6.10		11.73	
25.04.2024	26.04.2024	577	70.77		17.97		7.83		12.12	
26.04.2024	27.04.2024	602	65.17		21.75		6.43		12.75	
Average			61.97		18.18		7.44		10.72	

SL NO	INSTRUMENT DETAILS		
1	Instrument Name	Respirable Dust Sampler (RDS)	Fine Particulate Sampler (FPS)
2	Make & Model	Enviro instruments / EI-142 NL	Enviro instruments / EI-133
3	Serial No	R.D.S./200-C-21	PM2.5 /PM10 Sampler / 160-K-20
4	Calibration Date	08.07.2023	28.03.2024
5	Calibration Due Date	07.07.2024	27.03.2025

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Priyanka B M
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-06
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : **APRIL-2024**
 Location : **A6-Gunda Tanda Village**
 Duration of Monitoring : 1 Hour
 Report Issued Date : **06.05.2024**
 Report Number : **GEMS/BMM/NAAQ/2024-25/18**

RESULTS


Sl. No.	Date of Sampling	Sample Code	CO (1 Hour) [mg/m ³]	Standard
1	01.04.2024	22	<0.01	4.0
2	02.04.2024	62	<0.01	
3	11.04.2024	261	<0.01	
4	12.04.2024	286	<0.01	
5	18.04.2024	397	<0.01	
6	19.04.2024	420	<0.01	
7	25.04.2024	577	<0.01	
8	26.04.2024	602	<0.01	

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

SL NO	INSTRUMENT DETAILS	
1	Instrument Name	CO Gas Detector
2	Make & Model	Vasthi Instruments Pvt Ltd & VS-70-70-CO
3	Serial No	180883821
4	Calibration Date	08.07.2023
5	Calibration Due Date	07.07.2024

INFERENCE	As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit
-----------	---


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-07
GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY MONITORING DATA

1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY24/RO18
3	Sample collected by	:	GLOBAL Environment & Mining Services, Hosapete
4	Particulars of sample collected	:	RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
5	Month	:	APRIL-2024 (1 st Fort Night)
6	Discipline	:	Chemical
7	Group	:	Atmospheric Pollution
8	Method adopted	:	IS 5182 (Part 4): 1999 RA 2014
9	Report Issued Date	:	06.05.2024
10	Report Number	:	GEMS/BMM/FM/2024-25/87

RESULTS

Sl. No.	Location / Plant	Sample Code	Date Of Monitoring	Date Of Sample Receipt	SPM ($\mu\text{g}/\text{m}^3$)	Standard
I. Beneficiation Plant-1						
1.	Main Canteen	156	06.04.2024	07.04.2024	884.26	2000
2.	Near Iron Ore Bottom Hopper	154	06.04.2024	07.04.2024	1543.54	2000
3.	Iron Ore Screen	155	06.04.2024	07.04.2024	1110.53	2000
II. Pellet Plant-I						
4.	Near Pellet Plant	157	06.04.2024	07.04.2024	1620.30	2000
5.	Annual Cooler Pellet Discharge bin	158	06.04.2024	07.04.2024	1383.37	2000
6.	Pellet Stock Yard	189	08.04.2024	09.04.2024	497.02	2000
III. Sponge Iron Division-1(kiln 1 & 2)						
7.	Control Room SID-1	231	10.04.2024	11.04.2024	1814.91	2000
8.	Near Product bin	232	10.04.2024	11.04.2024	1115.15	2000
9.	Coal Feeding Area	233	10.04.2024	11.04.2024	1554.71	2000
IV. Induction Furnace & Rolling Mill - 1						
10.	IF Office	190	08.04.2024	09.04.2024	459.03	2000
11.	TMT Stock Yard	191	08.04.2024	09.04.2024	871.58	2000
12.	RML Gasifier	253	11.04.2024	12.04.2024	708.57	2000
V. Power Plant 25 MW-1						
13.	25 MW ESP	254	11.04.2024	12.04.2024	514.99	2000
14.	25 MW ACC	255	11.04.2024	12.04.2024	587.08	2000
VI. Site Services						
15.	PGP- coal handling system	192	08.04.2024	09.04.2024	517.07	2000
16.	IF Slag Crusher	234	10.04.2024	11.04.2024	917.93	2000
17.	Main Gate	256	11.04.2024	12.04.2024	477.58	2000
18.	Fly ash Dump	492	22.04.2024	23.04.2024	1682.59	2000

Note: SPM- Suspended Particulate matter. ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

SL NO	INSTRUMENT DETAILS	GEMS-01	GEMS-02	GEMS-03	GEMS-04	GEMS-05
1	Instrument Name	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler
2	Make & Model	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151
3	Serial No	RDS / 241-DTC-2020	RDS / 243-DTL-2020	RDS / 244-DTL-2020	RDS / 193-DTH-2019	RDS / 197-DTH-2019
4	Calibration Date	28.03.2024	28.03.2024	28.03.2024	28.03.2024	28.03.2024
5	Calibration Due Date	27.03.2025	27.03.2025	27.03.2025	27.03.2025	27.03.2025

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-08

GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY MONITORING DATA


1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY24/RO18
3	Sample collected by	:	GLOBAL Environment & Mining Services, Hosapete
4	Particulars of sample collected	:	RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
5	Month	:	APRIL-2024(2nd Fort Night)
6	Discipline	:	Chemical
7	Group	:	Atmospheric Pollution
8	Method adopted	:	IS 5182 (Part 4)1999 RA 2014
9	Report Issued Date	:	06.05.2024
10	Report Number	:	GEMS/BMM/FM/2024-25/269

RESULTS

Sl. NO.	Location / Plant	Sample Code	Date Of Monitoring	Date Of Sample Receipt	SPM ($\mu\text{g}/\text{m}^3$)	Standard
I. Beneficiation Plant-1						
1.	Main Canteen	512	23.04.2024	24.04.2024	582.03	2000
2.	Near Iron Ore Bottom Hopper	510	23.04.2024	24.04.2024	1741.69	2000
3.	Iron Ore Screen	511	23.04.2024	24.04.2024	833.13	2000
II. Pellet Plant-I						
4.	Near Pellet Plant	542	24.04.2024	25.04.2024	730.69	2000
5.	Annual Cooler Pellet Discharge bin	543	24.04.2024	25.04.2024	564.64	2000
6.	Pellet Stock Yard	544	24.04.2024	25.04.2024	873.76	2000
III. Sponge Iron Division-1(kiln 1 & 2)						
7.	Control Room SID-I	598	26.04.2024	27.04.2024	1866.72	2000
8.	Near Product bin	599	26.04.2024	27.04.2024	942.43	2000
9.	Coal Feeding Area	600	26.04.2024	27.04.2024	1325.54	2000
IV. Induction Furnace & Rolling Mill						
10.	IF Office	569	25.04.2024	26.04.2024	1894.36	2000
11.	TMT Stock Yard	570	25.04.2024	26.04.2024	870.92	2000
12.	RML Gasifier	571	25.04.2024	26.04.2024	838.42	2000
V. Power Plant 25 MW-1						
13.	25 MW ESP	612	27.04.2024	28.04.2024	384.20	2000
14.	25 MW ACC	572	25.04.2024	26.04.2024	396.29	2000
VI. Site Services						
15.	PGP- Coal handling system	545	24.04.2024	25.04.2024	909.32	2000
16.	IF Slag Crusher	601	26.04.2024	27.04.2024	671.54	2000
17.	Main Gate	613	27.04.2024	28.04.2024	303.28	2000
18.	Fly ash Dump	492	22.04.2024	23.04.2024	887.62	2000


Note: SPM - Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

Sl NO	INSTRUMENT DETAILS	GEMS-01	GEMS-02	GEMS-03	GEMS-04	GEMS-05
1	Instrument Name	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler
2	Make & Model	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151
3	Serial No	RDS / 241-DTC-2020	RDS / 243-DTL-2020	RDS / 244-DTL-2020	RDS / 193-DTH-2019	RDS / 197-DTH-2019
4	Calibration Date	28.03.2024	28.03.2024	28.03.2024	28.03.2024	28.03.2024
5	Calibration Due Date	27.03.2025	27.03.2025	27.03.2025	27.03.2025	27.03.2025


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-09
GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY24/R018
3	Sample collected by	:	GLOBAL Environment & Mining Services
4	Particulars of sample collected	:	RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
5	Month	:	APRIL-2024(1st Fort Night)
6	Discipline	:	Chemical
7	Group	:	Atmospheric Pollution
8	Method adopted	:	IS 5182 (Part 4): 1999 RA 2014
9	Report Issued Date	:	06.05.2024
10	Report Number	:	GEMS/BMM/FM/2024-25/0005

RESULTS

Sl. No.	Location / Plant	Sample Code	Date Of Monitoring	Date Of Sample Receipt	SPM ($\mu\text{g}/\text{m}^3$)	Standard
I. Beneficiation Plant-II						
1.	Ball Mill Area (Zero Meter)	5	01.04.2024	02.04.2024	834.45	2000
2.	Near Cone Crusher	7	01.04.2024	02.04.2024	884.86	2000
3.	Concentrate Thickner	6	01.04.2024	02.04.2024	498.76	2000
II. Pellet Plant						
4.	PR-6	8	01.04.2024	02.04.2024	558.52	2000
5.	Annual Cooler Pellet Discharge bin	9	01.04.2024	02.04.2024	1338.81	2000
6.	Additive Grinding Building	45	02.04.2024	03.04.2024	1858.24	2000
III. Sponge Iron Division -2 (Kiln 1 & 2)						
7.	Control room	46	02.04.2024	03.04.2024	1829.15	2000
8.	Near Weigh bridge (dispatch)	47	02.04.2024	03.04.2024	671.77	2000
9.	Pellet Storage bin	75	02.04.2024	03.04.2024	1787.84	2000
10.	Transfer House area	48	02.04.2024	03.04.2024	1909.31	2000
11.	Production Separation Bin-PSB	49	02.04.2024	03.04.2024	754.01	2000
IV. Sponge Iron Division -2 (Kiln 3 & 4)						
12.	Near Control room	76	03.04.2024	04.04.2024	1045.25	2000
13.	Near Coal Crusher	78	03.04.2024	04.04.2024	1781.07	2000
14.	Near Product bin	77	03.04.2024	04.04.2024	1839.34	2000
15.	Coal Dryer	79	03.04.2024	04.04.2024	1006.47	2000
V. Wagon Tipper/RMHS						
16.	Near Tipping point	103	04.04.2024	06.05.2024	474.71	2000
17.	Monsoon Shed (CPU)	104	04.04.2024	06.05.2024	702.12	2000
18.	MCC Room (2 nd Gate)	105	04.04.2024	06.05.2024	1001.86	2000
VI. Power Plant-70 MW						
19.	70MW-DM Plant (Near R.O. Plant)	106	04.04.2024	06.04.2024	746.23	2000
20.	2 nd gate weigh bridge Near Coal Screen	133	05.04.2024	06.04.2024	1062.08	2000
21.	CFBC boiler	107	04.04.2024	06.04.2024	844.02	2000
VII. 2X70MW Power Plant						
22.	Near Boiler	134	05.04.2024	06.04.2024	595.78	2000
23.	Near Coal storage Shed	135	05.04.2024	06.04.2024	525.62	2000
24.	Dolochar Processing Area	136	05.04.2024	06.04.2024	401.56	2000

Note: SPM -Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

SL NO	INSTRUMENT DETAILS	GEMS-01	GEMS-02	GEMS-03	GEMS-04	GEMS-05
1	Instrument Name	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler
2	Make & Model	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151
3	Serial No	RDS / 241-DTC-2020	RDS / 243-DTL-2020	RDS / 244-DTL-2020	RDS / 193-DTH-2019	RDS / 197-DTH-2019
4	Calibration Date	28.03.2024	28.03.2024	28.03.2024	28.03.2024	28.03.2024
5	Calibration Due Date	27.03.2025	27.03.2025	27.03.2025	27.03.2025	27.03.2025

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-10 GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
5	Month	: APRIL-2024(2ND Fort Night)
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Method adopted	: IS 5182 (Part 4): 1999 RA 2014
9	Report Issued Date	: 06.05.2024
10	Report Number	: GEMS/BMM/FM/2024-25/180

RESULTS

Sl. No.	Location / Plant	Sample Code	Date Of Monitoring	Date Of Sample Receipt	SPM ($\mu\text{g}/\text{m}^3$)	Standard
I. Beneficiation Plant-II						
1.	Ball Mill Area (Zero Meter)	320	16.04.2024	17.04.2024	853.64	2000
2.	Near Cone Crusher	322	16.04.2024	17.04.2024	773.19	2000
3.	Concentrate Thickner	321	16.04.2024	17.04.2024	1440.23	2000
II. Pellet Plant-I						
4.	PR-6	323	16.04.2024	17.04.2024	446.16	2000
5.	Annual Cooler Pellet Discharge bin	355	17.04.2024	18.04.2024	1934.46	2000
6.	Additive Grinding Building	356	17.04.2024	18.04.2024	792.96	2000
III. Sponge Iron Division -2 (Kiln 1 & 2)						
7.	Control room	387	18.04.2024	19.04.2024	709.33	2000
8.	Near Weigh bridge (dispatch)	388	18.04.2024	19.04.2024	798.90	2000
9.	Pellet Storage bin	409	19.04.2024	20.04.2024	1157.17	2000
10.	Transfer House area	357	17.04.2024	18.04.2024	1648.21	2000
11.	Production Separation Bin-PSB	358	17.04.2024	18.04.2024	1508.73	2000
IV. Sponge Iron Division -2 (Kiln 3 & 4)						
12.	Near Control room	389	18.04.2024	19.04.2024	1670.01	2000
13.	Near Coal Crusher	410	19.04.2024	20.04.2024	1654.34	2000
14.	Near Product bin	390	19.04.2024	20.04.2024	1533.69	2000
15.	Coal Drier	411	19.04.2024	20.04.2024	822.29	2000
V. Wagon Tipper/RMHS						
16.	Near Tipping point	412	19.04.2024	20.04.2024	1304.05	2000
17.	Monsoon Shed (CPU)	461	20.04.2024	21.04.2024	210.80	2000
18.	MCC Room (2 nd Gate)	462	20.04.2024	21.04.2024	256.63	2000
VI. Power Plant-70 MW						
19.	70MW-DM Plant (Near R.O. Plant)	463	20.04.2024	21.04.2024	214.68	2000
20.	2 nd gate weigh bridge Near Coal Screen	516	23.04.2024	24.04.2024	809.79	2000
21.	CFBC boiler	464	20.04.2024	21.04.2024	248.56	2000
VII. 2X70MW Power Plant						
22.	Near Boiler	489	22.04.2024	23.04.2024	417.67	2000
23.	Near Coal storage Shed	490	22.04.2024	23.04.2024	443.91	2000
24.	CPP Dolochar Process Area	491	23.04.2024	23.04.2024	553.52	2000

Note: SPM -Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

SL NO	INSTRUMENT DETAILS	GEMS-01	GEMS-02	GEMS-03	GEMS-04	GEMS-05
1	Instrument Name	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler	Respirable Dust Sampler
2	Make & Model	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151	Greentech Instruments/ GTI-151
3	Serial No	RDS / 241-DTC-2020	RDS / 243-DTL-2020	RDS / 244-DTL-2020	RDS / 193-DTH-2019	RDS / 197-DTH-2019
4	Calibration Date	28.03.2024	28.03.2024	28.03.2024	28.03.2024	28.03.2024
5	Calibration Due Date	27.03.2025	27.03.2025	27.03.2025	27.03.2025	27.03.2025

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-11
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **Pellet Plant-1 ESP**
- 10 Month of Sampling : **APRIL-2024**
- 11 Date of Sample Received : 02.04.2024&17.04.2024
- 12 Date of Sample Analysis : 03.04.2024& 18.04.2024
- 13 Date of Sample Analysis completion : 04.04.2024&19.04.2024
- 14 Report Issued Date : **06.05.2024**
- 15 Report Number : **ULR-TC532324000000037F**

Stack Details

- 1 Fuel Used : Coal & furnace oil
- 2 Stack Height (mtr) : 100.0
- 3 Stack Diameter (mtr) : 4.4


Emission Details

Sl. No.	Parameters	Method	Unit	Results		Permissible Limit
				02.04.2024	17.04.2024	
	Date of Monitoring Sample Code			50	360	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	32	33	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	70	69	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	5.33	6.36	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)	m ³ /hr	291656	348449	-
5	Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)	Nm ³ /hr	253126	303419	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	34.54	37.20	50
7	Sulphur Dioxide	IS: 11255 (Part 2): (RA 2014)	mg/Nm ³	168.0	203.0	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	32.0	38.0	NS
9	Carbon Monoxide	GEMS/SOP/69	%	0.025	0.021	NS

Note: NS- Not Specified, RA: Reaffirmed, **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-12
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **2X100 TPD Sponge iron plant Kiln 1 & 2**
- 10 Month of Sampling : **APRIL-2024**
- 11 Date of Sample Received : 08.04.2024&23.04.2024
- 12 Date of Sample Analysis : 09.04.2024&24.04.2024
- 13 Date of Sample Analysis completion : 10.04.2024&25.04.2024
- 14 Report Issued Date : **06.05.2024**
- 15 Report Number : **ULR-TC532324000000114F**

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 60.0
- 3 Stack Diameter (mtr) : 2.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				08.04.2024	23.04.2024	
	Date of Monitoring			195	515	
	Sample Code					
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	32	33	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	176	174	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	7.62	7.68	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)	m ³ /hr	86294	86878	-
5	Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)	Nm ³ /hr	57250	57835	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	33.70	20.78	50
7	Sulphur Dioxide	IS: 11255 (Part 2): (RA 2014)	mg/Nm ³	171.0	184.0	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	56.0	45.0	NS
9	Carbon Monoxide	GEMS/SOP/69	%	0.354	0.332	1

Note: NS- Not Specified. RA: Reaffirmed, **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-13 GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024 (1st Fort Night)**
- 10 Date of Sample Received : 15.04.2024
- 11 Date of Sample Analysis : 16.04.2024
- 12 Date of Sample Analysis completion : 17.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000168F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Induction Furnance 1 & 2											
1	Induction Furnance 1	15.04.2024	298	Electric Power	34	42	6.18	30	1.0	5.37	150
2	Induction Furnance 2	15.04.2024	299		35	47	6.54	30	1.0	10.48	150

Sl. No	Induction Furnance 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Induction Furnance 1	25167	23802	-
2	Induction Furnance 2	31250	29075	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-14
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District
- 2 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : Rolling mill reheating furnace
- 10 Month of Sampling : APRIL-2024
- 11 Date of Sample Received : 06.04.2024 & 22.04.2024
- 12 Date of Sample Analysis : 08.04.2024 & 23.04.2024
- 13 Date of Sample Analysis completion : 09.04.2024 & 25.04.2024
- 14 Report Issued Date : 06.05.2024
- 15 Report Number : ULR-TC532324000000090F

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 30.0
- 3 Stack Diameter (mtr) : 0.8

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				06.04.2024	22.04.2024	
				161	495	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	32	33	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	384	379	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	9.01	8.97	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)	m ³ /hr	16486	16249	-
5	Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)	Nm ³ /hr	7475.5	7415.8	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	12.47	14.01	50
7	Sulphur Dioxide	IS: 11255 (Part 2): (RA 2014)	mg/Nm ³	24.0	28.0	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	371.0	415.0	NS
9	Carbon Monoxide	GEMS/SOP/69	%	0.041	0.046	NS

Note: NS- Not Specified. RA: Reaffirmed, INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-15
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District
- 2 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **AFBC Boiler ESP (25 MW Power Plant)**
- 10 Month of Sampling : **APRIL-2024**
- 11 Date of Sample Received : -
- 12 Date of Sample Analysis : -
- 13 Date of Sample Analysis completion : -
- 14 Report Issued Date : -
- 15 Report Number : -

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 65.0
- 3 Stack Diameter (mtr) : 2.5

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
	Date of Monitoring Sample Code			-	-	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	Shutdown	Shutdown	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C			-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec			-
4	Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)	m ³ /hr			-
5	Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)	Nm ³ /hr			-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³			50
7	Sulphur Dioxide	IS: 11255 (Part 2): (RA 2014)	mg/Nm ³			NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³			NS
9	Carbon Monoxide	GEMS/SOP/69	%			NS

Note: NS- Not Specified. RA: Reaffirmed,


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-16
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024(1st Fort Night)**
- 10 Date of Sample Received : 13.04.2024
- 11 Date of Sample Analysis : 15.04.2024
- 12 Date of Sample Analysis completion : 16.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000164F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Beneficiation Plant -I											
1	Iron Ore dump hopper	13.04.2024	295	-	35	38	5.59	25	0.40	18.87	50
2	Iron Ore Screen bin	13.04.2024	296	-	37	39	5.74	30	0.40	17.57	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Iron Ore dump hopper	2531	2423	-
2	Iron Ore Screen bin	2600	2476	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our Laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-17
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024 (1st Fort Night)**
- 10 Date of Sample Received : 12.04.2024 & 13.04.2024
- 11 Date of Sample Analysis : 13.04.2024 & 15.04.2024
- 12 Date of Sample Analysis completion : 15.04.2024 & 16.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000160F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
RMHS											
3	Screen, Coal Crusher(CPU)	12.04.2024	282	-	37	42	6.38	3.0	0.30	36.55	50
4	Main Crusher	13.04.2024	297	-	34	37	5.29	35	0.50	10.94	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
3	Screen, Coal Crusher(CPU)	40632	38307	-
4	Main Crusher	3744	3599	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-18
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024(1st Fort Night)**
- 10 Date of Sample Received : 02.04.2024, 03.04.2024, 03.04.2024 & 04.04.2024
- 11 Date of Sample Analysis : 03.04.2024, 04.04.2024, 04.04.2024 & 06.05.2024
- 12 Date of Sample Analysis completion : 04.04.2024, 06.05.2024, 05.03.2024 & 06.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000039F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Pellet Plant -I											
5	AGB Main Bag Filter	02.04.2024	52	-	34	42	4.87	6.5	0.60	27.60	50
6	Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter	03.04.2024	81	-	37	42	5.82	3.0	0.30	29.25	50
7	Bentonite Powder bin top bag filter	03.04.2024	82	-	38	43	5.63	3.0	0.30	30.75	50
8	H-4 Conveyor discharge bag filter	Shutdown	-	-	-	-	-	7.0	0.50	-	50
9	P-1 Bag Filter	04.04.2024	110	-	36	43	5.70	7.0	0.50	33.67	50

Sl. No	Pellet Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
5	AGB Main Bag Filter	1240	1168	-
6	Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter	1481	1397	-
7	Bentonite Powder bin top bag filter	1433	1347	-
8	H-4 Conveyor discharge bag filter	-	-	-
9	P-1 Bag Filter	4034	3794	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-19
GEMS-LD/TF/10/01


Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024 (1st Fort Night)**
- 10 Date of Sample Received : 11.04.2024 & 12.04.2024
- 11 Date of Sample Analysis : 12.04.2024 & 13.04.2024
- 12 Date of Sample Analysis completion : 13.04.2024 & 15.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000144F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2 X 100 TPD Sponge Iron Kiln 1 & 2											
10	Cooler-1 Discharge & Blending Chute	11.04.2024	260	---	38	42	5.40	30	1.20	33.06	50
11	Cooler-2 Discharge	12.04.2024	283	---	32	37	5.52	30	1.20	33.56	50
12	Intermediate Bin & Blending	12.04.2024	284	---	33	38	5.81	30	1.20	35.06	50
13	Product House	12.04.2024	285	---	36	40	5.71	30	1.20	36.70	50

Sl. No	2 X 100 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
10	Cooler-1 Discharge & Blending Chute	21980	20720	-
11	Cooler-2 Discharge	22479	21603	-
12	Intermediate Bin & Blending	23652	22642	-
13	Product House	23249	22074	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255 (Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255 (Part 03) (RA 2014)


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-20
GEMS-LD/TF/10/01


Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024 (2nd Fort Night)**
- 10 Date of Sample Received : 30.04.2024
- 11 Date of Sample Analysis : 01.05.2024
- 12 Date of Sample Analysis completion : 01.05.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000365F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Induction Furnance 1 & 2											
1	Induction Furnance 1	30.04.2024	651	Electric	35	43	6.25	30	1.0	9.07	50
2	Induction Furnance 2	30.04.2024	652	Power	37	45	6.55	30	1.0	11.02	50

Sl. No	Induction Furnance 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Induction Furnance 1	25464	23956	-
2	Induction Furnance 2	31309	29255	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-21

GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : APRIL-2024 (2nd Fort Night)
- 10 Date of Sample Received : 30.04.2024
- 11 Date of Sample Analysis : 01.05.2024
- 12 Date of Sample Analysis completion : 01.05.2024
- 13 Report Issued Date : 06.05.2024
- 14 Report Number : ULR-TC532324000000367F

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Beneficiation Plant											
1	Iron Ore dump hopper	30.04.2024	653	---	38	42	5.92	25	0.40	19.19	50
2	Iron Ore Screen bin	30.04.2024	654	---	39	44	5.99	30	0.40	16.56	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Iron Ore dump hopper	2676	2521	-
2	Iron Ore Screen bin	2712	2537	-


Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255 (Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255 (Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-22
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024(2nd Fort Night)**
- 10 Date of Sample Received : 29.04.2024 & 29.04.2024
- 11 Date of Sample Analysis : 30.04.2024 & 30.04.2024
- 12 Date of Sample Analysis completion : 01.05.2024 & 01.05.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000343F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
RMHS											
3	Screen, Coal Crusher(CPU)	29.04.2024	625	-	38	44	6.35	3.0	0.30	38.04	50
4	Main Crusher	29.04.2024	626	-	39	43	5.47	35	0.50	12.89	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
3	Screen, Coal Crusher (CPU)	40407	37855	-
4	Main Crusher	3868	3634	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-23

GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024 (2nd Fort Night)**
- 10 Date of Sample Received : 17.04.2024, 18.04.2024, 18.04.2024 & 19.04.2024
- 11 Date of Sample Analysis : 18.04.2024, 19.04.2024, 19.04.2024 & 20.04.2024
- 12 Date of Sample Analysis completion : 19.04.2024, 20.04.2024, 20.04.2024 & 22.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000201F**

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/N m ³
Chimneys attached to Bag Filter (De dusting Units)											
Pellet Plant-I											
5	AGB Main Bag Filter	17.04.2024	361	---	38	41	5.74	6.5	0.60	29.91	50
6	Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter	18.04.2024	392	---	39	40	5.95	3.0	0.30	32.33	50
7	Bentonite Powder bin top bag filter	18.04.2024	393	---	39	41	5.85	3.0	0.30	34.13	50
8	H-4 Conveyor discharge bag filter	-	-	---	-	-	-	7.0	0.50	-	50
9	P-1 Bag Filter	19.04.2024	416	---	36	41	5.61	7.0	0.50	35.39	50

Sl. No	Pellet Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
5	AGB Main Bag Filter	1460	1381	-
6	Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter	4204	3977	-
7	Bentonite Powder bin top bag filter	1490	1404	-
8	H-4 Conveyor discharge bag filter	-	-	-
9	P-1 Bag Filter	3969	3751	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255 (Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255 (Part 03) (RA 2014)


Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-24
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- Discipline : Chemical
- Group : Atmospheric Pollution
- Sample Type : Stack Monitoring
- Month of Sampling : APRIL-2024 (2nd Fort Night)
- Date of Sample Received : 25.04.2024 & 29.04.2024
- Date of Sample Analysis : 26.04.2024 & 30.04.2024
- Date of Sample Analysis completion : 27.04.2024 & 30.04.2024
- Report Issued Date : 06.05.2024
- Report Number : ULR-TC532324000000310F

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2 X 100 TPD Sponge Iron Kiln 1 & 2											
10	Cooler-1 Discharge & Blending Chute	25.04.2024	575	---	37	40	5.69	30	1.20	33.44	50
11	Cooler-2 Discharge	25.04.2024	576	---	36	41	5.82	30	1.20	35.02	50
12	Intermediate Bin & Blending	29.04.2024	627	---	34	36	5.56	30	1.20	31.51	50
13	Product House	29.04.2024	628	---	36	38	5.34	30	1.20	36.20	50

Sl. No	2 X 100 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
10	Cooler-1 Discharge & Blending Chute	23150	21930	-
11	Cooler-2 Discharge	23690	22362	-
12	Intermediate Bin & Blending	22639	21822	-
13	Product House	21741	20810	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-25
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: Pellet Plant-2 ESP
10	Month of Sampling	: APRIL-2024
11	Date of Sample Received	: 01.04.2024 & 16.04.2024
12	Date of Sample Analysis	: 02.04.2024 & 17.04.2024
13	Date Sample Analysis Completion	: 03.04.2024 & 18.04.2024
14	Report Issued Date	: 06.05.2024
15	Report Number	: ULR-TC532324000000006F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	100
3	Stack Diameter (mtr)	4.4

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				01.04.2024	16.04.2024	
	Date of Monitoring			10	324	
	Sample Code					
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	33	34	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	74	72	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	5.43	6.28	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	297521	344324	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	255441	296947	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	36.37	34.97	50
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	432.0	428.0	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005(RA 2017)	mg/Nm ³	115.0	124.0	NS
9	Carbon Monoxide	GEMS/SOP/69	%	0.032	0.028	1%



Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-26
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
SI.No:Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : SID Axis 3&4
- 10 Month of Sampling : APRIL-2024
- 11 Date of Sample Received : 03.04.2024 & 18.04.2024
- 12 Date of Sample Analysis : 04.04.2024 & 19.04.2024
- 13 Date Sample Analysis Completion : 05.04.2024 & 20.04.2024
- 14 Report Issued Date : 06.05.2024
- 15 Report Number : ULR-TC532324000000054F

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 70.0
- 3 Stack Diameter (mtr) : 3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1st Fort Night	2nd Fort Night	
				03.04.2024	18.04.2024	
	Date of Monitoring			80	391	
	Sample Code					
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	32	31	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	131	128	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	6.98	7.16	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	177693	182273	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	131053	134885	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	32.86	35.90	50
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	398.0	487.0	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005(RA 2017)	mg/Nm ³	18.0	21.0	NS
9	Carbon Monoxide	GEMS/SOP/69	%	0.129	0.228	1%

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-27
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: SID Axis 5&6
10	Month of Sampling	: APRIL-2024
11	Date of Sample Received	: 04.04.2024&19.04.2024
12	Date of Sample Analysis	: 05.04.2024&20.04.2024
13	Date Sample Analysis Completion	: 06.04.2024&22.04.2024
14	Report Issued Date	: 06.05.2024
15	Report Number	: ULR-TC532324000000064F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
				04.04.2024	19.04.2024	
	Date of Monitoring					
	Sample Code					
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	32	34	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	134	132	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	7.09	7.00	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	180442	178106	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	132065	130741	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	30.69	28.68	50
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	1215.0	1229.0	NS
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	221.0	63.0	NS
9	Carbon Monoxide	GEMS/SOP/69	%	0.088	0.179	1%

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-28
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: 1X70 MW-CFBC Boiler ESP
10	Month of Sampling	: APRIL-2024
11	Date of Sample Received	: 05.04.2024&20.04.2024
12	Date of Sample Analysis	: 06.04.2024&22.04.2024
13	Date Sample Analysis Completion	: 08.04.2024 & 23.04.2024
14	Report Issued Date	: 06.05.2024
15	Report Number	: ULR-TC532324000000081F

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	70.0
3	Stack Diameter (mtr)	3.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1st Fort Night	2nd Fort Night	
				05.04.2024	20.04.2024	
	Date of Monitoring			138	465	
	Sample Code					
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	32	31	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	128	125	-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec	7.14	7.18	-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr	181925	182808	-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr	135143	136246	-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³	36.40	37.26	50
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³	236.0	208.0	600
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³	27.0	25.0	300
9	Carbon Monoxide	GEMS/SOP/69	%	0.047	0.039	NS

Note: NS- Not Specified. RA: Reaffirmed. INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-29
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No: Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Sampling Location	: 2X70 MW CFBC Boiler ESP
10	Month of Sampling	: APRIL-2024
11	Date of Sample Received	: -
12	Date of Sample Analysis	: -
13	Date Sample Analysis Completion	: -
14	Report Issued Date	: 06.05.2024
15	Report Number	: -

Stack Details

1	Fuel Used	Coal
2	Stack Height (mtr)	110.0
3	Stack Diameter (mtr)	8.00

Emission Details

Sl. No.	Parameters	Method	Unit	Result		Permissible Limit
				1 st Fort Night	2 nd Fort Night	
	Date of Monitoring Sample Code			-	-	
1	Ambient Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C	Shutdown	Shutdown	-
2	Stack Temperature	IS: 11255 (Part 1) - 1985 (RA 2014)	°C			-
3	Velocity of Fuel Gas	IS: 11255 (Part 3) - 1985 (RA 2014)	m/sec			-
4	Gas flow rate at Stack Condition	IS-11255(Part 03)1985(RA 2014)	m ³ /hr			-
5	Gas flow rate at NTP	IS-11255(Part 03)1985(RA 2014)	Nm ³ /hr			-
6	Particulate Matter	IS: 11255 (Part 1) - 1985 (RA 2014)	mg/Nm ³			50
7	Sulphur Dioxide	IS: 11255 (Part 2): 1985 (RA 2014)	mg/Nm ³			600
8	Nitrogen Dioxide	IS:11255 (Part7): 2005 (RA 2017)	mg/Nm ³			300
9	Carbon Monoxide	GEMS/SOP/69	%			NS

Note: NS- Not Specified. RA: Reaffirmed

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-30
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: APRIL-2024(1st Fort Night)
10	Date of Sample Received	: 13.04.2024
11	Date of Sample Analysis	: 14.04.2024
12	Date Sample Analysis Completion	: 15.04.2024
13	Report Issued Date	: 06.05.2024
14	Report Number	: ULR-TC532324000000164F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Beneficiation Plant-2											
1	Iron Ore Cone Crusher	-	-	---	-	-	-	30	1.20	-	50
2	Iron Ore Screening	13.04.2024	294	Coal	36	40	6.09	30	0.90	22.51	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Iron Ore Cone Crusher	-	-	-
2	Iron Ore Screening	13967	13250	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-31
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
Sl.No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **APRIL-2024(1st Fort Night)**
- 10 Date of Sample Received : 01.04.2024 & 02.04.2024
- 11 Date of Sample Analysis : 02.04.2024 & 03.04.2024
- 12 Date Sample Analysis Completion : 04.04.2024 & 04.04.2024
- 13 Report Issued Date : **06.05.2024**
- 14 Report Number : **ULR-TC532324000000007F**

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
--------	-------------------	--------------------	-------------	-----------	-------	-------	---------	------------	--------------	-----------------------	------------------------------

Chimneys attached to Bag Filter (De dusting Units)

Pellet Plant-II

3	AGB main bag Filter	01.04.2024	11	---	35	40	4.60	6.5	0.5	31.58	50
4	Lime & Bentonite Powder bin top bag filter	01.04.2024	12	---	37	41	4.94	3	0.35	30.13	50
5	AGB De dusting Bag Filter	-	-	---	-	-	-	6	0.6	-	50
6	Powder Coal main bag filter	-	-	---	-	-	-	6	0.6	-	50
7	RP-6 Conveyor bag Filter	-	-	---	-	-	-	6	0.3	-	50
8	Pellet discharge bin bag filter	02.04.2024	50	---	38	45	4.98	20	0.5	36.01	50

Sl. No	Pellet Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
3	AGB main bag Filter	3305	3184	-
4	Lime & Bentonite Powder bin top bag filter	1587	1521	-
5	AGB De dusting Bag Filter	-	-	-
6	Powder Coal main bag filter	-	-	-
7	RP-6 Conveyor bag Filter	-	-	-
8	Pellet discharge bin bag filter	3523	3292	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE:

Priyanka B M
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-32 GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: APRIL-2024(1st Fort Night)
10	Date of Sample Received	: 04.04.2024,05.04.2024, 06.04.2024, 08.04.2024&10.04.2024
11	Date of Sample Analysis	: 05.04.2024, 06.04.2024, 08.04.2024, 09.04.2024 & 11.04.2024
12	Date Sample Analysis Completion	: 06.04.2024, 08.04.2024, 09.04.2024, 10.04.2024 & 12.04.2024
13	Report Issued Date	: 06.05.2024
14	Report Number	: ULR-TC532324000000065F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2 X 500 TPD Sponge Iron Kiln 1 & 2											
9	Cooler Discharge -1	04.04.2024	109	---	37	45	6.13	30	1.2	36.66	50
10	Cooler Discharge -2	05.04.2024	141	---	37	42	5.38	30	1.2	35.26	50
11	Coal stock house	05.04.2024	142	---	38	41	5.61	30	1.2	13.80	50
12	PSB 1 System-1	06.04.2024	159	---	37	41	5.81	30	1.2	36.19	50
13	PSB 1 System-2	06.04.2024	160	---	38	42	5.62	30	1.2	37.06	50
14	PSB 2 System-1 MCC	08.04.2024	193	---	36	41	5.69	30	1.2	36.61	50
15	PSB 2 System-2 Road	08.04.2024	194	---	37	43	6.19	30	1.2	38.03	50
16	Junction House Old & New	10.04.2024	235	---	32	39	6.13	30	1.2	39.06	50
17	Storage Bunker	10.04.2024	236	---	33	40	5.86	30	1.2	33.29	50
18	Dispatch	-	-	---	-	-	-	30	1.2	-	50

Sl. No	2 X 500 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
9	Cooler Discharge -1	24974	23323	-
10	Cooler Discharge -2	21907	20662	-
11	Coal stock house	22854	21613	-
12	PSB 1 System-1	23657	22396	-
13	PSB 1 System-2	22886	21582	-
14	PSB 2 System-1 MCC	23161	21920	-
15	PSB 1 System-2 Road	25188	23672	-
16	Junction House Old & New	24979	23855	-
17	Storage Bunker	18161	22685	-
18	Dispatch	-	-	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-33
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
Sl.No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : APRIL-2024 (1st Fort Night)
- 10 Date of Sample Received : 10.04.2024, 11.03.2024 & 12.03.2024
- 11 Date of Sample Analysis : 11.04.2024, 12.03.2024 & 13.03.2024
- 12 Date Sample Analysis Completion : 12.04.2024, 13.03.2024 & 14.03.2024
- 13 Report Issued Date : 06.05.2024
- 14 Report Number : ULR-TC532324000000132F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/s	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2X500 TPD Sponge Iron Kiln 3&4											
19	DE 3, Axis 3 CD	10.04.2024	237	---	37	41	5.75	30	1.2	35.89	50
20	DE 4, DE 7, DE 7A Axis 4 CD Junction House (Stand By)	10.04.2024	238	---	38	42	6.00	30	1.2	35.40	50
21	DE 8 & 12 I-Bin, (Stand By)	11.04.2024	257	---	32	40	5.55	30	1.9	36.68	50
22	DE 9 & 10 PSB 1 & 2 Product Separation bin	11.04.2024	258	---	33	41	6.10	30	1.9	38.60	50
23	Coal Dryer	11.04.2024	259	---	37	46	5.80	27	1.2	41.03	50

Sl. No	2X500 TPD Sponge Iron Kiln 3&4	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
19	DE 3, Axis 3 CD	23420	22159	-
20	DE 4, DE 7, DE 7A Axis 4 CD Junction House (Stand By)	24440	23039	-
21	DE 8 & 12 I-Bin, (Stand By)	56632	53911	-
22	DE 9 & 10 PSB 1 & 2 Product Separation bin	62265	59061	-
23	Coal Dryer	20808	19856	-

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-34
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
Sl.No:Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : APRIL-2024(2nd Fort Night)
- 10 Date of Sample Received : 30.04.2024
- 11 Date of Sample Analysis : 02.04.2024
- 12 Date Sample Analysis Completion : 01.04.2024
- 13 Report Issued Date : 06.05.2024
- 14 Report Number : ULR-TC532324000000368F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Beneficiation Plant-2											
1	Iron Ore Cone Crusher	-	-	---	-	-	-	-	-	-	50
2	Iron Ore Screening	30.04.2024	654	---	38	42	6.06	30	0.90	21.29	50

Sl. No	Beneficiation Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
1	Iron Ore Cone Crusher	13894	13072	-
2	Iron Ore Screening	-	-	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-35
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: MARCH-2024(2 nd Fort Night)
10	Date of Sample Received	: 16.04.2024&18.04.2024
11	Date of Sample Analysis	: 17.04.2024&19.04.2024
12	Date Sample Analysis Completion	: 18.04.2024&19.04.2024
13	Report Issued Date	: 06.05.2024
14	Report Number	: ULR-TC532324000000182F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
Pellet Plant											
3	AGB main bag Filter	16.04.2024	325	---	38	42	5.65	6.5	0.5	30.97	50
4	Lime & Bentonite Powder bin top bag filter	16.04.2024	326	---	39	44	5.47	3	0.35	28.64	50
5	AGB De dusting Bag Filter	-	-	---	-	-	-	6	0.6	-	50
6	Powder Coal main bagfilter	-	-	---	-	-	-	6	0.6	-	50
7	RP-6 Conveyor bag Filter	-	-	---	-	-	-	6	0.3	-	50
8	Pellet discharge bin bagfilter	18.04.2024	398	---	36	46	5.76	20	0.5	33.99	50

Sl. No	Pellet Plant	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
3	AGB main bag Filter	5754	5424	-
4	Lime & Bentonite Powder bin top bag filter	1893	1772	-
5	AGB De dusting Bag Filter	-	-	-
6	Powder Coal main bagfilter	-	-	-
7	RP-6 Conveyor bag Filter	-	-	-
8	Pellet discharge bin bagfilter	4075	3796	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE:-

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-36
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Vayubodhan Stack sampler/ VBSS2 Sl.No: Stack Monitoring Kit/ 032308
5	Instrument Details	: Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025
6	Discipline	: Chemical
7	Group	: Atmospheric Pollution
8	Sample Type	: Stack Monitoring
9	Month of Sampling	: APRIL-2024(2 nd Fort Night)
10	Date of Sample Received	: 19.04.2024, 20.04.2024, 22.04.2024, 23.04.2024 & 29.04.2024
11	Date of Sample Analysis	: 20.04.2024, 22.04.2024, 23.04.2024, 24.03.2024 & 30.04.2024
12	Date Sample Analysis Completion	: 20.04.2024, 22.04.2024, 23.04.2024, 24.04.2024 & 30.04.2024
13	Report Issued Date	: 06.05.2024
14	Report Number	: ULR-TC532324000000218F

RESULTS

Sl. No	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/Sec	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2 X 500 TPD Sponge Iron Kiln 1 & 2											
9	Cooler Discharge -1	29.04.2024	624	Coal	39	44	6.22	30	1.2	35.16	50
10	Cooler Discharge -2	19.04.2024	415	Coal	36	36	5.63	30	1.2	36.57	50
11	Coal stock house	20.04.2024	466	Coal	31	36	5.40	30	1.2	12.25	50
12	PSB 1 System-1	20.04.2024	467	Coal	32	38	5.86	30	1.2	35.79	50
13	PSB 1 System-2	22.04.2024	493	Coal	36	41	5.40	30	1.2	34.00	50
14	PSB 2 System-1 MCC	22.04.2024	494	Coal	37	43	5.86	30	1.2	36.77	50
15	PSB 1 System-2 Road	23.04.2024	513	Coal	39	40	6.03	30	1.2	37.81	50
16	Junction House Old & New	23.04.2024	514	Coal	38	41	6.34	30	1.2	37.43	50
17	Storage Bunker	24.04.2024	546	Coal	31	37	5.87	30	1.2	32.35	50
18	Dispatch	-	-	---	-	-	-	30	1.2	-	50

Sl. No	2 X 500 TPD Sponge Iron Kiln 1 & 2	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
9	Cooler Discharge -1	25311	23663	-
10	Cooler Discharge -2	22936	22018	-
11	Coal stock house	21969	21106	-
12	PSB 1 System-1	23868	22771	-
13	PSB 1 System-2	22007	20817	-
14	PSB 2 System-1 MCC	23873	22427	-
15	PSB 1 System-2 Road	24540	23281	-
16	Junction House Old & New	25799	24385	-
17	Storage Bunker	23910	22966	-
18	Dispatch	-	-	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

P. B. M.
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-37
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
Sl.No:Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : APRIL-2024(2nd Fort Night)
- 10 Date of Sample Received : 24.04.2024&25.04.2024
- 11 Date of Sample Analysis : 25.04.2024&26.04.2024
- 12 Date Sample Analysis Completion : 26.04.2024 & 27.04.2024
- 13 Report Issued Date : 06.05.2024
- 14 Report Number : ULR-TC53232400000290F

RESULTS

Sl. NO	Stack Attached to	Date of Monitoring	Sample Code	Fuel Used	Ta °C	TS °C	V m/s	Height (m)	Diameter (m)	PM mg/Nm ³	KSPCB Std mg/Nm ³
Chimneys attached to Bag Filter (De dusting Units)											
2X500 TPD Sponge Iron Kiln 3&4											
19	DE 3, Axis 3 CD	24.04.2024	547	---	33	39	5.43	30	1.20	35.48	50
20	DE 4, DE 7, DE 7A Axis 4 CD Junction House(Stand By)	24.04.2024	548	---	37	40	5.86	30	1.20	38.34	50
21	DE 8 & 12 I-Bin, (Stand By)	24.04.2024	549	---	38	41	5.68	30	1.30	35.52	50
22	DE 9 & 10 PSB 1 & 2 Product Separation bin	25.04.2024	573	---	32	38	6.03	30	1.40	37.38	50
23	Coal Dryer	25.04.2024	574	---	34	42	5.53	35	1.90	36.69	50

Sl. No	2X500 TPD Sponge Iron Kiln 3&4	Gas flow rate at Stack Condition m ³ /hr	Gas flow rate at NTP Nm ³ /hr	KSPCB Std
19	DE 3, Axis 3 CD	22114	21091	-
20	DE 4, DE 7, DE 7A Axis 4 CD Junction House(Stand By)	23880	22648	-
21	DE 8 & 12 I-Bin, (Stand By)	57955	54770	-
22	DE 9 & 10 PSB 1 & 2 Product Separation bin	61578	58864	-
23	Coal Dryer	22499	21223	-

Parameter	Protocol
Particulate Matter (mg/Nm ³)	IS: 11255 (Part 1) - 1985 (reaffirmed 2014)
Gas flow rate at Stack Condition	IS-11255(Part 03) (RA 2014)
Gas flow rate at NTP	IS-11255(Part 03) (RA 2014)

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-38
GEMS-LD/TF/08/01

NOISE LEVEL MONITORING REPORT

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Noise Level Monitoring
Particulars of Sample Collected : Lutron: SL- 4023SD
Sl. No: Q679952
Instrument Details : Calibration Date: 02.11.2023
Due Calibration: 01.11.2024
Month : **APRIL-2024**
Report Issue Date : **06.05.2024**
Method Adopted : IS 9989-1981 Reaffirmed 2014
Report No : **ULR-TC53232400000009F**

Sl. No	Location	Date of Monitoring	Noise Level dB (A)		
			Day Time		Standard
			Min	Max	
1	Main Gate	01.04.2024	52.2	56.4	75
2	Near ATM	01.04.2024	48.8	54.6	75
3	Transit House	02.04.2024	51.4	59.4	75
4	CAAQMS Station	02.04.2024	49.2	55.0	75
5	Gunda Road	03.04.2024	59.4	64.4	75
6	Gunda Railway Station	03.04.2024	66.4	73.5	75
7	Bagging Shed	04.04.2024	59.0	63.4	75
8	Railway Siding	04.04.2024	69.4	73.8	75
9	4th Gate	05.04.2024	50.4	56.8	75
10	Bricks Plant	05.04.2024	52.8	68.2	75
11	Kempuhalla (Wagon Tippler)	06.04.2024	50.8	56.1	75
12	Danapura Bridge	06.04.2024	58.2	62.3	75
13	2nd Gate	08.04.2024	49.8	57.2	75
14	Project Store	08.04.2024	46.4	53.4	75
15	Dispatch (Truck Parking Area)	08.04.2024	68.2	73.6	75

Note : Each Location above the Noise Level taken Readings 15 Minutes.

INFERENCE	As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit.
------------------	---

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-39
GEMS-LD/TF/08/01

NOISE LEVEL MONITORING REPORT

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Noise Level Monitoring
Particulars of Sample Collected : Lutron: SL- 4023SD
Sl. No: Q679952
Instrument Details : Calibration Date: 02.11.2023
Due Calibration: 01.11.2024
Month : **APRIL-2024**
Report Issue Date : **06.05.2024**
Method Adopted : IS 9989-1981 Reaffirmed 2014
Report No : **ULR-TC532324000000184F**

Sl. No	Location	Date of Monitoring	Noise Level dB (A)		
			Day Time		Standard
			Min	Max	
1	Main Gate	16.04.2024	46.8	65.7	75
2	Near ATM	16.04.2024	48.6	53.8	75
3	Transit House	17.04.2024	56.5	61.4	75
4	CAAQMS Station	17.04.2024	51.2	59.2	75
5	Gunda Road	18.04.2024	53.4	63.5	75
6	Gunda Railway Station	18.04.2024	56.4	64.8	75
7	Bagging Shed	19.04.2024	59.8	66.2	75
8	Railway Siding	19.04.2024	66.2	73.6	75
9	4th Gate	20.04.2024	55.0	59.9	75
10	Bricks Plant	20.04.2024	49.8	56.8	75
11	Kempuhalla (Wagon Tippler)	22.04.2024	52.9	56.2	75
12	Danapura Bridge	22.04.2024	54.2	59.6	75
13	2nd Gate	23.04.2024	48.2	54.6	75
14	Project Store	23.04.2024	46.4	55.8	75
15	Dispatch (Truck Parking Area)	23.04.2024	62.8	73.4	75

Note : Each Location above the Noise Level taken Readings 15 Minutes.

INFERENCE	As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit
------------------	--

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-40
GEMS-LD/TF/08/01

AMBIENT NOISE LEVEL MONITORING REPORT

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Noise Level Monitoring
Particulars of Sample Collected : Lutron: SL- 4023SD
Sl. No: Q679953
Instrument Details : Calibration Date: 02.11.2023
Due Calibration: 01.11.2024
Month : **APRIL-2024**
Report Issue Date : **06.05.2024**
Method Adopted : IS 9989-1981 Reaffirmed 2014
Report No : **ULR-TC532324000000011F**

Sl. No	Location	Date of Monitoring	Noise Level dB (A)							
			Day Time			Standard	Night Time			Standard
			Min	Max	Avg		Min	Max	Avg	
1	Danapur Village	01.04.2024	45.2	56.2	53.12	55	35.6	44.2	41.84	45
2	Mariyammana Halli	02.04.2024	48.6	59.4	54.06		38.8	46.1	43.72	
3	Hanumana Halli	01.04.2024	46.4	57.3	53.46		39.6	44.6	43.82	
4	Galemmanagudi	02.04.2024	47.3	56.1	54.02		40.1	43.8	42.34	
5	G.Nagalapura Village	03.04.2024	47.1	54.3	51.34		38.8	42.6	40.06	
6	Gunda Tanda Village	03.04.2024	45.3	53.6	50.44		37.6	42.4	40.02	

Note: Each Location above the Noise Level taken Readings 15 Minutes.

INFERENCE	As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit.
------------------	---



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

NOISE: (AMBIENT STANDARDS)

Area code	Category of Area	Limit in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-41
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : 164
- 10 Date of Sampling : 06.04.2024
- 11 Sample Received : 06.04.2024
- 12 Date of Analysis : 06.04.2024
- 13 Date of Analysis Completion : 11.04.2024
- 14 Report Issue Date : 06.05.2024
- 15 Report Number : ULR-TC532324000000093F

Results

Sl. No.	Parameters	Protocol	Unit	Danapur Village (GW1)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.07	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	μS/cm	2300	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	1380	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.2	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	295.55	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	71.21	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	122.4	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	64.03	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	569.5	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76)	mg/L	391.26	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	0.95	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	19.56	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	510.0	200	600

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
 Ph : 08394 355369
 e-mail : gems_hpt@yahoo.com
 Website : www.globalmining.in



TC-5323

ANNEXURE-41

17.	Acidity as CaCO ₃	APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.17	0.30	NR
19.	Nickel as Ni	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	0.128	0.05	1.50
22.	Zinc as Zn	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR

Note: GW1: Danapur Village. NR-No relaxation.

INFERENCE	As per Standards IS: 10500:2012 Report Status: - Measured Values for the above parameters are within the limits.
------------------	---

P. B. M.
Analysed By
Priyanka B M
 Chemist

K. R. Reddy
Authorised Signatory
K. Ramakrishna Reddy
 Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-41
GEMS-LD/TF/23/01


Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical/Biological
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : 164
- 10 Date of Sampling : 06.04.2024
- 11 Sample Received : 06.04.2024
- 12 Date of Analysis : 06.04.2024
- 13 Date of Analysis Completion : 11.04.2024
- 14 Report Issue Date : 06.05.2024
15. Report Number : GEMS/WATER/2024-2025/93

Results

Sl. No	Parameters	Protocol	Unit	Danapur Village (GW1)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	Color	APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8)	Hazen	<5	5	15
2.	Cadmium as Cd	APHA-23RD Edition-3111 –B (Pg No.3 -20 to 3-21)	mg/L	<0.001	0.003	NR
3.	Total Coli form count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-
4.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-42
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18 - 450000125
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical
7	Group	: Pollution & Environment
8	Sample Type	: Ground Water
9	Sample Code	: 166
10	Date of Sampling	: 06.04.2024
11	Sample Received	: 06.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: ULR-TC532324000000095F

Results

Sl. No	Parameters	Protocol	Unit	Hanumanahalli Village (GW2)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	8.29	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	μS/cm	1500	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	900	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.2	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	231.16	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	38.2	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	85.68	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	66.60	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	484.1	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl-	mg/L	155.56	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	0.90	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	16.72	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	360.0	200	600

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
 3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
 Ph : 08394 355369
 e-mail : gems_hpt@yahoo.com
 Website : www.globalmining.in



TC-5323

ANNEXURE-42

17.	Acidity as CaCO ₃	APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.18	0.30	NR
19.	Nickel as Ni	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	0.112	0.05	1.50
22.	Zinc as Zn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR

Note: GW2: Hanumanahalli Village. NR-No relaxation.

INFERENCE

As per Standards IS: 10500:2012
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-42
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical/Biological
7	Group	: Pollution & Environment
8	Sample Type	: Ground Water
9	Sample Code	: 166
10	Date of Sampling	: 06.04.2024
11	Sample Received	: 06.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: GEMS/WATER/2024-2025/95

Results

Sl. No	Parameters	Protocol	Unit	Hanumanahalli Village (GW2)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	Color	APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8)	Hazen	<5	5	15
2.	Cadmium as Cd	APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21)	mg/L	<0.001	0.003	NR
3.	Total Coli form count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-
4.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-43
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- | | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 167 |
| 10 | Date of Sampling | : 06.04.2024 |
| 11 | Sample Received | : 06.04.2024 |
| 12 | Date of Analysis | : 06.04.2024 |
| 13 | Date of Analysis Completion | : 11.04.2024 |
| 14 | Report Issue Date | : 06.05.2024 |
| 15 | Report Number | : ULR-TC532324000000096F |

Results

Sl. No	Parameters	Protocol	Unit	Galemmana Gudi Village (GW3)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.48	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	μS/cm	2400	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	1440	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.2	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	158.39	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	42.09	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	192.38	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	94.55	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	575.5	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76)	mg/L	537.39	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	0.71	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	20.98	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	480.0	200	600

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-43

17.	Acidity as CaCO ₃	APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.19	0.30	NR
19.	Nickel as Ni	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	0.138	0.05	1.50
22.	Zinc as Zn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR

Note: GW3: GalemmanaGudi Village. NR-No relaxation.

INFERENCE

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-43
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical/Biological
7	Group	: Pollution & Environment
8	Sample Type	: Ground Water
9	Sample Code	: 167
10	Date of Sampling	: 06.04.2024
11	Sample Received	: 06.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: GEMS/WATER/2024-2025/96

Results

Sl. No	Parameters	Protocol	Unit	Galemmana Gudi Village (GW3)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	Color	APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8)	Hazen	<5	5	15
2.	Cadmium as Cd	APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21)	mg/L	<0.001	0.003	NR
3.	Total Coli form count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-
4.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-44
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : 165
- 10 Date of Sampling : 06.04.2024
- 11 Sample Received : 06.04.2024
- 12 Date of Analysis : 06.04.2024
- 13 Date of Analysis Completion : 11.04.2024
- 14 Report Issue Date : 06.05.2024
- 15 Report Number : ULR-TC532324000000094F

Results

Sl. No	Parameters	Protocol	Unit	Mariyammana Halli Village (GW4)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.31	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	µS/cm	2100	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	1260	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.2	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	158.09	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	69.81	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	134.64	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	57.46	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	566.5	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76)	mg/L	457.25	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	0.52	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	18.23	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	410.0	200	600

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-44

17.	Acidity as CaCO ₃	APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.16	0.30	NR
19.	Nickel as Ni	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	0.114	0.05	1.50
22.	Zinc as Zn	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR

Note: GW4: Mariyammanahalli Village. NR-No relaxation

INFERENCE

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-44
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical/Biological
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : 165
- 10 Date of Sampling : 06.04.2024
- 11 Sample Received : 06.04.2024
- 12 Date of Analysis : 06.04.2024
- 13 Date of Analysis Completion : 11.04.2024
- 14 Report Issue Date : 06.05.2024
15. Report Number : GEMS/WATER/2024-2025/94

Results

Sl. No	Parameters	Protocol	Unit	Mariyammana Halli Village (GW4)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	Color	APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8)	Hazen	<5	5	15
2.	Cadmium as Cd	APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21)	mg/L	<0.001	0.003	NR
3.	Total Coli form count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-
4.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-45
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18 - 450000125
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical
7	Group	: Pollution & Environment
8	Sample Type	: Ground Water
9	Sample Code	: 113
10	Date of Sampling	: 04.04.2024
11	Sample Received	: 05.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: ULR-TC532324000000068F

Results

Sl. No	Parameters	Protocol	Unit	Gunda Thanda (GW5)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.37	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	μS/cm	1200	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	720	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.2	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	72.30	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	35.40	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	97.92	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	26.77	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	350.2	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76)	mg/L	169.70	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	0.69	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	14.26	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	400.0	200	600

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-45

17.	Acidity as CaCO ₃	APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.15	0.30	NR
19.	Nickel as Ni	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.05	1.50
22.	Zinc as Zn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR

Note: GW5: Gunda Thanda. NR-No relaxation.

INFERENCE

As per Standards IS: 10500:2012


Report Status: - Measured Values for the above parameters are within the limit.

[Signature]
Analysed By
Priyanka B M
Chemist

[Signature]
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-45
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical/Biological
7	Group	: Pollution & Environment
8	Sample Type	: Ground Water
9	Sample Code	: 113
10	Date of Sampling	: 06.04.2024
11	Sample Received	: 06.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: GEMS/WATER/2024-2025/68

Results

Sl. No	Parameters	Protocol	Unit	Gunda Thanda (GW5)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	Color	APHA-23RD Edition-2120 C (Pg No. 2-7 to 2-8)	Hazen	<5	5	15
2.	Cadmium as Cd	APHA-23RD Edition-3111-B (Pg No.3-20 to 3-21)	mg/L	<0.001	0.003	NR
3.	Total Coli form count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-
4.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-46
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18 - 450000125
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical
7	Group	: Pollution & Environment
8	Sample Type	: Ground Water
9	Sample Code	: 168
10	Date of Sampling	: 06.04.2024
11	Sample Received	: 06.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: ULR-TC53232400000097F

Results

Sl. No	Parameters	Protocol	Unit	G.Nagalapura (GW6)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.20	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	μS/cm	1150	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	690	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.2	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	75.13	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	34.44	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	85.68	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	31.56	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	339.9	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76)	mg/L	179.13	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	1.02	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	13.36	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	360.0	200	600

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-46

17.	Acidity as CaCO ₃	APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.13	0.30	NR
19.	Nickel as Ni	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.05	1.50
22.	Zinc as Zn	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR

Note: GW6: G.Nagalapura. NR-No relaxation.

INFERENCE

As per Standards IS: 10500:2012


Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-46
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical/Biological
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : 168
- 10 Date of Sampling : 06.04.2024
- 11 Sample Received : 06.04.2024
- 12 Date of Analysis : 06.04.2024
- 13 Date of Analysis Completion : 11.04.2024
- 14 Report Issue Date : 06.05.2024
15. Report Number : GEMS/WATER/2024-2025/97

Results

Sl. No	Parameters	Protocol	Unit	G. Nagalapura (GW6)	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	Color	APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8)	Hazen	<5	5	15
2.	Cadmium as Cd	APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21)	mg/L	<0.001	0.003	NR
3.	Total Coli form count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-
4.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-47
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18 - 450000125
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Grab Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical
7	Group	: Pollution & Environment
8	Sample Type	: RO Drinking Water
9	Sample Code	: 169
10	Date of Sampling	: 06.04.2024
11	Sample Received	: 06.04.2024
12	Date of Analysis	: 06.04.2024
13	Date of Analysis Completion	: 11.04.2024
14	Report Issue Date	: 06.05.2024
15	Report Number	: ULR-TC532324000000098F

Results

Sl. No	Parameters	Protocol	Unit	RO Drinking Water	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.66	6.5 to 8.5	NR
2.	Conductivity	APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58)	μS/cm	170	-	-
3.	Total Dissolved Solids	APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70)	mg/L	108	500	2000
4.	Turbidity (NTU)	APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15)	NTU	0.0	1	5
5.	Total Suspended Solids	APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	<1.0	-	-
6.	Sulphate as SO ₄	APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200)	mg/L	7.05	200	400
7.	Phosphorus as P	APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164)	mg/L	Nil	-	-
8.	Sodium as Na	APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100)	mg/L	5.99	-	-
9.	Potassium as K	APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90)	mg/L	0.0	-	-
10.	Calcium as Ca	APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70)	mg/L	8.16	75	200
11.	Magnesium as Mg	APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86)	mg/L	7.65	30	100
12.	Total Hardness as CaCO ₃	APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50)	mg/L	51.5	200	600
13.	Chloride as Cl	APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76)	mg/L	32.99	250	1000
14.	Fluoride as F	APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91)	mg/L	0.04	1	1.5
15.	Nitrate Nitrogen as NO ₃	APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132)	mg/L	2.53	45	NR
16.	Total Alkalinity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39)	mg/L	60.0	200	600

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-47

17.	Acidity as CaCO ₃	APHA 22 nd Edition 2017 2320 B (Pg. No.2-34 to 2-36)	mg/L	Nil	-	-
18.	Total Iron as Fe	APHA 23 rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82)	mg/L	0.08	0.30	NR
19.	Nickel as Ni	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.02	0.02	NR
20.	Manganese as Mn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.1	0.10	0.30
21.	Copper as Cu	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.05	1.50
22.	Zinc as Zn	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	5	15
23.	Lead as Pb	APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method	mg/L	<0.01	0.01	NR
24.	Arsenic as As	APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	<0.01	0.01	0.05
25.	Chromium as Cr	APHA 23 rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72)	mg/L	<0.05	0.05	NR
26.	Mercury as Hg	APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40)	mg/L	Nil	0.001	NR

Note: W6: RO Drinking Water. **NR**-No relaxation. **Ab**-Absent.

INFERENCE

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limit.


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-47
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical/Biological
- 7 Group : Pollution & Environment
- 8 Sample Type : RO Drinking Water
- 9 Sample Code : 169
- 10 Date of Sampling : 06.04.2024
- 11 Sample Received : 06.04.2024
- 12 Date of Analysis : 06.04.2024
- 13 Date of Analysis Completion : 11.04.2024
- 14 Report Issue Date : 06.05.2024
15. Report Number : GEMS/RO/2024-2025/98

Results

Sl. No	Parameters	Protocol	Unit	RO Drinking Water	Standards as per IS: 10500:2012	
					Desirable Limits	Permissible Limits
1.	colour	IS: 3025 (PART 4)- 1984, RA-2012 Platinum cobalt Method	Hazen	<5	5	15
2.	Odour	IS: 3025 (PART 5)- 1983, RA-2012, True Odour	-	Agreeable	Agreeable	Agreeable
3.	Total Residual chlorine	IS:3025 (part 26)-1986, RA-2003, Iodometric method	mg/L	Nil	0.2	1.0
4.	Oil & Grease	Clause 6 of IS 3025 (Part 39) Infrared	mg/L	Nil	0.5	No Relaxation
5.	Cadmium as Cd	APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21)	mg/L	<0.001	0.003	NR
6.	Selenium as Se	APHA 23 rd Edition 3114 B. Direct Air Acetylene Flame Method	mg/L	<0.05	0.01	No Relaxation
7.	Cyanides (as CN)	APHA 23 rd Edition 4500 CN- (Pg. No.4-45 to 4-46)	mg/L	NA	0.05	No Relaxation
8.	Phenolic Compound as phenols	IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method	mg/L	BDL	1.0	-
9.	Anionic detergents (as MBAS)	APHA 23 rd Edition 5540 C (Pg. No.5-55 to 5-57)	mg/L	BDL	0.2	1.0
10.	Boron as B	APHA 23 rd Edition 2017 4500 B-B (p.no.4-25 to 4-26)	mg/L	<0.5	0.5	1.0
11.	Escherichia coli count	IS : 1622 : 1981	1 CFU/ 100 ml	Ab	Shall not be detectable in any 100ml sample	-

Note: Ab: Absent, NR: No Relaxation,

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-48
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18 - 450000125
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Composite Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical
7	Group	: Pollution & Environment
8	Sample Type	: Sewage Treatment Plant (Outlet)
9	Date of Sampling	: 04.04.2024
10	Sample Received	: 06.04.2024
11	Date of Analysis	: 06.04.2024
12	Date of Analysis Completion	: 10.04.2024
13	Report Issue Date	: 06.05.2024
14	Report Number	: ULR-TC532324000000069F

Sl. No.	Parameters	Protocol	Unit	Results			As per KSPCB Std
				STP 45 KLD	STP-1 90 KLD	STP-2 90 KLD	
Sample code			-	114	115	116	
1.	pH	APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.51	7.35	7.50	6.5 to 8.5
2.	Total Suspended Solids	APHA 23rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	12.0	16.0	10.0	<20
3.	Biochemical Oxygen Demand as BOD (3 days at 27°C)	IS:3025 (part 44)-1993, Reaffirmed -2019	mg/L	4.0	22.0	2.0	<10
4.	Chemical Oxygen Demand as COD	APHA 23rd Edition 2017 5220 C (Pg. No.5-18 to 5-19)	mg/L	20.32	126.24	14.16	<50
5.	Oil & Grease	APHA 23rd Edition 2017 5520 B (Pg. No.5-41 to 5-42)	mg/L	4.0	6.0	2.0	10

Note: BDL-Below detectable Limit. INFERENCE: The Measured values are within the Limit.

STP 45 KLD - Near Fortivia

STP-1 90 KLD -Near ISP Area

STP-2 90 KLD -Near Gunda Guest House

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-48
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Composite Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : **Sewage Treatment Plant (Outlet)**
- 9 Date of Sampling : 06.04.2024
- 10 Sample Received : 06.04.2024
- 11 Date of Analysis : 06.04.2024
- 12 Date of Analysis Completion : 10.04.2024
- 13 Report Issue Date : 06.05.2024
15. Report Number : GEMS/STP/2024-2025/69

Sl. No.	Parameters	Protocol	Unit	Results			As per KSPCB Std
				STP 45 KLD	STP-1 90 KLD	STP-2 90 KLD	
		Sample code	-	114	115	116	
1.	Color	APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7)	Hazen	6	6	4	-
2.	Odour	IS: 3025 (PART 5)- 1983, RA-2012, True Odour	-	Agree able	Agree able	Agree able	-
3.	Cyanides (as CN)	APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46)	mg/L	BDL	BDL	BDL	-
4.	Phenolic Compounds (as C ₆ H ₅ OH)	IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method	mg/L	BDL	BDL	BDL	-
5.	Chromium (as Cr ⁶⁺)	APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72)	mg/L	<0.001	<0.001	<0.001	-
6.	Ammonical nitrogen as N	IS:3025 (part 34)-1988, RA-2014, Nesslerization method	mg/L	0.70	1.68	0.56	-

Note: BDL-Below detectable Limit. **INFERENCE:** The Measured values are within the Limit.

STP 45 KLD – Near Fortivia

STP-1 90 KLD –Near ISP Area

STP-2 90 KLD –Near Gunda Guest House

Analysed By
Priyanka B M
Chemist



Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-49
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data


1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/RO18 - 450000125
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Composite Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical
7	Group	: Pollution & Environment
8	Sample Type	: Waste Water
9	Date of Sampling	: 06.04.2024
10	Sample Received	: 06.04.2024
11	Date of Analysis	: 06.04.2024
12	Date of Analysis Completion	: 10.04.2024
13	Report Issue Date	: 06.05.2024
14	Report Number	: ULR-TC532324000000099F

Results

Sl. No.	Parameters	Protocol	Unit	Results		As per KSPCB Std
				Neutralization Pit 70 MW Power Plant	Neutralization Pit 2x70 MW Power Plant	
				Sample Code		
				170	171	
1.	pH	APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	8.28	8.32	6.5 to 9.0
2.	Total Suspended Solids	APHA 23rd Edition 2017 2540 D (Pg. No.2-70 to 2-71)	mg/L	2.0	2.0	100
3.	Chemical Oxygen Demand as COD	APHA 23rd Edition 2017 5220 C (Pg. No.5-18 to 5-19)	mg/L	16.24	20.16	250
4.	Oil & Grease	APHA 23rd Edition 2017 5520 B (Pg. No.5-41 to 5-42)	mg/L	2.0	2.0	10

Note: BDL-Below detectable Limit.

INFERENCE: The Measured values are within the Limit.


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-50
GEMS-LD/TF/23/01

Analysis Report of Surface Water Quality Data

1	Name of the Industry	:	BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	:	WO/ADMIN/FY24/R018
3	Sample collected by	:	-
4	Particulars of sample collected	:	-
5	Sampling Procedure	:	-
6	Discipline	:	Chemical
7	Group	:	Pollution & Environment
8	Sample Type	:	Surface Water
9	Date of Sampling	:	-
10	Sample Received	:	-
11	Date of Analysis	:	-
12	Date of Analysis Completion	:	-
13	Report Issue Date	:	06.05.2024

Sl. No.	Parameters	Protocol	Unit	Results		IS 2296 - 1982 CLASS -B
				Danayakanakere Upstream	Danayakanakere Downstream	
Sample code						
1.	pH	APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	-	-	6.5-8.5
2.	Biochemical Oxygen Demand as BOD (3 days at 27°C)	IS:3025 (part 44)-1993, Reaffirmed -2019	mg/L	-	-	3.0
3.	Fluorides as F	APHA 23 RD Edition 4500F- D (Pg. No.4-90 to 4-91)	mg/L	-	-	1.5
4.	Arsenic as As	APHA-23 RD Edition-3114 -B (Pg. No.3 -36 to 3-40)	mg/L	-	-	0.2
5.	Dissolved Oxygen	APHA 23 RD Edition 4500 C (Pg. No.4-146)	mg/L	-	-	>5.0
6.	Color	APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7)	Hazen	-	-	300
7.	Cyanides (as CN)	APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46)	mg/L	-	-	0.05
8.	Phenolic Compounds (as C ₆ H ₅ OH)	IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method	mg/L	-	-	0.005
9.	Chromium (as Cr ⁶⁺)	APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72)	mg/L	-	-	1.0
10.	Anionic detergents (as MBAS)	APHA 23 RD Edition 5540 C (Pg. No.5-55 to 5-57)	mg/L	-	-	1.0
11.	Total Coliform Organisms					
	Total Coli forms	IS : 15185 : 2016	MPN/ 100 ml	-	-	500
	Escherichia coli or E. coli	IS : 15185 : 2016	MPN/ 100 ml	-	-	-

Note: Water Sample not collected, Because No water inside Danayakanakere

[Signature]
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-51
GEMS-LD/TF/23/01

Analysis Report of Surface Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Composite Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : Surface Water
- 9 Date of Sampling : -
- 10 Sample Received : -
- 11 Date of Analysis : -
- 12 Date of Analysis Completion : -
- 13 Report Issue Date : 06.05.2024

Sl. No.	Parameters	Protocol	Unit	Results		IS 2296 - 1982 CLASS -B
				KempuHalla Upstream	KempuHalla Downstream	
		Sample code		-	-	
1.	pH	APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	-	-	6.5-8.5
2.	Biochemical Oxygen Demand as BOD (3 days at 27°C)	IS:3025 (part 44)-1993, Reaffirmed -2019	mg/L	-	-	3.0
3.	Fluorides as F	APHA 23 rd Edition 4500F D (Pg. No.4-90 to 4-91)	mg/L	-	-	1.5
4.	Arsenic as As	APHA-23 rd Edition-3114 -B (Pg. No.3 -36 to 3-40)	mg/L	-	-	0.2
5.	Dissolved Oxygen	APHA 23 rd Edition 4500 C (Pg. No.4-146)	mg/L	-	-	>5.0
6.	Color	APHA 23 rd Edition 2120 B (Pg. No.2-6 to 2-7)	Hazen	-	-	300
7.	Cyanides (as CN)	APHA 23 rd Edition 4500 CN (Pg. No.4-45 to 4-46)	mg/L	-	-	0.05
8.	Phenolic Compounds (as C ₆ H ₅ OH)	IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method	mg/L	-	-	0.005
9.	Chromium (as Cr ⁶⁺)	APHA-23 rd Edition-3500 Cr B (Pg. No.3-71 to 3-72)	mg/L	-	-	1.0
10.	Anionic detergents (as MBAS)	APHA 23 rd Edition 5540 C (Pg. No.5-55 to 5-57)	mg/L	-	-	1.0
11.	Total Coliform Organisms,					
	Total Coli forms	IS : 15185 : 2016	MPN/ 100 ml	-	-	500
	Escherichia coli or E. coli	IS : 15185 : 2016	MPN/ 100 ml	-	-	-

Water Sample not collected, Because KempuHalla no Water Flowing.

Authorised Signatory

K. Ramakrishna Reddy

Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-52
GEMS-LD/TF/23/01

Analysis Report of Surface Water Quality Data

1	Name of the Industry	: BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
2	Customer Reference	: WO/ADMIN/FY24/R018
3	Sample collected by	: GLOBAL Environment & Mining Services
4	Particulars of sample collected	: Composite Sampling
5	Sampling Procedure	: GEMS-LD/SOP/32
6	Discipline	: Chemical/Biological
7	Group	: Pollution & Environment
8	Sample Type	: Surface Water
9	Date of Sampling	: 06.04.2024
10	Sample Received	: 06.04.2024
11	Date of Analysis	: 06.04.2024
12	Date of Analysis Completion	: 11.04.2024
13	Report Issue Date	: 06.05.2024
14	Report Number	: GEMS/SW/2024-2025/101

Sl. No.	Parameters	Protocol	Unit	Results	IS 2296 -1982 CLASS -B
				Tungabhadra dam	
Sample Code				172	
1.	pH	APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99)	-	7.28	6.5-8.5
2.	Biochemical Oxygen Demand as BOD (3 days at 27°C)	IS:3025 (part 44)-1993, Reaffirmed -2019	mg/L	2.0	3.0
3.	Fluorides as F	APHA 23 RD Edition 4500F- D (Pg. No.4-90 to 4-91)	mg/L	BDL	1.5
4.	Arsenic as As	APHA-23 RD Edition-3114 –B (Pg. No.3 -36 to 3-40)	mg/L	<0.1	0.2
5.	Dissolved Oxygen	APHA 23 RD Edition 4500 C (Pg. No.4-146)	mg/L	6.0	>5.0
6.	Color	APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7)	Hazen	<5	300
7.	Cyanides (as CN)	APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46)	mg/L	BDL	0.05
8.	Phenolic Compounds (as C ₆ H ₅ OH)	IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method	mg/L	BDL	0.005
9.	Chromium (as Cr ⁶⁺)	APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72)	mg/L	<0.001	1.0
10.	Anionic detergents (as MBAS)	APHA 23 RD Edition 5540 C (Pg. No.5-55 to 5-57)	mg/L	BDL	1.0
11.	Total Coliform Organisms,				
	Total Coli forms	IS : 15185 : 2016	MPN/100 ml	Absent	500
	Escherichia coli or E. coli	IS : 15185 : 2016	MPN/100 ml	Absent	-

Note: BDL-Below detectable Limit

INFERENCE: The measured values are within the Limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey