



BMM Ispat Ltd.,

ENVIRONMENTAL MONITORING REPORT



**Danapur Village, Hosapete Taluk,
Vijayanagara District, PIN-583222,
Karnataka.**

MAY-2024

Prepared by



GLOBAL ENVIRONMENT & MINING SERVICES

NABL & MOEFCC Recognized Laboratory

(Consulting Engineers, Mine Designers, Geologists & Surveyors)

3rd main road, Basaveswara badavane

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Tel : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in

PREFACE

The industries should monitor environmental parameters as per the frequency and locations given in the CFE/CFO. And the same should be submitted on every month to the respective pollution control board.

As part of the conditions and inherent concern on health of the employees and surroundings *M/s. BMM Ispat Ltd.*, as appointed *M/s. Global Environment & Mining Services, Hosapete*, to carry out the environmental pollution monitoring on AAQ Monitoring, Fugitive monitoring, Noise Monitoring, Water Analysis & Stack monitoring pollution and submit the same to the Pollution Control Board.

Accordingly, *M/s. Global Environment & Mining Services, Hosapete*, carried out the pollution monitoring as per the standard sampling methods prescribed by CPCB, for AAQ Monitoring, Fugitive monitoring within the plant, Stack Monitoring & Personal Dust Sampling as per the CFO. These monitoring has been carried out in a frequency as mentioned in the CFO and the same report is being submitted to the Board.

We sincerely thank to officials of *M/s. BMM Ispat Ltd.*, for their valuable co-ordination & support during the sampling and reporting.

for

GLOBAL Environment & Mining Services

Place: Hosapete
Date: 06.06.2024

[Signature]
K. Ramakrishna Reddy
(Technical Manager)



1.0 EXECUTIVE SUMMARY

1.1 INTRODUCTION

The journey of the BMM Group is a reflection of the path tread by every entrepreneur who believes in the human potential and one's own ability to bring about a life affirming change that transcends time. BMM Group was born out of this committed belief of Late Shri. Udai chand Singhi.

Entrenched in the Indian ethos, with an astute understanding of market needs, values and sensibilities **Mr. Dinesh Kumar Singhi** inherited the legacy from his father and has built the BMM Group on sound fundamentals since 1998. He steered the company towards growth by being the first mining company to establish a power generation plant for captive use, and creating a steel plant from the captive ore mine. Over the last 12 years, BMM has been able to add value to every relationship under his able and dynamic leadership.

Today, BMM is a 4900 Crores Company due to its focus on market orientation and optimal usage of technology to achieve process efficiency and value addition. BMM has always believed in the principle of sharing and hence continues to transfer this benefit derived from sustained growth to its employees, partners and associates. The unique value proposition that defines the very fabric of the BMM culture is the firm's belief in unleashing this 'potential in tones' in terms of its human capital, continuous growth and consistent benefits to its stakeholders.

The human potential at BMM is reflected in the depth of domain expertise across diverse sectors and dynamism of youth at various levels in the Organization. Business operations lead by professionals with decades of market understanding and a dynamic team enables BMM to deliver superior product quality. This human potential keeps BMM attuned to scaling new heights and meeting customer expectations. While consistently adding value to its partners, BMM is sensitive to its responsibility towards the environment by implementing best practices in its Business Operations and contribution to society through various social Endeavors.

BMM has a commitment of being a good Corporate Citizen and is committed to achieving business goals through ethical means. BMM hence has been able to have deeper relevance to society by creating value that is inclusive and truly benefits all.



1.2 PROMOTERS OF THE PROJECT

BMM Group, one of the leading Steel, Power & Mining companies in India that has achieved the present level under the leadership and guidance of **Sri. Dinesh Kumar Singhi**, the Founder & Chairman of the group, is promoting the project. His vision is to globalize the company business and do value addition by operating responsibly and in a sustainable manner in exploring, exploiting, excavating and processing minerals followed by setting up steel plant facilities.

BMM is a step towards forward integration has set up new merchant Bar Mill. The works is located at:

BMM ISPAT LIMITED

(Registered Office & Works)

#114, Danapur

Hosapete - 583 222

Vijayanagara Dist., Karnataka

Phone +91 08394-264000, +91 9686550808/09

Fax - 08394 264010

1.3 Site Location

BMM ISPAT LIMITED is located at Danapur about 15 Kms away from Hosapete in Karnataka. The plant site can be connected by national highway, viz. NH-13. The plant is 1 km away from the NH-13 near Danapur village. The nearest railway station is Hospet; Bangalore is at a distance of 300 kms. Seaport is Belikere and Karwar, the nearest Airport is in the private sector belonging to JSW, a Jindal Group company at Thoranagallu (Vidyanagara).

M/s. BMM ISPAT Ltd., Has accorded Environmental Clearance for 2.0 MTPA Integrated Steel Plant, with the following facilities.

| S.N. | Items | Capacity |
|------|---|------------------------|
| 1 | Iron ore beneficiation plant | 4.70 MTPA |
| 2 | Palletizing Plant | 2.40 MTPA |
| 3 | DRI Plant | 0.70 MTPA |
| 4 | Coke Oven | 0.80 MTPA |
| 5 | Sinter Plant | 2.50 MTPA |
| 6 | Blast furnace | 1.70 MTPA |
| 7 | EAF & BOF Steel making shop | 2.30 MTPA |
| 8 | Continuous casting machines Slab Caster Billet Caster | 1.10 MTPA 1.10 MTPA |
| 9 | Rolling mills: Hot strip mill Structural/wire rods | 1.00 MTPA 1.00 MTPA |
| 10 | Oxygen Plant | 2x500 TPD |
| 11 | Calcining | 1,080 TPD |
| 12 | Cement Plant | 1.40 MTPA |
| 13 | Power Plant | 230 MW |
| 14 | Sponge Iron Division -1 | 2 x 100 TPD |
| 15 | Induction furnace (billets) | 9000 tonnes/month |
| 16 | Rolling Mill (TMT rods) | 9000 tonnes/month |
| 17 | Captive Power Plant | 25 MW |

Out of the above units, presently **4 x 500 TPD Sponge Iron Plants** and **1X70 MW Thermal Power Plants** have been commissioned on August 2011. Beneficiation plant-2, Pellet Plant-2 are commissioned on March 2012. 2X70 MW Thermal based power plants have commissioned on Jan 2013, EAF, Steel Making Shop, CCM, Rolling Mill, Oxygen plants are commissioned on August 2015. Remaining units are under various stages of implementation.

Hence environmental pollution monitoring is being carried out for 4 x 500 TPD sponge iron plants, 1X70 MW Thermal Power Plant, 1.3MTPA Beneficiation, 1.2MTPA Pellet Plant, 2X70MW Power plant, SMS, and RML.

1.4 The report includes environmental monitoring data collected at above site for the month of **MAY-2024**. The Parameters monitored are:

- ❖ Ambient Air Quality
- ❖ Fugitive Dust Level
- ❖ Stack Emission
- ❖ Ambient Noise Level
- ❖ Water Quality

2.0 SCOPE AND METHODOLOGY

2.1 PREAMBLE

The scope of the study and the present report covers the detailed characterization of the existing environmental status in and around the plant area for major environmental components viz. Ambient & work zone air quality, Fugitive Emission, Noise level and water quality & Stack Emission.

2.2 AMBIENT AIR QUALITY

To assess the ambient air quality status, monitoring stations were identified 6 Location plant site. Work zone air monitoring stations were identified in the major work spots. Based on the production activities the parameters chosen for ambient air quality. Were Particulate Matter PM₁₀, Particulate Matter (size less than 2.5µm) PM_{2.5}.

2.2.1 PARTICULATE MATTER (PM₁₀)(size less than 10µm).

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM₁₀ in ambient air

Reference Method: IS 5182 Part 23 Method of Measurement of Air Pollution: Respirable Suspended Particulate Matter (PM₁₀) cyclonic flow technique.

Principle of the method

Air is drawn through a size-selective inlet and through a 20.3 X 25.4 cm (8 X 10 in) filter at a flow rate, which is typically 1132 L/min. Particles with aerodynamic diameter less than the cut-point of the inlet are collected, by the filter. The mass of these particles is determined by the difference in filter weights prior to and after sampling. The concentration of PM₁₀ in the designated size range is calculated by dividing the weight gain of the filter by the volume of air sampled.

Sampling

Field Sampling - Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the faceplate wing nuts and remove the faceplate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the faceplate and tighten the wing nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-

controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading, take out the filter media from the sampler, and put in a container or envelope.

Analysis

Filter inspection: Inspect the filter for pin holes using a light table. Loose particles should be removed with a soft brush. Apply the filter identification number or a code to the filter if it is not a numbered. Condition the filter in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take initial weight of the filter paper (Wi) before sampling. Condition the filter after sampling in conditioning room maintained within 20-30° C and 40-50% relative humidity or in an airtight desiccator for 24 hours. Take final weight of the filter paper (Wf).

2.2.2 Particulate Matter (PM_{2.5})(size less than 2.5µm)

Purpose

The purpose of this protocol is to provide guidelines for monitoring and analysis of Particulate Matter PM_{2.5} in ambient air.

Reference Method: USEPA 2001 Method of Measurement of Air Pollution:

Particulate Matter (PM_{2.5}) cyclonic flow technique.

Principle

An electrically powered air sampler draws ambient air at a constant volumetric flow rate (16.7 lpm) maintained by a mass flow / volumetric flow controller coupled to a microprocessor into specially designed inertial particle-size separator (i.e. cyclones or impactors) where the suspended particulate matter in the PM_{2.5} size ranges is separated for collection on a 47 mm polytetrafluoroethylene (PTFE) filter over a specified sampling period. Each filter is weighed before and after sample collection to determine the net gain due to the particulate matter. The mass concentration in the ambient air is computed as the total mass of collected particles in the PM_{2.5} size ranges divided by the actual volume of air sampled, and is expressed in µg/m³. The microprocessor reads averages and stores five-minute averages of ambient temperature, ambient pressure, filter temperature and volumetric flow rate. In

addition, the microprocessor calculates the average temperatures and pressure, total volumetric flow for the entire sample run time and the coefficient of variation of the flow rate.

2.2.3 **Sulphur Dioxide (SO₂)**

Purpose: The purpose of this protocol is to provide guidelines for monitoring and analysis of sulphur dioxide in ambient air.

Reference Method: Modified West & Gaeke Method (IS 5182 Part 2 Method of Measurement of Air Pollution: Sulphur dioxide).

Sulphur dioxide from air is absorbed in a solution of potassium tetra chloromercurate (TCM). A dichlorosulphitomercurate complex, which resists oxidation by the oxygen in the air, is formed. Once formed, this complex is stable to strong oxidants such as ozone and oxides of nitrogen and therefore, the absorber solution may be stored for some time prior to analysis. The complex is made to react with para-rosaniline and formaldehyde to form the intensely coloured pararosaniline methyl sulphonic acid. The absorbance of the solution is measured by means of a suitable spectrophotometer.

Sampling

Place 30 ml of absorbing solution in an impinger and sample for four hours at the flow rate of 1 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

Replace any water lost by evaporation during sampling by adding distilled water up to the calibration mark on the absorber. Mix thoroughly, pipette out 10 ml of the collected sample into a 25 ml volumetric flask. Add 1 ml 0.6% sulphamic acid and allow reacting for 10 minutes to destroy the nitrite resulting from oxides of nitrogen. Add 2 ml of 0.2% formaldehyde solution and 2 ml pararosaniline solution and make up to 25 ml with distilled water. Prepare a blank in the same manner using 10 ml of unexposed absorbing reagent. After a 30 min colour development interval and before 60 minutes, measure and record the absorbance of samples and reagent blank at 560 nm. Use distilled water; not the reagent blank, as the optical reference.

2.2.4 Nitrogen Di Oxide (NO₂):**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of nitrogen dioxide in ambient.

Principle of the method

Modified Jacobs &Hochheiser Method (IS 5182 Part 6 Methods for Measurement of Air Pollution: Oxides of nitrogen)

Ambient nitrogen dioxide (NO₂) is collected by bubbling air through a solution of sodium hydroxide and sodium arsenite. The concentration of nitrite ion (NO₂) produced during sampling is determined calorimetrically by reacting the nitrite ion with phosphoric acid, sulfanilamide, and N-(1-naphthyl)- ethylenediamine dihydrochloride (NEDA) and measuring the absorbance of the highly coloured azo-dye at 540 nm.

2.2.5 Ozone (Chemical method)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of ozone in ambient air.

Principle of the method

Micro-amounts of ozone and the oxidants liberate iodine when absorbed in a 1% solution of potassium iodine buffered at pH 6.8 + 0.2. The iodine is determined spectrophotometrically by measuring the absorption of tri-iodide ion at 352 nm.

Sampling

Place 10 ml of absorbing solution in a standard impinger and sample for one hour at the flow rate of 1 L/min. Do not expose the absorbing reagent to direct sunlight. After sampling measure the volume of sample and transfer to a sample storage bottle.

Analysis

If, appreciable evaporation of the absorbing solution occurs during sampling, add water to bring the liquid volume to 10 ml. Within 30 to 60 minutes after sample collection, read the absorbance in a cuvette at 352 nm against a reference cuvette containing distilled water. Measure the absorbance of the unexposed reagent and subtract the value from the absorbance of the sample.

2.2.6 Ammonia(NH₃)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of ammonia in ambient air.

Principle of the method

Indophenol method Ammonia in the atmosphere is collected by bubbling a measured volume of air through a dilute solution of sulphuric acid to form ammonium sulphate. The ammonium sulphate formed in the sample is analysed calorimetrically by reaction with phenol and alkaline sodium hypochlorite to produce indophenol. The reaction is accelerated by the addition of Sodium Nitroprusside as catalyst.

Sampling

Place 10 ml of absorbing solution in an impinger and sample for one hour at the flow rate of 1 to 2 L/min. After sampling measure the volume of sample and transfer to a sample storage bottle

Analysis

Transfer contents of the sample bottle to a 25 ml glass stopper graduated cylinder. Maintain all the solutions and sample at 25° C. Add 2 ml buffer. Add 5 ml of working phenol solution, mix, and fill to about 22 ml. Add 2.5 ml of working hypochlorite solution and rapidly mix. Dilute to 25 ml, mix and store in the dark for 30 minutes to develop colour. Measure the absorbance of the solution at 630 nm on a spectrophotometer using 1 cm cells. Prepare a reagent blank and field blank and measure the absorbance as done in the analysis of samples.

2.2.7 Benzo(a)Pyrene**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of Benzo (a) Pyrene (BaP) in ambient air.

Principle of the Method

It is based on BIS method IS 5182 (Part 12):2004 and USEPA method (TO-13). This method is designed to collect particulate phase PAHs in ambient air and fugitive emissions and to determine individual PAH compounds using capillary gas chromatograph equipped with flame ionization detector. It is a high volume

(1.2m³/min) sampling method capable of detecting sub.ng/m³ concentration of PAH in 24 hours sample (i.e., collected in 3 shifts of 8 hour each with 480 m³ sampling volume of air).

Sampling

24 hr. sampling using PM10 high volume sampler with 8 hourly samples using EPM 2000 glass fibre or equivalent filter.

Sample Processing

Extraction: Filter papers (half of all the filters papers collected in a day) are cut into strips using scissors and transfer to 250 ml beaker. Add ~50 ml. of Toluene (GC/HPLC grade). These samples are extracted with toluene using ultra sonic bath for about 30 minutes. Repeat the procedure twice (50ml x 2 times) for complete extraction. Alternatively, sample can be extracted using soxhlet extraction apparatus for about 8 hr. with Toluene and repeat it twice.

Filtration

Filter the extracted samples with Whatman filter paper no.41 containing 2 gm of Anhydrous Sodium Sulphate (to remove moisture).

Sample injection

Take 2µl of sample from the amber vial using standard gas tight syringe and inject in the Capillary GC-FID instrument for analysis. Record the resulting concentration of each PAH compound including B(a)P. A 10ng/µl concentration B(a)P or other PAH standards are to be injected in GC/FID instrument with every batch of samples. As a control Internal Standard of 10 ng/µl conc. is added to each sample prior to the analysis in case of internal calibration is used.

2.2.8 Benzene

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analyzed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

Principle of the Method

IS 5182 (Part 11): 2006, the charcoal tubes are available in different sizes and contain varying amount of activated charcoal. The ambient air is sucked through the tube using a low flow sampler used for collection of BTX sample in a way that results in an enrichment of the relevant substances in the activated charcoal. Desorption of the adsorbed benzene is done using carbon disulphide (CS₂). The substances desorbed in the CS₂ are analyzed by capillary gas chromatography. A flame ionization detector (FID) is used for analysis while quantification is performed using the internal/external standard.

Gas Chromatograph

Any suitable gas chromatograph with flame ionization detector (FID) with fused silica capillary columns having a length of 25 m or more, an internal diameter of 320 μ m or below and with a stationary phase film thickness less than 1.5 μ m as follows or equivalent may be recommended.

Sampling

Selection of Sorbent Tube - Samples are collected in glass sampling tube filled with an activated charcoal (coconut shell), Chromo sorb 106 or other suitable adsorbent.

Analytical Procedure

Samples collected through active sampling (sorbent tubes) are extracted or desorbed by conventional solvent (generally 1-5 ml of carbon disulphide) using ultrasonication for 15 min to remove analyte from the sorbent material. Desorbed samples are analysed using gas chromatograph (GC) fitted with capillary column and flame ionization detector (FID). A single tube may provide enough samples to permit several analyses.

2.2.9 Carbon Monoxide (CO)**Principle:**

Samples containing carbon monoxide in the range of 0 to 100 mg/l are analysed on a non-dispersive infrared absorption gas analyser, namely, an electro-optical spectrophotometer with no spectral dispersion component. It may consist of a single or double source of infrared energy and one or more infrared detectors separated by an optical cell or cells through one or more of which the sample flows, whereby the specific spectral absorption of the component of interest is determined.

Non dispersive Infrared (NDIR) Gas Analyser

The apparatus shall be constructed so as to be suitable for operating within the temperature range of 15°C to 40°C and in a relative humidity range of 0 to 90 percent. The apparatus shall embody facilities for the analysis of continuously applied sample or a discrete sample of volume of 2.0 litres. In the later case the purification train shall be of such a design and dead volume that 2.0 litres is adequate for its proper flushing out. The apparatus shall include facilities for the visual inspection of results and also for their recording. The scale shall be divided into steps of 1.0 percent full scale division (fsd).

Though the basic instrument recommended is for (0 to 100) mg/l range, for samples of higher mg/l range the instrument may be used with proper dilution and conditioning of the samples.

2.2.10 Lead (Pb), Nickel (Ni) & Arsenic (As)**Purpose**

The purpose of this protocol is to provide guidelines for monitoring of Lead (Pb), Nickel (Ni) & Arsenic (As) in ambient air.

Principle of the method

The Atomic Absorption Spectroscopy (AAS) technique makes use of absorption spectrometry to assess the concentration of an analyte in the sample. The method is based on active sampling using PM10 Respirable Dust Sampler and then sample analysis is done by atomic absorption spectrophotometer.

Sampling procedure

Tilt back the inlet and secure it according to manufacturer's instructions. Loosen the face-plate wing-nuts and remove the face plate. Remove the filter from its jacket and centre it on the support screen with the rough side of the filter facing upwards. Replace the face-plate and tighten the wing-nuts to secure the rubber gasket against the filter edge. Gently lower the inlet. For automatically flow-controlled units, record the designated flow rate on the data sheet. Record the reading of the elapsed time meter. The specified length of sampling is commonly 8 hours or 24 hours. During this period, several reading (hourly) of flow rate should be taken. After the required time of sampling, record the flow meter reading and take out the filter media from the sampler and put in a container or envelope.

3.0 Fugitive Emission Monitoring

Fugitive air quality was monitored 40 samples were collected from the analyzed for SPM analyzed by gravimetric method. Work Zone Air quality was monitored at all Plant area and material handling area.

4.0 Stack Monitoring

Stack Monitoring was Collected 60 Sample from Vayubodhan Stack sampler VSS1 stack monitoring was used for drawing the flue gas. Sulphur dioxide and oxides of Nitrogen in the flue gas was sampled by bubbling flue gas solution respectively and the analyses of the pollutants were done as per the Indian Standard procedures prescribed by CPCB/BIS. Stack Emission level was monitored as per the statutory requirement on twice in a month.

4.1 Stack Emissions Monitoring Methodology

Sampling Procedure

Pre-Sampling Activities

Weigh the properly conditioned thimble/filter and place it into the clean, air tight Container. Designate appropriate label or ID No. to each thimble/filter container. Particulate matter emission of "Stack Monitoring – Material and Methodology for is kinetic Sampling.

Field activity starts with the collection of detailed information from the industry about the products, raw materials, fuels, and stack dimensions.

4.2 Traverse Point Calculation

Calculate the traverse point and accordingly mark the distance from tip of the Nozzle, on Pitot tube and probe. Do not forget to add the collar length of port to the calculated traverses. For detailed calculation of "Stack Monitoring– Material and Methodology for isokinetic sampling.

4.3 Determination of Dust Concentration

Determine the mass of dust collected in the thimble by difference i.e., weighing the thimble before and after the run. Dry the thimble in an oven for about 2 hours at 120°C prior to sampling. After sampling, cool, dry and again weigh the thimble along with dust maintaining the same condition as prior to sampling.

DATA ANALYSIS**4.4 BUFFERZONE AMBIENT AIR QUALITY STATUS****Danapur Village (A1)**

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 72.56, 25.44, 11.02 & 12.14 µg/m³ respectively. All above the values were found within the Limits. And the results given in **Annexure-1**.

Mariyammanahalli Village (A2)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 71.88, 23.38, 11.84 & 13.08 µg/m³ respectively. All above the values were found within the Limits. And the results given in **Annexure-2**.

Hanumanahalli Village (A3)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 64.44, 22.24, 12.13 & 13.30 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-3**.

Galemmanagudi Village (A4)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 70.65, 19.64, 9.69 & 10.90 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-4**.

G Nagalapura Village (A5)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 59.98, 15.38, 9.09 & 10.56 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-5**.

Gunda Tanda Village (A6)

At this location, average of PM10, PM2.5, SO₂, NO₂ values Average 50.78, 16.09, 8.26 & 10.51 µg/m³ respectively. All above the values were found within the Limits. Results given in **Annexure-6**.

5.1 FUGITIVE DUST CONCENTRATION

Fortnightly fugitive air quality was monitored all plant area SPM value minimum 212.65 $\mu\text{g}/\text{m}^3$, maximum value 1755.69 $\mu\text{g}/\text{m}^3$ and average value 857.39 $\mu\text{g}/\text{m}^3$. The Fugitive air quality 1st & 2nd Fortnight Results given in **Annexure-7 to Annexure-10**.

5.2 STACK MONITORING

Stack emission level was monitored all chimneys' PM values (mg/Nm^3) 1st and 2ndFortnight Minimum Value 5.01 mg/Nm^3 , Maximum Value 37.52 mg/Nm^3 & Average Value 27.02 mg/Nm^3 . 1st & 2nd Fortnight Results are given in **Annexure-11 to Annexure-37**.

5.3 NOISE LEVEL MEASUREMENT

Noise level was recorded at 30 locations each in Ambient and work zone area using Sound Level Meter (Equinox-EQ 107 Instrument / Lutron) The Day time noise level values were ranging between 45.6 to 71.8 dB (A). The noise level status is given in **Annexure-38 to Annexure-39**.

5.4 Water Sample Collected at 14 locations in side plant and surrounding nearest villages and nearest surface water Sample Collected every Month. The Water Analysis Test Report is given in **Annexure-41 to Annexure-52**.

5.5 CONCLUSION

All the monitored Environmental parameters were found to be well within the statutory norms and the same are enclosed as follows.



GEMS



NABET

GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE - 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-01
GEMS-LD/TF/11/01**ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA**

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
 Month : **MAY-2024**
 Location : **A1-Danapur Village**
 Duration of Monitoring : 24 Hour
 Report Issued Date : **06.06.2024**
 Report Number : **ULR-TC532324000000447F**

RESULTS

| Parameters | | | PM ₁₀ [µg/m ³] | | PM _{2.5} [µg/m ³] | | SO ₂ [µg/m ³] | | NO ₂ [µg/m ³] | |
|------------------|-------------------------|-------------|--|-----|---|-----|---|-----|---|-----|
| Reference Method | | | IS:5182: 2006 (Part-23) (RF-2017) | | USEPA 2001 Gravimetric Method | | IS:5182: 2001 (Part-2) (RF-2017) | | IS:5182: (Part-6) 2006 (RF-2017) | |
| Date of Sampling | Date of Sample Received | Sample Code | Result | STD | Result | STD | Result | STD | Result | STD |
| 06.05.2024 | 07.05.2024 | 750 | 75.19 | 100 | 29.83 | 60 | 10.79 | 80 | 11.94 | 80 |
| 07.05.2024 | 08.05.2024 | 775 | 61.47 | | 28.06 | | 12.09 | | 13.34 | |
| 13.05.2024 | 14.05.2024 | 928 | 82.21 | | 30.47 | | 11.34 | | 12.61 | |
| 14.05.2024 | 15.05.2024 | 952 | 57.33 | | 23.36 | | 9.37 | | 10.43 | |
| 20.05.2024 | 21.05.2024 | 1118 | 79.89 | | 27.03 | | 10.37 | | 11.04 | |
| 21.05.2024 | 22.05.2024 | 1140 | 83.80 | | 21.03 | | 12.65 | | 13.76 | |
| 27.05.2024 | 28.05.2024 | 1246 | 54.64 | | 19.07 | | 13.41 | | 14.51 | |
| 28.05.2024 | 29.05.2024 | 1286 | 85.97 | | 24.67 | | 8.12 | | 9.48 | |
| Average | | | 72.56 | | 25.44 | | 11.02 | | 12.14 | |

| SL NO | INSTRUMENT DETAILS | | |
|-------|----------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler (RDS) | Fine Particulate Sampler (FPS) |
| 2 | Make & Model | Enviro instruments / EI-142 NL | Enviro instruments / EI-133 |
| 3 | Serial No | R.D.S. / 197-C-21 | PM2.5/PM10 Sampler / 158-K-20 |
| 4 | Calibration Date | 08.07.2023 | 28.03.2024 |
| 5 | Calibration Due Date | 24.07.2024 | 27.03.2025 |

INFERENCE

As per NAAQMS Standards (2009),

Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
ChemistAuthorised Signatory
K. Ramakrishna Reddy
Technical Manager**Note:**

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-01
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : MAY-2024
 Location : A1-Danapur Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.06.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/447

RESULTS


| Sl. No. | Date of Sampling | Sample Code | CO (1 Hour) [mg/m ³] | Standard |
|---------|------------------|-------------|----------------------------------|----------|
| 1 | 06.05.2024 | 750 | 0.12 | 4.0 |
| 2 | 07.05.2024 | 775 | <0.01 | |
| 3 | 13.05.2024 | 928 | <0.01 | |
| 4 | 14.05.2024 | 952 | 0.14 | |
| 5 | 20.05.2024 | 1118 | 0.12 | |
| 6 | 21.05.2024 | 1140 | <0.01 | |
| 7 | 27.05.2024 | 1246 | 0.12 | |
| 8 | 28.05.2024 | 1286 | <0.01 | |


Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

| SL NO | INSTRUMENT DETAILS | |
|-------|----------------------|--|
| 1 | Instrument Name | CO Gas Detector |
| 2 | Make & Model | Vasthi Instruments Pvt Ltd & VS-70-70-CO |
| 3 | Serial No | 180883821 |
| 4 | Calibration Date | 08.07.2023 |
| 5 | Calibration Due Date | 07.07.2024 |

| | |
|-----------|---|
| INFERENCE | As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit |
|-----------|---|


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-02
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
 Month : MAY-2024
 Location : A2-Mariyammanahalli Village
 Duration of Monitoring : 24 Hour
 Report Issued Date : 06.06.2024
 Report Number : ULR-TC532324000000448F

RESULTS

| Parameters | | | PM ₁₀ [µg/m ³] | | PM _{2.5} [µg/m ³] | | SO ₂ [µg/m ³] | | NO ₂ [µg/m ³] | |
|------------------|-------------------------|-------------|--|-----|---|-----|---|-----|---|-----|
| Reference Method | | | IS:5182: 2006 (Part-23) (RF-2017) | | USEPA 2001 Gravimetric Method | | IS:5182: 2001 (Part-2) (RF-2017) | | IS:5182: (Part-6) 2006 (RF-2017) | |
| Date of Sampling | Date of Sample Received | Sample Code | Result | STD | Result | STD | Result | STD | Result | STD |
| 06.05.2024 | 07.05.2024 | 751 | 70.68 | 100 | 18.49 | 60 | 9.66 | 80 | 10.51 | 80 |
| 07.05.2024 | 08.05.2024 | 776 | 73.29 | | 26.23 | | 10.34 | | 11.34 | |
| 13.05.2024 | 14.05.2024 | 929 | 71.11 | | 22.47 | | 12.11 | | 13.54 | |
| 14.05.2024 | 15.05.2024 | 953 | 69.09 | | 25.07 | | 12.65 | | 14.13 | |
| 20.05.2024 | 21.05.2024 | 1119 | 82.44 | | 17.25 | | 11.82 | | 12.86 | |
| 21.05.2024 | 22.05.2024 | 1141 | 72.40 | | 28.25 | | 10.78 | | 12.77 | |
| 27.05.2024 | 28.05.2024 | 1238 | 70.02 | | 23.25 | | 13.09 | | 14.28 | |
| 28.05.2024 | 29.05.2024 | 1255 | 66.01 | | 26.04 | | 14.28 | | 15.16 | |
| Average | | | 71.88 | | 23.38 | | 11.84 | | 13.08 | |

| SL NO | INSTRUMENT DETAILS | | |
|-------|----------------------|------------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler (RDS) | Fine Particulate Sampler (FPS) |
| 2 | Make & Model | Greentech instruments / GTI -151-N | Enviro instruments / EI-133 |
| 3 | Serial No | 466-DTE-2023 | PM2.5 /PM10 Sampler / 159-K-20 |
| 4 | Calibration Date | 15.05.2023 | 28.03.2024 |
| 5 | Calibration Due Date | 14.05.2024 | 27.03.2025 |

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Priyanka B M
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-02
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : MAY-2024
 Location : A2-Mariyammanahalli Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.06.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/448

RESULTS


| Sl. No. | Date of Sampling | Sample Code | CO (1 Hour) [mg/m ³] | Standard |
|---------|------------------|-------------|----------------------------------|----------|
| 1 | 06.05.2024 | 751 | 0.10 | 4.0 |
| 2 | 07.05.2024 | 776 | 0.10 | |
| 3 | 13.05.2024 | 929 | <0.01 | |
| 4 | 14.05.2024 | 953 | <0.01 | |
| 5 | 20.05.2024 | 1119 | 0.10 | |
| 6 | 21.05.2024 | 1141 | <0.01 | |
| 7 | 27.05.2024 | 1238 | <0.01 | |
| 8 | 28.05.2024 | 1255 | <0.01 | |

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

| SL NO | INSTRUMENT DETAILS | |
|-------|----------------------|--|
| 1 | Instrument Name | CO Gas Detector |
| 2 | Make & Model | Vasthi Instruments Pvt Ltd & VS-70-70-CO |
| 3 | Serial No | 180883821 |
| 4 | Calibration Date | 08.07.2023 |
| 5 | Calibration Due Date | 07.07.2024 |

| | |
|-----------|---|
| INFERENCE | As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit |
|-----------|---|


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-03
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : MAY-2024
Location : A3-Hanumanahalli Village
Duration of Monitoring : 24 Hour
Report Issued Date : 06.06.2024
Report Number : ULR-TC532324000000450F

RESULTS

| Parameters | | | PM ₁₀ [µg/m ³] | | PM _{2.5} [µg/m ³] | | SO ₂ [µg/m ³] | | NO ₂ [µg/m ³] | |
|------------------|-------------------------|-------------|--|-----|---|-----|---|-----|---|-----|
| Reference Method | | | IS:5182: 2006 (Part-23) (RF-2017) | | USEPA 2001 Gravimetric Method | | IS:5182: 2001 (Part-2) (RF-2017) | | IS :5182: (Part-6) 2006 (RF-2017) | |
| Date of Sampling | Date of Sample Received | Sample Code | Result | STD | Result | STD | Result | STD | Result | STD |
| 06.05.2024 | 07.05.2024 | 753 | 62.82 | 100 | 26.24 | 60 | 13.60 | 80 | 14.82 | 80 |
| 07.05.2024 | 08.05.2024 | 778 | 71.08 | | 24.28 | | 11.61 | | 12.97 | |
| 16.05.2024 | 17.05.2024 | 1014 | 65.14 | | 21.27 | | 9.69 | | 10.83 | |
| 17.05.2024 | 18.05.2024 | 1047 | 70.58 | | 23.83 | | 11.42 | | 12.45 | |
| 20.05.2024 | 21.05.2024 | 1122 | 56.98 | | 25.72 | | 12.22 | | 13.43 | |
| 21.05.2024 | 22.05.2024 | 1144 | 62.47 | | 20.99 | | 10.59 | | 11.50 | |
| 30.05.2024 | 31.05.2024 | 1288 | 60.26 | | 16.15 | | 13.92 | | 14.94 | |
| 31.05.2024 | 01.06.2024 | 1296 | 67.77 | | 19.40 | | 14.03 | | 15.42 | |
| Average | | | 64.44 | | 22.24 | | 12.13 | | 13.30 | |

| SL NO | INSTRUMENT DETAILS | | |
|-------|----------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler (RDS) | Fine Particulate Sampler (FPS) |
| 2 | Make & Model | Enviro instruments / EI-142 NL | Enviro instruments / EI-133 |
| 3 | Serial No | R.D.S. / 197-C-21 | PM2.5 /PM10 Sampler / 160-K-20 |
| 4 | Calibration Date | 08.07.2023 | 28.03.2024 |
| 5 | Calibration Due Date | 24.07.2024 | 27.03.2025 |

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-03
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : CO Analyser
Month : MAY-2024
Location : A3-Hanumanahalli Village
Duration of Monitoring : 1 Hour
Report Issued Date : 06.06.2024
Report Number : GEMS/BMM/NAAQ/2024-25/450

RESULTS

| Sl. No. | Date of Sampling | Sample Code | CO (1 Hour) [mg/m ³] | Standard |
|---------|------------------|-------------|----------------------------------|----------|
| 1 | 06.05.2024 | 753 | 0.14 | 4.0 |
| 2 | 07.05.2024 | 778 | 0.10 | |
| 3 | 16.05.2024 | 1014 | <0.01 | |
| 4 | 17.05.2024 | 1047 | <0.01 | |
| 5 | 20.05.2024 | 1122 | <0.01 | |
| 6 | 21.05.2024 | 1144 | 0.10 | |
| 7 | 30.05.2024 | 1288 | <0.01 | |
| 8 | 31.05.2024 | 1296 | <0.01 | |

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

| SL NO | INSTRUMENT DETAILS | |
|-------|----------------------|--|
| 1 | Instrument Name | CO Gas Detector |
| 2 | Make & Model | Vasthi Instruments Pvt Ltd & VS-70-70-CO |
| 3 | Serial No | 180883821 |
| 4 | Calibration Date | 08.07.2023 |
| 5 | Calibration Due Date | 07.07.2024 |

| | |
|-----------|---|
| INFERENCE | As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit |
|-----------|---|

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-04
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018 - 450000125
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
Month : **MAY-2024**
Location : **A4-Galemmanagudi Village**
Duration of Monitoring : 24 Hour
Report Issue Date : **06.06.2024**
Report Number : **ULR-TC532324000000449F**

RESULTS

| Parameters | | | PM ₁₀ [µg/m ³] | | PM _{2.5} [µg/m ³] | | SO ₂ [µg/m ³] | | NO ₂ [µg/m ³] | |
|------------------|-------------------------|-------------|--|-----|---|-----|---|-----|---|-----|
| Reference Method | | | IS:5182: 2006 (Part-23) (RF-2017) | | USEPA 2001 Gravimetric Method | | IS:5182: 2001 (Part-2) (RF-2017) | | IS:5182: (Part-6) 2006 (RF-2017) | |
| Date of Sampling | Date of Sample Received | Sample Code | Result | STD | Result | STD | Result | STD | Result | STD |
| 06.05.2024 | 07.05.2024 | 752 | 60.11 | 100 | 21.48 | 60 | 12.34 | 80 | 13.57 | 80 |
| 07.05.2024 | 08.05.2024 | 777 | 65.81 | | 19.74 | | 7.28 | | 8.84 | |
| 13.05.2024 | 14.05.2024 | 930 | 81.71 | | 22.99 | | 11.48 | | 12.85 | |
| 14.05.2024 | 15.05.2024 | 954 | 79.72 | | 18.32 | | 10.41 | | 12.06 | |
| 20.05.2024 | 21.05.2024 | 1120 | 73.63 | | 16.56 | | 8.77 | | 9.40 | |
| 21.05.2024 | 22.05.2024 | 1142 | 63.90 | | 19.20 | | 9.17 | | 10.19 | |
| 27.05.2024 | 28.05.2024 | 1239 | 70.47 | | 15.27 | | 8.65 | | 9.94 | |
| 28.05.2024 | 29.05.2024 | 1256 | 69.82 | | 23.56 | | 9.42 | | 10.34 | |
| Average | | | 70.65 | | 19.64 | | 9.69 | | 10.90 | |

| SL NO | INSTRUMENT DETAILS | | |
|-------|----------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler (RDS) | Fine Particulate Sampler (FPS) |
| 2 | Make & Model | Enviro instruments / EI-142 NL | Enviro instruments / EI-133 |
| 3 | Serial No | R.D.S./198-C-21 | PM2.5 /PM10 Sampler / 158-K-20 |
| 4 | Calibration Date | 08.07.2023 | 28.03.2024 |
| 5 | Calibration Due Date | 07.07.2024 | 27.03.2025 |

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-04
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
Customer Reference : WO/ADMIN/FY24/R018
Sample collected by : Global Environment & Mining Services
Discipline : Chemical
Group : Atmospheric Pollution
Sample Type : Ambient Air Quality Monitoring
Particulars of Sample Collected : CO Analyser
Month : MAY-2024
Location : A4-Galemmanagudi Village
Duration of Monitoring : 1 Hour
Report Issued Date : 06.06.2024
Report Number : GEMS/BMM/NAAQ/2024-25/449

RESULTS

| Sl. No. | Date of Sampling | Sample Code | CO (1 Hour) [mg/m ³] | Standard |
|---------|------------------|-------------|----------------------------------|----------|
| 1 | 06.05.2024 | 752 | 0.12 | 4.0 |
| 2 | 07.05.2024 | 777 | <0.01 | |
| 3 | 13.05.2024 | 930 | 0.12 | |
| 4 | 14.05.2024 | 954 | <0.01 | |
| 5 | 20.05.2024 | 1120 | 0.10 | |
| 6 | 21.05.2024 | 1142 | 0.12 | |
| 7 | 27.05.2024 | 1239 | <0.01 | |
| 8 | 28.05.2024 | 1256 | <0.01 | |

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

| SL NO | INSTRUMENT DETAILS | |
|-------|----------------------|--|
| 1 | Instrument Name | CO Gas Detector |
| 2 | Make & Model | Vasthi Instruments Pvt Ltd & VS-70-70-CO |
| 3 | Serial No | 180883821 |
| 4 | Calibration Date | 08.07.2023 |
| 5 | Calibration Due Date | 07.07.2024 |

| | |
|-----------|---|
| INFERENCE | As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit |
|-----------|---|

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-05
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
 Month : MAY-2024
 Location : A5-G Nagalapura Village
 Duration of Monitoring : 24 Hour
 Report Issue Date : 06.06.2024
 Report Number : ULR-TC532324000000451F

RESULTS

| Parameters | | | PM10 [µg/m ³] | | PM2.5 [µg/m ³] | | SO2 [µg/m ³] | | NO2 [µg/m ³] | |
|------------------|-------------------------|-------------|---|-----|----------------------------------|-----|--|-----|---|-----|
| Reference Method | | | IS:5182: 2006 (Part-23) (RF-2017) | | USEPA 2001 Gravimetric Method | | IS:5182: 2001 (Part-2) (RF-2017) | | IS :5182: (Part-6) 2006 (RF-2017) | |
| Date of Sampling | Date of Received Sample | Sample Code | Result | STD | Result | STD | Result | STD | Result | STD |
| 06.05.2024 | 07.05.2024 | 754 | 44.01 | 100 | 18.18 | 60 | 7.56 | 80 | 8.53 | 80 |
| 07.05.2024 | 08.05.2024 | 779 | 67.12 | | 15.74 | | 7.75 | | 9.32 | |
| 13.05.2024 | 14.05.2024 | 931 | 73.43 | | 12.93 | | 9.27 | | 10.70 | |
| 14.05.2024 | 15.05.2024 | 955 | 66.11 | | 20.93 | | 11.70 | | 12.98 | |
| 20.05.2024 | 21.05.2024 | 1121 | 59.98 | | 10.41 | | 11.34 | | 13.73 | |
| 21.05.2024 | 22.05.2024 | 1143 | 64.56 | | 13.16 | | 9.64 | | 10.56 | |
| 27.05.2024 | 28.05.2024 | 1240 | 53.36 | | 17.38 | | 8.44 | | 10.03 | |
| 28.05.2024 | 29.05.2024 | 1289 | 51.24 | | 14.34 | | 7.05 | | 8.65 | |
| Average | | | 59.98 | | 15.38 | | 9.09 | | 10.56 | |

| SL NO | INSTRUMENT DETAILS | | |
|-------|----------------------|--------------------------------|---------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler (RDS) | Fine Particulate Sampler (FPS) |
| 2 | Make & Model | Enviro instruments / EI-142 NL | Enviro instruments / EI-133 |
| 3 | Serial No | R.D.S. / 198-C-21 | PM2.5 / PM10 Sampler / 159-K-20 |
| 4 | Calibration Date | 08.07.2023 | 28.03.2024 |
| 5 | Calibration Due Date | 24.07.2024 | 27.03.2025 |

INFERENCE

As per NAAQMS Standards (2009),

Report Status: - Measured Values for the above parameters are within the limit.

Priyanka B M
 Analysed By
 Priyanka B M
 Chemist

K. Ramakrishna Reddy
 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-05
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : MAY-2024
 Location : A5- G Nagalapura Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.06.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/451

RESULTS


| Sl. No. | Date of Sampling | Sample Code | CO (1 Hour) [mg/m ³] | Standard |
|---------|------------------|-------------|----------------------------------|----------|
| 1 | 06.05.2024 | 754 | <0.01 | 4.0 |
| 2 | 07.05.2024 | 779 | <0.01 | |
| 3 | 13.05.2024 | 931 | <0.01 | |
| 4 | 14.05.2024 | 955 | <0.01 | |
| 5 | 20.05.2024 | 1121 | <0.01 | |
| 6 | 21.05.2024 | 1143 | <0.01 | |
| 7 | 27.05.2024 | 1240 | <0.01 | |
| 8 | 28.05.2024 | 1289 | <0.01 | |

Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

| SL NO | INSTRUMENT DETAILS | |
|-------|----------------------|--|
| 1 | Instrument Name | CO Gas Detector |
| 2 | Make & Model | Vasthi Instruments Pvt Ltd & VS-70-70-CO |
| 3 | Serial No | 180883821 |
| 4 | Calibration Date | 08.07.2023 |
| 5 | Calibration Due Date | 07.07.2024 |

| | |
|-----------|---|
| INFERENCE | As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit |
|-----------|---|


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-06
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler
 Month : **MAY-2024**
 Location : **A6-Gunda Tanda Village**
 Duration of Monitoring : 24 Hour
 Report Issue Date : **06.06.2024**
 Report Number : **ULR-TC532324000000509F**

RESULTS

| Parameters | | | PM ₁₀ [µg/m ³] | | PM _{2.5} [µg/m ³] | | SO ₂ [µg/m ³] | | NO ₂ [µg/m ³] | |
|------------------|-------------------------|-------------|--|-----|---|-----|---|-----|---|-----|
| Reference Method | | | IS:5182: 2006 (Part-23) (RF-2017) | | USEPA 2001 Gravimetric Method | | IS:5182: 2001 (Part-2) (RF-2017) | | IS:5182: (Part-6) 2006 (RF-2017) | |
| Date of Sampling | Date of Received Sample | Sample Code | Result | STD | Result | STD | Result | STD | Result | STD |
| 09.05.2024 | 10.05.2024 | 844 | 51.53 | 100 | 21.17 | 60 | 8.30 | 80 | 10.88 | 80 |
| 10.05.2024 | 11.05.2024 | 880 | 43.10 | | 14.91 | | 9.17 | | 10.16 | |
| 13.05.2024 | 14.05.2024 | 942 | 53.43 | | 17.61 | | 9.99 | | 11.74 | |
| 14.05.2024 | 15.05.2024 | 956 | 49.69 | | 19.34 | | 10.81 | | 13.44 | |
| 23.05.2024 | 24.05.2024 | 1206 | 47.36 | | 16.88 | | 6.79 | | 9.56 | |
| 24.05.2024 | 25.05.2024 | 1207 | 52.48 | | 12.86 | | 6.06 | | 7.18 | |
| 27.05.2024 | 28.05.2024 | 1269 | 48.51 | | 14.38 | | 7.62 | | 10.08 | |
| 28.05.2024 | 29.05.2024 | 1290 | 60.13 | | 11.53 | | 7.30 | | 11.02 | |
| Average | | | 50.78 | | 16.09 | | 8.26 | | 10.51 | |

| SL NO | INSTRUMENT DETAILS | | |
|-------|----------------------|--------------------------------|---------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler (RDS) | Fine Particulate Sampler (FPS) |
| 2 | Make & Model | Enviro instruments / EI-142 NL | Enviro instruments / EI-133 |
| 3 | Serial No | R.D.S./200-C-21 | PM2.5 / PM10 Sampler / 160-K-20 |
| 4 | Calibration Date | 08.07.2023 | 28.03.2024 |
| 5 | Calibration Due Date | 07.07.2024 | 27.03.2025 |

INFERENCE As per NAAQMS Standards (2009),
Report Status: - Measured Values for the above parameters are within the limit.

Priyanka B M
Analysed By
Priyanka B M
 Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
 Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-06
GEMS-LD/TF/11/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Ambient Air Quality Monitoring
 Particulars of Sample Collected : CO Analyser
 Month : MAY-2024
 Location : A6-Gunda Tanda Village
 Duration of Monitoring : 1 Hour
 Report Issued Date : 06.06.2024
 Report Number : GEMS/BMM/NAAQ/2024-25/509

RESULTS


| Sl. No. | Date of Sampling | Sample Code | CO (1 Hour) [mg/m ³] | Standard |
|---------|------------------|-------------|----------------------------------|----------|
| 1 | 09.05.2024 | 844 | <0.01 | 4.0 |
| 2 | 10.05.2024 | 880 | <0.01 | |
| 3 | 13.05.2024 | 942 | <0.01 | |
| 4 | 14.05.2024 | 956 | <0.01 | |
| 5 | 23.05.2024 | 1206 | <0.01 | |
| 6 | 24.05.2024 | 1207 | <0.01 | |
| 7 | 27.05.2024 | 1269 | <0.01 | |
| 8 | 28.05.2024 | 1290 | <0.01 | |


Note: CO - GEMS/SOP/86/as per CO Analyzer Manual (1 Hour)

ND - Not Detected

| SL NO | INSTRUMENT DETAILS | |
|-------|----------------------|--|
| 1 | Instrument Name | CO Gas Detector |
| 2 | Make & Model | Vasthi Instruments Pvt Ltd & VS-70-70-CO |
| 3 | Serial No | 180883821 |
| 4 | Calibration Date | 08.07.2023 |
| 5 | Calibration Due Date | 07.07.2024 |

| | |
|-----------|---|
| INFERENCE | As per NAAQMS Standards (2009), Report Status: - Measured Values for the above parameters are within the limit |
|-----------|---|


 Analysed By
 Priyanka B M
 Chemist


 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-07
GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY MONITORING DATA

| | | | |
|----|---------------------------------|---|---|
| 1 | Name of the Industry | : | BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : | WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : | GLOBAL Environment & Mining Services, Hosapete |
| 4 | Particulars of sample collected | : | RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05) |
| 5 | Month | : | MAY-2024(1 st Fort Night) |
| 6 | Discipline | : | Chemical |
| 7 | Group | : | Atmospheric Pollution |
| 8 | Method adopted | : | IS 5182 (Part 4): 1999 RA 2014 |
| 9 | Report Issued Date | : | 06.06.2024 |
| 10 | Report Number | : | GEMS/BMM/FM/2024-25/535 |

RESULTS

| Sl. No. | Location / Plant | Sample Code | Date Of Monitoring | Date Of Sample Receipt | SPM ($\mu\text{g}/\text{m}^3$) | Standard |
|---|------------------------------------|-------------|--------------------|------------------------|----------------------------------|----------|
| I. Beneficiation Plant-1 | | | | | | |
| 1. | Main Canteen | 756 | 07.05.2024 | 08.05.2024 | 1093.57 | 2000 |
| 2. | Near Iron Ore Bottom Hopper | 757 | 07.05.2024 | 08.05.2024 | 851.00 | 2000 |
| 3. | Iron Ore Screen | 758 | 07.05.2024 | 08.05.2024 | 1470.90 | 2000 |
| II. Pellet Plant-1 | | | | | | |
| 4. | Near Pellet Plant | 759 | 07.05.2024 | 08.05.2024 | 712.28 | 2000 |
| 5. | Annual Cooler Pellet Discharge bin | 806 | 08.05.2024 | 09.05.2024 | 1428.32 | 2000 |
| 6. | Pellet Stock Yard | 832 | 09.05.2024 | 10.05.2024 | 538.29 | 2000 |
| III. Sponge Iron Division-1(kiln 1 & 2) | | | | | | |
| 7. | Control Room SID-1 | 873 | 10.05.2024 | 11.05.2024 | 1660.41 | 2000 |
| 8. | Near Product bin | 874 | 10.05.2024 | 11.05.2024 | 1261.05 | 2000 |
| 9. | Coal Feeding Area | 875 | 10.05.2024 | 11.05.2024 | 966.54 | 2000 |
| IV. Induction Furnace & Rolling Mill – 1 | | | | | | |
| 10. | IF Office | 833 | 09.05.2024 | 10.05.2024 | 721.36 | 2000 |
| 11. | TMT Stock Yard | 834 | 09.05.2024 | 10.05.2024 | 633.50 | 2000 |
| 12. | RML Gasifier | 835 | 09.05.2024 | 10.05.2024 | 771.70 | 2000 |
| V. Power Plant 25 MW-1 | | | | | | |
| 13. | 25 MW ESP | 876 | 10.05.2024 | 13.05.2024 | 375.14 | 2000 |
| 14. | 25 MW ACC | 898 | 11.05.2024 | 13.05.2024 | 490.07 | 2000 |
| VI. Site Services | | | | | | |
| 15. | PGP- coal handling system | 836 | 09.05.2024 | 10.05.2024 | 519.18 | 2000 |
| 16. | IF Slag Crusher | 962 | 10.05.2024 | 11.05.2024 | 741.62 | 2000 |
| 17. | Main Gate | 899 | 11.05.2024 | 12.05.2024 | 269.63 | 2000 |
| 18. | Fly ash Dump | 805 | 08.05.2024 | 09.05.2024 | 834.85 | 2000 |

Note: SPM- Suspended Particulate matter. ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

| SL NO | INSTRUMENT DETAILS | GEMS-01 | GEMS-02 | GEMS-03 | GEMS-04 | GEMS-05 |
|-------|----------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler |
| 2 | Make & Model | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 |
| 3 | Serial No | RDS / 241-DTC-2020 | RDS / 243-DTL-2020 | RDS / 244-DTL-2020 | RDS / 193-DTH-2019 | RDS / 197-DTH-2019 |
| 4 | Calibration Date | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 |
| 5 | Calibration Due Date | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-08
GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY MONITORING DATA

| | | | |
|----|---------------------------------|---|---|
| 1 | Name of the Industry | : | BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : | WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : | GLOBAL Environment & Mining Services, Hosapete |
| 4 | Particulars of sample collected | : | RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05) |
| 5 | Month | : | MAY-2024(2 nd Fort Night) |
| 6 | Discipline | : | Chemical |
| 7 | Group | : | Atmospheric Pollution |
| 8 | Method adopted | : | IS 5182 (Part 4)1999 RA 2014 |
| 9 | Report Issued Date | : | 06.06.2024 |
| 10 | Report Number | : | GEMS/BMM/FM/2024-25/688 |

RESULTS

| Sl. NO. | Location / Plant | Sample Code | Date Of Monitoring | Date Of Sample Receipt | SPM ($\mu\text{g}/\text{m}^3$) | Standard |
|---|------------------------------------|-------------|--------------------|------------------------|----------------------------------|----------|
| I. Beneficiation Plant-1 | | | | | | |
| 1. | Main Canteen | 1181 | 22.05.2024 | 23.05.2024 | 792.57 | 2000 |
| 2. | Near Iron Ore Bottom Hopper | 1179 | 22.05.2024 | 23.05.2024 | 489.27 | 2000 |
| 3. | Iron Ore Screen | 1180 | 22.05.2024 | 23.05.2024 | 503.32 | 2000 |
| II. Pellet Plant-I | | | | | | |
| 4. | Near Pellet Plant | 1182 | 22.05.2024 | 23.05.2024 | 983.07 | 2000 |
| 5. | Annual Cooler Pellet Discharge bin | 1195 | 22.05.2024 | 23.05.2024 | 1137.88 | 2000 |
| 6. | Pellet Stock Yard | 1209 | 22.05.2024 | 23.05.2024 | 1047.96 | 2000 |
| III. Sponge Iron Division-1(kiln 1 & 2) | | | | | | |
| 7. | Control Room SID-I | 1214 | 24.05.2024 | 25.05.2024 | 854.87 | 2000 |
| 8. | Near Product bin | 1215 | 24.05.2024 | 25.05.2024 | 226.17 | 2000 |
| 9. | Coal Feeding Area | 1216 | 24.05.2024 | 25.05.2024 | 1653.18 | 2000 |
| IV. Induction Furnace & Rolling Mill | | | | | | |
| 10. | IF Office | 1198 | 23.05.2024 | 24.05.2024 | 846.83 | 2000 |
| 11. | TMT Stock Yard | 1199 | 23.05.2024 | 24.05.2024 | 1306.03 | 2000 |
| 12. | RML Gasifier | 1200 | 25.05.2024 | 25.05.2024 | 734.26 | 2000 |
| V. Power Plant 25 MW-1 | | | | | | |
| 13. | 25 MW ESP | 1225 | 25.05.2024 | 27.05.2024 | 333.23 | 2000 |
| 14. | 25 MW ACC | 1228 | 25.05.2024 | 27.05.2024 | 421.99 | 2000 |
| VI. Site Services | | | | | | |
| 15. | PGP- Coal handling system | 1201 | 23.05.2024 | 24.05.2024 | 749.83 | 2000 |
| 16. | IF Slag Crusher | 1217 | 24.05.2024 | 25.05.2024 | 884.27 | 2000 |
| 17. | Main Gate | 1208 | 25.05.2024 | 27.05.2024 | 280.32 | 2000 |
| 18. | Fly ash Dump | 1134 | 21.05.2024 | 22.05.2024 | 754.27 | 2000 |

Note: SPM - Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

| SL NO | INSTRUMENT DETAILS | GEMS-01 | GEMS-02 | GEMS-03 | GEMS-04 | GEMS-05 |
|-------|----------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler |
| 2 | Make & Model | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 |
| 3 | Serial No | RDS / 241-DTC-2020 | RDS / 243-DTL-2020 | RDS / 244-DTL-2020 | RDS / 193-DTH-2019 | RDS / 197-DTH-2019 |
| 4 | Calibration Date | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 |
| 5 | Calibration Due Date | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-09
GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

| | | | |
|----|---------------------------------|---|---|
| 1 | Name of the Industry | : | BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : | WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : | GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : | RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05) |
| 5 | Month | : | MAY-2024(1 ST Fort Night) |
| 6 | Discipline | : | Chemical |
| 7 | Group | : | Atmospheric Pollution |
| 8 | Method adopted | : | IS 5182 (Part 4): 1999 RA 2014 |
| 9 | Report Issued Date | : | 06.06.2024 |
| 10 | Report Number | : | GEMS/BMM/FM/2024-25/393 |

RESULTS

| Sl. No. | Location / Plant | Sample Code | Date Of Monitoring | Date Of Sample Receipt | SPM ($\mu\text{g}/\text{m}^3$) | Standard |
|--|--|-------------|--------------------|------------------------|----------------------------------|----------|
| I. Beneficiation Plant-II | | | | | | |
| 1. | Ball Mill Area (Zero Meter) | 665 | 02.05.2024 | 03.05.2024 | 433.19 | 2000 |
| 2. | Near Cone Crusher | 667 | 02.05.2024 | 03.05.2024 | 443.73 | 2000 |
| 3. | Concentrate Thickner | 666 | 02.05.2024 | 03.05.2024 | 356.79 | 2000 |
| II. Pellet Plant | | | | | | |
| 4. | PR-6 | 668 | 02.05.2024 | 03.05.2024 | 1135.14 | 2000 |
| 5. | Annual Cooler Pellet Discharge bin | 669 | 02.05.2024 | 03.05.2024 | 697.04 | 2000 |
| 6. | Additive Grinding Building | 685 | 02.05.2024 | 03.05.2024 | 1264.26 | 2000 |
| III. Sponge Iron Division -2 (Kiln 3&4) | | | | | | |
| 7. | Control room | 686 | 03.05.2024 | 04.05.2024 | 1488.88 | 2000 |
| 8. | Near Weigh bridge (dispatch) | 687 | 03.05.2024 | 04.05.2024 | 1564.50 | 2000 |
| 9. | Pellet Storage bin | 708 | 04.05.2024 | 06.05.2024 | 1295.51 | 2000 |
| 10. | Transfer House area | 681 | 03.05.2024 | 04.05.2024 | 926.52 | 2000 |
| 11. | Production Separation Bin-PSB | 688 | 03.05.2024 | 04.05.2024 | 1102.16 | 2000 |
| IV. Sponge Iron Division -2 (Kiln 5&6) | | | | | | |
| 12. | Near Control room | 709 | 04.05.2024 | 06.05.2024 | 1734.53 | 2000 |
| 13. | Near Coal Crusher | 711 | 04.05.2024 | 06.05.2024 | 1217.53 | 2000 |
| 14. | Near Product bin | 710 | 04.05.2024 | 06.05.2024 | 1584.20 | 2000 |
| 15. | Coal Dryer | 698 | 04.05.2024 | 06.05.2024 | 1024.35 | 2000 |
| V. Wagon Tipper/RMHS | | | | | | |
| 16. | Near Tipping point | 780 | 07.05.2024 | 08.05.2024 | 1113.63 | 2000 |
| 17. | Monsoon Shed (CPU) | 741 | 06.05.2024 | 07.05.2024 | 1334.96 | 2000 |
| 18. | MCC Room (2 nd Gate) | 742 | 06.05.2024 | 07.05.2024 | 1252.58 | 2000 |
| VI. Power Plant-70 MW | | | | | | |
| 19. | 70MW-DM Plant (Near R.O. Plant) | 740 | 06.05.2024 | 07.05.2024 | 457.13 | 2000 |
| 20. | 2 nd gate weigh bridge Near Coal Screen | 743 | 06.05.2024 | 07.05.2024 | 889.43 | 2000 |
| 21. | CFBC boiler | 744 | 06.05.2024 | 07.05.2024 | 700.86 | 2000 |
| VII. 2X70MW Power Plant | | | | | | |
| 22. | Near Boiler | 802 | 08.05.2024 | 09.05.2024 | 1001.03 | 2000 |
| 23. | Near Coal storage Shed | 803 | 08.05.2024 | 09.05.2024 | 589.02 | 2000 |
| 24. | Dolochar Processing Area | 804 | 08.05.2024 | 09.05.2024 | 645.80 | 2000 |

Note: SPM -Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

| SL NO | INSTRUMENT DETAILS | GEMS-01 | GEMS-02 | GEMS-03 | GEMS-04 | GEMS-05 |
|-------|----------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler |
| 2 | Make & Model | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 |
| 3 | Serial No | RDS / 241-DTC-2020 | RDS / 243-DTL-2020 | RDS / 244-DTL-2020 | RDS / 193-DTH-2019 | RDS / 197-DTH-2019 |
| 4 | Calibration Date | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 |
| 5 | Calibration Due Date | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-10 GEMS-LD/TF/11/01

FORTNIGHTLY FUGITIVE AIR QUALITY DATA MONITORING

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : RDS Sampler (GEMS-01, GEMS-02, GEMS-03, GEMS-04, GEMS-05)
- 5 Month : APRIL-2024(2ND Fort Night)
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Method adopted : IS 5182 (Part 4): 1999 RA 2014
- 9 Report Issued Date : 06.06.2024
- 10 Report Number : GEMS/BMM/FM/2024-25/605

RESULTS

| Sl. No. | Location / Plant | Sample Code | Date Of Monitoring | Date Of Sample Receipt | SPM ($\mu\text{g}/\text{m}^3$) | Standard |
|--|--|-------------|--------------------|------------------------|----------------------------------|----------|
| I. Beneficiation Plant-II | | | | | | |
| 1. | Ball Mill Area (Zero Meter) | 1003 | 16.05.2024 | 17.05.2024 | 596.08 | 2000 |
| 2. | Near Cone Crusher | 1005 | 16.05.2024 | 17.05.2024 | 378.39 | 2000 |
| 3. | Concentrate Thickner | 1004 | 16.05.2024 | 17.05.2024 | 676.87 | 2000 |
| II. Pellet Plant-I | | | | | | |
| 4. | PR-6 | 1006 | 16.05.2024 | 17.05.2024 | 450.14 | 2000 |
| 5. | Annual Cooler Pellet Discharge bin | 1007 | 16.05.2024 | 17.05.2024 | 1286.00 | 2000 |
| 6. | Additive Grinding Building | 1037 | 17.05.2024 | 18.05.2024 | 1489.73 | 2000 |
| III. Sponge Iron Division -2 (Kiln 3&4) | | | | | | |
| 7. | Control room | 1038 | 17.05.2024 | 18.05.2024 | 601.93 | 2000 |
| 8. | Near Weigh bridge (dispatch) | 1039 | 17.05.2024 | 18.05.2024 | 857.23 | 2000 |
| 9. | Pellet Storage bin | 1064 | 18.05.2024 | 20.05.2024 | 666.76 | 2000 |
| 10. | Transfer House area | 1040 | 17.05.2024 | 18.05.2024 | 1304.08 | 2000 |
| 11. | Production Separation Bin-PSB | 1041 | 17.05.2024 | 18.05.2024 | 1373.05 | 2000 |
| IV. Sponge Iron Division -2 (Kiln 5&6) | | | | | | |
| 12. | Near Control room | 1065 | 18.05.2024 | 20.05.2024 | 1133.29 | 2000 |
| 13. | Near Coal Crusher | 1067 | 18.05.2024 | 20.05.2024 | 1587.57 | 2000 |
| 14. | Near Product bin | 1066 | 18.05.2024 | 20.05.2024 | 1755.69 | 2000 |
| 15. | Coal Drier | 1068 | 18.05.2024 | 20.05.2024 | 774.87 | 2000 |
| V. Wagon Tipper/RMHS | | | | | | |
| 16. | Near Tipping point | 1157 | 21.05.2024 | 22.05.2024 | 969.99 | 2000 |
| 17. | Monsoon Shed (CPU) | 1174 | 20.05.2024 | 21.05.2024 | 281.43 | 2000 |
| 18. | MCC Room (2 nd Gate) | 1109 | 20.05.2024 | 21.05.2024 | 212.65 | 2000 |
| VI. Power Plant-70 MW | | | | | | |
| 19. | 70MW-DM Plant (Near R.O. Plant) | 1112 | 20.05.2024 | 21.05.2024 | 249.55 | 2000 |
| 20. | 2 nd gate weigh bridge Near Coal Screen | 1110 | 20.05.2024 | 21.05.2024 | 297.18 | 2000 |
| 21. | CFBC boiler | 1111 | 20.05.2024 | 21.05.2024 | 231.01 | 2000 |
| VII. 2X70MW Power Plant | | | | | | |
| 22. | Near Boiler | 1131 | 21.05.2024 | 22.05.2024 | 519.46 | 2000 |
| 23. | Near Coal storage Shed | 1132 | 21.05.2024 | 22.05.2024 | 352.67 | 2000 |
| 24. | CPP Dolochar Process Area | 1133 | 21.05.2024 | 22.05.2024 | 384.05 | 2000 |

Note: SPM -Suspended Particulate matter ($\mu\text{g}/\text{m}^3$), INFERENCE: The Measured Values are within the limits.

| SL NO | INSTRUMENT DETAILS | GEMS-01 | GEMS-02 | GEMS-03 | GEMS-04 | GEMS-05 |
|-------|----------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 1 | Instrument Name | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler | Respirable Dust Sampler |
| 2 | Make & Model | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 | Greentech Instruments/ GTI-151 |
| 3 | Serial No | RDS / 241-DTC-2020 | RDS / 243-DTL-2020 | RDS / 244-DTL-2020 | RDS / 193-DTH-2019 | RDS / 197-DTH-2019 |
| 4 | Calibration Date | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 | 28.03.2024 |
| 5 | Calibration Due Date | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 | 27.03.2025 |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-11
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **Pellet Plant-1 ESP**
- 10 Month of Sampling : **MAY-2024**
- 11 Date of Sample Received : 03.05.2024&17.05.2024
- 12 Date of Sample Analysis : 04.05.2024 & 18.05.2024
- 13 Date of Sample Analysis completion : 05.05.2024&19.05.2024
- 14 Report Issued Date : **06.06.2024**
- 15 Report Number : **ULR-TC532324000000408F**

Stack Details

- 1 Fuel Used : Coal & furnace oil
- 2 Stack Height (mtr) : 100.0
- 3 Stack Diameter (mtr) : 4.4

Emission Details

| Sl. No. | Parameters | Method | Unit | Results | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|---------------------|------------|------------|-------------------|
| | Date of Monitoring | | | 03.05.2024 | 17.05.2024 | |
| | Sample Code | | | 690 | 1043 | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 34 | 29 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 71 | 69 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 6.25 | 6.01 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) | m ³ /hr | 342132 | 329087 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) | Nm ³ /hr | 295953 | 286446 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | 32.90 | 32.66 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): (RA 2014) | mg/Nm ³ | 121.0 | 136.0 | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005 (RA 2017) | mg/Nm ³ | 38.0 | 40.0 | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.018 | 0.014 | NS |

Note: NS- Not Specified, RA: Reaffirmed, **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-12
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **2X100 TPD Sponge iron plant Kiln 1 & 2**
- 10 Month of Sampling : **MAY-2024**
- 11 Date of Sample Received : 10.05.2024&23.05.2024
- 12 Date of Sample Analysis : 11.05.2024&24.05.2024
- 13 Date of Sample Analysis completion : 11.05.2024&25.05.2024
- 14 Report Issued Date : **06.06.2024**
- 15 Report Number : **ULR-TC532324000000538F**

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 60.0
- 3 Stack Diameter (mtr) : 2.00

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|---------------------|----------------------------|----------------------------|-------------------|
| | | | | 1 st Fort Night | 2 nd Fort Night | |
| | | | | 10.05.2024 | 23.05.2024 | |
| | Date of Monitoring | | | 879 | 1204 | |
| | Sample Code | | | | | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 32 | 30 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 171 | 171 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 7.37 | 7.48 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) | m ³ /hr | 187643 | 84639 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) | Nm ³ /hr | 125808 | 56598 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | 16.86 | 18.34 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2); (RA 2014) | mg/Nm ³ | 102.0 | 118.0 | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005 (RA 2017) | mg/Nm ³ | 36.0 | 34.0 | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.291 | 0.216 | 1 |

Note: NS- Not Specified. RA: Reaffirmed, **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-13 GEMS-LD/TF/10/01


Analysis Report of Stack Emission


- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **MAY-2024(1st Fort Night)**
- 10 Date of Sample Received : 14.05.2024
- 11 Date of Sample Analysis : 15.05.2024
- 12 Date of Sample Analysis completion : 16.05.2024
- 13 Report Issued Date : **06.06.2024**
- 14 Report Number : **ULR-TC532324000000592F**

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|------------------------------------|---------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Induction Furnace 1 & 2 | | | | | | | | | | | |
| 1 | Induction Furnace 1 | 14.05.2024 | 948 | Electric | 31 | 41 | 6.40 | 30 | 1.2 | 5.36 | 150 |
| 2 | Induction Furnace 2 | 14.05.2024 | 949 | Power | 32 | 47 | 6.72 | 30 | 1.2 | 9.77 | 150 |

| Sl. No | Induction Furnace 1 & 2 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|-------------------------|---|--|-----------|
| 1 | Induction Furnace 1 | 26052 | 24689 | - |
| 2 | Induction Furnace 2 | 27357 | 25422 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |



Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



ANNEXURE-14 GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|------------------------------------|--|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services, Hosapete |
| 4 | Particulars of sample collected | : Vayubodhak Stack sampler/ VBSS-2 Sl. No: Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Sampling Location | : Rolling mill reheating furnace |
| 10 | Month of Sampling | : MAY-2024 |
| 11 | Date of Sample Received | : 08.05.2024 & 21.05.2024 |
| 12 | Date of Sample Analysis | : 09.05.2024 & 22.05.2024 |
| 13 | Date of Sample Analysis completion | : 10.05.2024 & 23.05.2024 |
| 14 | Report Issued Date | : 06.06.2024 |
| 15 | Report Number | : ULR-TC532324000000466F |

Stack Details

| | | |
|---|----------------------|------|
| 1 | Fuel Used | Coal |
| 2 | Stack Height (mtr) | 30.0 |
| 3 | Stack Diameter (mtr) | 0.8 |

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|---------------------|----------------|----------------|-------------------|
| | | | | 1st Fort Night | 2nd Fort Night | |
| | | | | 08.05.2024 | 21.05.2024 | |
| | Date of Monitoring | | | 809 | 784 | |
| | Sample Code | | | | | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 33 | 28 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 384 | 373 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 9.15 | 9.16 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) | m ³ /hr | 16566 | 16586 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) | Nm ³ /hr | 7502.9 | 7627.0 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | 13.76 | 11.72 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): (RA 2014) | mg/Nm ³ | 39.0 | 36.0 | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005 (RA 2017) | mg/Nm ³ | 31.0 | 51.0 | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.044 | 0.058 | NS |

Note: NS- Not Specified. RA: Reaffirmed, **INFERENCE:** The Measured Values are within the limits.

Priyanka B M
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-15
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District
- 2 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **AFBC Boiler ESP (25 MW Power Plant)**
- 10 Month of Sampling : **MAY-2024**
- 11 Date of Sample Received : -
- 12 Date of Sample Analysis : -
- 13 Date of Sample Analysis completion : -
- 14 Report Issued Date : -
- 15 Report Number : -

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 65.0
- 3 Stack Diameter (mtr) : 2.5

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|-----------------------------------|-------------------------------------|---------------------|----------------------------|----------------------------|-------------------|
| | | | | 1 st Fort Night | 2 nd Fort Night | |
| | Date of Monitoring Sample Code | | | - | - | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | Shutdown | Shutdown | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | | | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | | | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) | m ³ /hr | | | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) | Nm ³ /hr | | | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | | | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): (RA 2014) | mg/Nm ³ | | | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005 (RA 2017) | mg/Nm ³ | | | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | | | NS |

Note: NS- Not Specified. RA: Reaffirmed,

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-16
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|------------------------------------|--|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services, Hosapete |
| 4 | Particulars of sample collected | : Vayubodhak Stack sampler/ VBSS-2 Sl. No: Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(1st Fort Night) |
| 10 | Date of Sample Received | : 13.05.2024 |
| 11 | Date of Sample Analysis | : 14.05.2024 |
| 12 | Date of Sample Analysis completion | : 15.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000585F |

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|----------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Beneficiation Plant -I | | | | | | | | | | | |
| 1 | Iron Ore dump hopper | 13.05.2024 | 940 | - | 30 | 35 | 5.35 | 25 | 0.40 | 16.67 | 50 |
| 2 | Iron Ore Screen bin | 13.05.2024 | 941 | - | 34 | 38 | 6.12 | 30 | 0.40 | 20.35 | 50 |

| Sl. No | Beneficiation Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|----------------------|---|--|-----------|
| 1 | Iron Ore dump hopper | 2421 | 2336 | - |
| 2 | Iron Ore Screen bin | 2772 | 2643 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-17
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : MAY-2024 (1st Fort Night)
- 10 Date of Sample Received : 14.05.2024
- 11 Date of Sample Analysis : 15.05.2024
- 12 Date of Sample Analysis completion : 16.05.2024
- 13 Report Issued Date : 06.06.2024
- 14 Report Number : ULR-TC532324000000594F

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|---------------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| RMHS | | | | | | | | | | | |
| 3 | Screen, Coal Crusher(CPU) | 14.05.2024 | 950 | - | 33 | 39 | 6.09 | 30 | 1.50 | 33.07 | 50 |
| 4 | Main Crusher | 14.05.2024 | 951 | - | 32 | 37 | 5.15 | 25 | 0.50 | 14.61 | 50 |

| Sl. No | Beneficiation Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|---------------------------|---|--|-----------|
| 3 | Screen, Coal Crusher(CPU) | 38742 | 36877 | - |
| 4 | Main Crusher | 3646 | 3491 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |


Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-18
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : MAY-2024(1st Fort Night)
- 10 Date of Sample Received : 03.05.2024, 04.05.2024
- 11 Date of Sample Analysis : 03.05.2024, 04.05.2024
- 12 Date of Sample Analysis completion : 04.05.2024, 06.05.2024
- 13 Report Issued Date : 06.06.2024
- 14 Report Number : ULR-TC532324000000409F

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|---|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Pellet Plant -I | | | | | | | | | | | |
| 5 | AGB Main Bag Filter | 03.05.2024 | 691 | - | 39 | 42 | 5.82 | 6.5 | 0.60 | 30.78 | 50 |
| 6 | Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter | 04.05.2024 | 712 | - | 31 | 36 | 5.71 | 3.0 | 0.30 | 27.61 | 50 |
| 7 | Bentonite Powder bin top bag filter | 04.05.2024 | 713 | - | 33 | 38 | 5.88 | 3.0 | 0.30 | 22.21 | 50 |
| 8 | H-4 Conveyor discharge bag filter | Shutdown | - | - | - | - | - | 7.0 | 0.50 | - | 50 |
| 9 | P-1 Bag Filter | 04.05.2024 | 714 | - | 37 | 44 | 5.75 | 7.0 | 0.50 | 36.66 | 50 |

| Sl. No | Pellet Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|---|---|--|-----------|
| 5 | AGB Main Bag Filter | 5929 | 5584 | - |
| 6 | Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter | 1454 | 1401 | - |
| 7 | Bentonite Powder bin top bag filter | 1497 | 1432 | - |
| 8 | H-4 Conveyor discharge bag filter | - | - | - |
| 9 | P-1 Bag Filter | 4065 | 3807 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-19
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : MAY-2024(1st Fort Night)
- 10 Date of Sample Received : 11.05.2024&13.05.2024
- 11 Date of Sample Analysis : 13.05.2024&14.05.2024
- 12 Date of Sample Analysis completion : 13.05.2024&14.05.2024
- 13 Report Issued Date : 06.06.2024
- 14 Report Number : ULR-TC532324000000552F

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|-------------------------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| 2 X 100 TPD Sponge Iron Kiln 1 & 2 | | | | | | | | | | | |
| 10 | Cooler-1 Discharge & Blending Chute | 11.05.2024 | 901 | --- | 32 | 38 | 5.45 | 30 | 1.20 | 33.51 | 50 |
| 11 | Cooler-2 Discharge | 11.05.2024 | 902 | --- | 36 | 39 | 5.93 | 30 | 1.20 | 31.00 | 50 |
| 12 | Intermediate Bin & Blending | 11.05.2024 | 903 | --- | 35 | 40 | 5.40 | 30 | 1.20 | 27.97 | 50 |
| 13 | Product House | 13.05.2024 | 943 | --- | 29 | 36 | 5.22 | 30 | 1.20 | 31.43 | 50 |

| Sl. No | 2 X 100 TPD Sponge Iron Kiln 1 & 2 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|-------------------------------------|---|--|-----------|
| 10 | Cooler-1 Discharge & Blending Chute | 22206 | 21244 | - |
| 11 | Cooler-2 Discharge | 24148 | 22971 | - |
| 12 | Intermediate Bin & Blending | 21988 | 20835 | - |
| 13 | Product House | 21278 | 20490 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-20
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : MAY-2024 (2nd Fort Night)
- 10 Date of Sample Received : 30.05.2024
- 11 Date of Sample Analysis : 31.05.2024
- 12 Date of Sample Analysis completion : 01.06.2024
- 13 Report Issued Date : 06.06.2024
- 14 Report Number : ULR-TC532324000000745F

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--------------------------|----------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Induction Furnance 1 & 2 | | | | | | | | | | | |
| 1 | Induction Furnance 1 | 30.05.2024 | 1284 | Electric | 30 | 42 | 6.33 | 30 | 1.0 | 5.01 | 50 |
| 2 | Induction Furnance 2 | 30.05.2024 | 1285 | Power | 31 | 46 | 6.60 | 30 | 1.0 | 9.04 | 50 |

| Sl. No | Induction Furnance 1 & 2 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|--------------------------|---|--|-----------|
| 1 | Induction Furnance 1 | 25772 | 24311 | - |
| 2 | Induction Furnance 2 | 26902 | 25028 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



ANNEXURE-21
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ VBSS-2
Sl. No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : MAY-2024(2nd Fort Night)
- 10 Date of Sample Received : 31.05.2024
- 11 Date of Sample Analysis : 01.06.2024
- 12 Date of Sample Analysis completion : 01.06.2024
- 13 Report Issued Date : 06.06.2024
- 14 Report Number : ULR-TC532324000000755F

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|----------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Beneficiation Plant | | | | | | | | | | | |
| 1 | Iron Ore dump hopper | 31.05.2024 | 1294 | --- | 30 | 35 | 5.12 | 25 | 0.40 | 19.06 | 50 |
| 2 | Iron Ore Screen bin | 31.05.2024 | 1295 | --- | 31 | 36 | 5.75 | 30 | 0.40 | 16.67 | 50 |

| Sl. No | Beneficiation Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|----------------------|---|--|-----------|
| 1 | Iron Ore dump hopper | 2316 | 2236 | - |
| 2 | Iron Ore Screen bin | 2601 | 2501 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-22
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **MAY-2024(2nd Fort Night)**
- 10 Date of Sample Received : 29.05.2024
- 11 Date of Sample Analysis : 30.05.2024
- 12 Date of Sample Analysis completion : 31.05.2024
- 13 Report Issued Date : **06.06.2024**
- 14 Report Number : **ULR-TC532324000000739F**

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|---------------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| RMHS | | | | | | | | | | | |
| 3 | Screen, Coal Crusher(CPU) | 29.05.2024 | 1273 | - | 34 | 38 | 6.04 | 30 | 1.50 | 23.38 | 50 |
| 4 | Main Crusher | 29.05.2024 | 1274 | - | 34 | 37 | 5.25 | 25 | 0.50 | 12.73 | 50 |

| Sl. No | Beneficiation Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|----------------------------|---|--|-----------|
| 3 | Screen, Coal Crusher (CPU) | 38475 | 36605 | - |
| 4 | Main Crusher | 3711 | 3541 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-23
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services, Hosapete
- 4 Particulars of sample collected : Vayubodhak Stack sampler/ **VBSS-2**
Sl. No: Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **MAY-2024(2nd Fort Night)**
- 10 Date of Sample Received : 17.05.2024, 18.05.2024, 18.05.2024 & 20.05.2024
- 11 Date of Sample Analysis : 18.05.2024, 20.05.2024, 20.05.2024 & 21.05.2024
- 12 Date of Sample Analysis completion : 19.05.2024, 21.05.2024, 21.05.2024 & 22.05.2024
- 13 Report Issued Date : **06.06.2024**
- 14 Report Number : **ULR-TC532324000000631F**

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/N m ³ |
|---|---|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|-------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Pellet Plant-I | | | | | | | | | | | |
| 5 | AGB Main Bag Filter | 17.05.2024 | 1044 | --- | 31 | 38 | 5.66 | 6.5 | 0.60 | 28.22 | 50 |
| 6 | Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter | 18.05.2024 | 1070 | --- | 32 | 37 | 5.32 | 3.0 | 0.30 | 22.86 | 50 |
| 7 | Bentonite Powder bin top bag filter | 18.05.2024 | 1071 | --- | 32 | 38 | 5.98 | 3.0 | 0.30 | 19.71 | 50 |
| 8 | H-4 Conveyor discharge bag filter | - | - | --- | - | - | - | 7.0 | 0.50 | - | 50 |
| 9 | P-1 Bag Filter | 19.05.2024 | 1098 | --- | 27 | 40 | 5.34 | 7.0 | 0.50 | 31.78 | 50 |

| Sl. No | Pellet Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|---|---|--|-----------|
| 5 | AGB Main Bag Filter | 5767 | 5503 | - |
| 6 | Lime Powder bin top bag Filter/ Powder Coal Main Bag Filter | 1355 | 1296 | - |
| 7 | Bentonite Powder bin top bag filter | 1523 | 1451 | - |
| 8 | H-4 Conveyor discharge bag filter | - | - | - |
| 9 | P-1 Bag Filter | 3779 | 3587 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255 (Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255 (Part 03) (RA 2014) |

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-24
GEMS-LD/TF/10/01


Analysis Report of Stack Emission


- | | | |
|----|------------------------------------|--|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services, Hosapete |
| 4 | Particulars of sample collected | : Vayubodhak Stack sampler/ VBSS-2 Sl. No: Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(2nd Fort Night) |
| 10 | Date of Sample Received | : 28.05.2024 |
| 11 | Date of Sample Analysis | : 29.05.2024 |
| 12 | Date of Sample Analysis completion | : 30.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000728F |

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|---|-------------------------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| 2 X 100 TPD Sponge Iron Kiln 1 & 2 | | | | | | | | | | | |
| 10 | Cooler-1 Discharge & Blending Chute | 28.05.2024 | 1251 | --- | 30 | 35 | 5.69 | 30 | 1.20 | 28.91 | 50 |
| 11 | Cooler-2 Discharge | 28.05.2024 | 1252 | --- | 31 | 36 | 5.84 | 30 | 1.20 | 27.17 | 50 |
| 12 | Intermediate Bin & Blending | 28.05.2024 | 1253 | --- | 34 | 38 | 5.43 | 30 | 1.20 | 29.36 | 50 |
| 13 | Product House | 28.05.2024 | 1254 | --- | 34 | 39 | 6.01 | 30 | 1.20 | 32.12 | 50 |

| Sl. No | 2 X 100 TPD Sponge Iron Kiln 1 & 2 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|-------------------------------------|---|--|-----------|
| 10 | Cooler-1 Discharge & Blending Chute | 23187 | 22372 | - |
| 11 | Cooler-2 Discharge | 23785 | 22860 | - |
| 12 | Intermediate Bin & Blending | 22123 | 21083 | - |
| 13 | Product House | 24472 | 23230 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)
3rd Main Road, Basaveswara Badavane,
HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)
Ph : 08394 355369
e-mail : gems_hpt@yahoo.com
Website : www.globalmining.in



TC-5323

ANNEXURE-25
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ **VBSS2**
Sl.No:Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **Pellet Plant-2 ESP**
- 10 Month of Sampling : **MAY-2024**
- 11 Date of Sample Received : 02.05.2024 & 16.05.2024
- 12 Date of Sample Analysis : 03.05.2024 & 17.05.2024
- 13 Date Sample Analysis Completion : 04.05.2024 & 18.05.2024
- 14 Report Issued Date : **06.06.2024**
- 15 Report Number : **ULR-TC532324000000394F**

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 100
- 3 Stack Diameter (mtr) : 4.4

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|---------------------|----------------------------|----------------------------|-------------------|
| | | | | 1 st Fort Night | 2 nd Fort Night | |
| | | | | 02.05.2024 | 16.05.2024 | |
| | Date of Monitoring | | | 670 | 1008 | |
| | Sample Code | | | | | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 34 | 33 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 74 | 71 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 6.38 | 6.47 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03)1985(RA 2014) | m ³ /hr | 349403 | 354326 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03)1985(RA 2014) | Nm ³ /hr | 299748 | 306864 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | 35.26 | 35.56 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): 1985 (RA 2014) | mg/Nm ³ | 206.0 | 298.0 | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005(RA 2017) | mg/Nm ³ | 170.0 | 136.0 | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.024 | 0.028 | 1% |


Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-26
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ **VBSS2**
Sl.No:Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **SID Axis 3&4**
- 10 Month of Sampling : **MAY-2024**
- 11 Date of Sample Received : 06.05.2024 & 22.05.2024
- 12 Date of Sample Analysis : 07.05.2024 & 23.05.2024
- 13 Date Sample Analysis Completion : 08.05.2024 & 24.05.2024
- 14 Report Issued Date : **06.06.2024**
- 15 Report Number : **ULR-TC532324000000442F**

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 70.0
- 3 Stack Diameter (mtr) : 3.00

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|---------------------|----------------------------|----------------------------|-------------------|
| | | | | 1 st Fort Night | 2 nd Fort Night | |
| | | | | 06.05.2024 | 22.05.2024 | |
| | Date of Monitoring | | | 745 | 1185 | |
| | Sample Code | | | | | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 33 | 31 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 133 | 124 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 7.00 | 6.80 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03)1985(RA 2014) | m ³ /hr | 178333 | 173162 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03)1985(RA 2014) | Nm ³ /hr | 130585 | 129485 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | 32.42 | 29.15 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): 1985 (RA 2014) | mg/Nm ³ | 324.0 | 276.0 | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005(RA 2017) | mg/Nm ³ | 28.0 | 14.0 | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.209 | 0.184 | 1% |

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-27
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
Sl.No:Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Sampling Location : **SID Axis 5&6**
- 10 Month of Sampling : **MAY-2024**
- 11 Date of Sample Received : 07.05.2024&18.05.2024
- 12 Date of Sample Analysis : 08.05.2024&20.05.2024
- 13 Date Sample Analysis Completion : 09.05.2024&21.05.2024
- 14 Report Issued Date : **06.06.2024**
- 15 Report Number : **ULR-TC532324000000467F**

Stack Details

- 1 Fuel Used : Coal
- 2 Stack Height (mtr) : 70.0
- 3 Stack Diameter (mtr) : 3.00

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|---------------------|----------------------------|----------------------------|-------------------|
| | | | | 1 st Fort Night | 2 nd Fort Night | |
| | | | | 07.05.2024 | 18.05.2024 | |
| | Date of Monitoring | | | 785 | 1069 | |
| | Sample Code | | | | | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 33 | 31 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 127 | 131 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 6.88 | 7.24 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03)1985(RA 2014) | m ³ /hr | 175237 | 184330 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03)1985(RA 2014) | Nm ³ /hr | 130431 | 135716 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | 28.11 | 30.85 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): 1985 (RA 2014) | mg/Nm ³ | 306.0 | 294.0 | NS |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005 (RA 2017) | mg/Nm ³ | 124.0 | 105.0 | NS |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.127 | 0.138 | 1% |

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-28
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- | | | |
|----|---------------------------------|--|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No: Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Sampling Location | : 1X70 MW-CFBC Boiler ESP |
| 10 | Month of Sampling | : MAY-2024 |
| 11 | Date of Sample Received | : 28.05.2024 |
| 12 | Date of Sample Analysis | : 29.05.2024 |
| 13 | Date Sample Analysis Completion | : 30.05.2024 |
| 14 | Report Issued Date | : 06.05.2024 |
| 15 | Report Number | : ULR-TC532324000000719F |

Stack Details

- | | | |
|---|----------------------|------|
| 1 | Fuel Used | Coal |
| 2 | Stack Height (mtr) | 70.0 |
| 3 | Stack Diameter (mtr) | 3.00 |

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|-----------------------------------|-------------------------------------|---------------------|-------------------------------------|----------------------------|-------------------|
| | | | | 1 st Fort Night Shutdown | 2 nd Fort Night | |
| | Date of Monitoring Sample Code | | | | | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | - | 31 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | - | 124 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | - | 7.04 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03)1985(RA 2014) | m ³ /hr | - | 179339 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03)1985(RA 2014) | Nm ³ /hr | - | 134050 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm ³ | - | 36.30 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): 1985 (RA 2014) | mg/Nm ³ | - | 162.0 | 600 |
| 8 | Nitrogen Dioxide | IS:11255 (Part7): 2005 (RA 2017) | mg/Nm ³ | - | 28.0 | 300 |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | - | 0.029 | NS |

Note: NS- Not Specified. RA: Reaffirmed. **INFERENCE:** The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-29
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Sampling Location | : 2X70 MW CFBC Boiler ESP |
| 10 | Month of Sampling | : MAY-2024 |
| 11 | Date of Sample Received | : 15.05.2024 & 28.05.2024 |
| 12 | Date of Sample Analysis | : 16.05.2024 & 29.05.2024 |
| 13 | Date Sample Analysis Completion | : 17.05.2024 & 30.05.2024 |
| 14 | Report Issued Date | : 06.06.2024 |
| 15 | Report Number | : ULR-TC532324000000601F |

Stack Details

| | | |
|---|----------------------|-------|
| 1 | Fuel Used | Coal |
| 2 | Stack Height (mtr) | 110.0 |
| 3 | Stack Diameter (mtr) | 8.00 |

Emission Details

| Sl. No. | Parameters | Method | Unit | Result | | Permissible Limit |
|---------|----------------------------------|-------------------------------------|--------|----------------|----------------|-------------------|
| | | | | 1st Fort Night | 2nd Fort Night | |
| | Date of Monitoring | | | 15.05.2024 | 28.05.2024 | |
| | Sample Code | | | 993 | 1265 | |
| 1 | Ambient Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 33 | 32 | - |
| 2 | Stack Temperature | IS: 11255 (Part 1) - 1985 (RA 2014) | °C | 128 | 122 | - |
| 3 | Velocity of Fuel Gas | IS: 11255 (Part 3) - 1985 (RA 2014) | m/sec | 7.00 | 6.87 | - |
| 4 | Gas flow rate at Stack Condition | IS-11255(Part 03)1985(RA 2014) | m³/hr | 1268198 | 1243327 | - |
| 5 | Gas flow rate at NTP | IS-11255(Part 03)1985(RA 2014) | Nm³/hr | 941459 | 936029 | - |
| 6 | Particulate Matter | IS: 11255 (Part 1) - 1985 (RA 2014) | mg/Nm³ | 31.65 | 34.68 | 50 |
| 7 | Sulphur Dioxide | IS: 11255 (Part 2): 1985 (RA 2014) | mg/Nm³ | 29.0 | 31.0 | 600 |
| 8 | Nitrogen Dioxide | IS:11255 (Part 7): 2005 (RA 2017) | mg/Nm³ | 103.0 | 162.0 | 300 |
| 9 | Carbon Monoxide | GEMS/SOP/69 | % | 0.048 | 0.094 | NS |

Note: NS- Not Specified. RA: Reaffirmed

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-30
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(1 st Fort Night) |
| 10 | Date of Sample Received | : 13.05.2024 |
| 11 | Date of Sample Analysis | : 14.05.2024 |
| 12 | Date Sample Analysis Completion | : 15.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000589F |

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|-----------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Beneficiation Plant-2 | | | | | | | | | | | |
| 1 | Iron Ore Cone Crusher | - | - | --- | - | - | - | 30 | 1.20 | - | 50 |
| 2 | Iron Ore Screening | 13.05.2024 | 944 | Coal | 35 | 39 | 5.83 | 30 | 0.90 | 15.32 | 50 |

| Sl. No | Beneficiation Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|-----------------------|---|--|-----------|
| 1 | Iron Ore Cone Crusher | - | - | - |
| 2 | Iron Ore Screening | 13356 | 12687 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-31
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(1st Fort Night) |
| 10 | Date of Sample Received | : 02.05.2024 & 03.05.2024 |
| 11 | Date of Sample Analysis | : 03.05.2024 & 04.05.2024 |
| 12 | Date Sample Analysis Completion | : 04.05.2024 & 06.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000395F |

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|---|--|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Pellet Plant-II | | | | | | | | | | | |
| 3 | AGB main bag Filter | 02.05.2024 | 671 | --- | 37 | 41 | 5.40 | 6.5 | 0.5 | 29.56 | 50 |
| 4 | Lime & Bentonite Powder bin top bag filter | 02.05.2024 | 672 | --- | 38 | 43 | 5.53 | 3 | 0.35 | 27.16 | 50 |
| 5 | AGB De dusting Bag Filter | - | - | --- | - | - | - | 6 | 0.6 | - | 50 |
| 6 | Powder Coal main bag filter | - | - | --- | - | - | - | 6 | 0.6 | - | 50 |
| 7 | RP-6 Conveyor bag Filter | - | - | --- | - | - | - | 6 | 0.3 | - | 50 |
| 8 | Pellet discharge bin bag filter | 03.05.2024 | 689 | --- | 38 | 45 | 5.47 | 20 | 0.5 | 33.29 | 50 |

| Sl. No | Pellet Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|--|---|--|-----------|
| 3 | AGB main bag Filter | 3301 | 3177 | - |
| 4 | Lime & Bentonite Powder bin top bag filter | 1587 | 1521 | - |
| 5 | AGB De dusting Bag Filter | - | - | - |
| 6 | Powder Coal main bag filter | - | - | - |
| 7 | RP-6 Conveyor bag Filter | - | - | - |
| 8 | Pellet discharge bin bag filter | 3870 | 3612 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

INFERENCE:

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-32
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(1st Fort Night) |
| 10 | Date of Sample Received | : 04.05.2024,06.05.2024, 07.05.2024, 08.05.2024&09.05.2024 |
| 11 | Date of Sample Analysis | : 06.05.2024, 07.05.2024, 08.05.2024, 09.05.2024 & 10.05.2024 |
| 12 | Date Sample Analysis Completion | : 07.05.2024, 08.05.2024, 09.05.2024, 10.05.2024 & 11.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000443F |

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|--------------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| 2 X 500 TPD Sponge Iron Kiln 1 & 2 | | | | | | | | | | | |
| 9 | Cooler Discharge -1 | 04.05.2024 | 703 | --- | 38 | 42 | 6.28 | 30 | 1.2 | 33.75 | 50 |
| 10 | Cooler Discharge -2 | 06.05.2024 | 746 | --- | 37 | 41 | 5.80 | 30 | 1.2 | 29.96 | 50 |
| 11 | Coal stock house | 06.05.2024 | 747 | --- | 38 | 42 | 5.30 | 30 | 1.2 | 26.48 | 50 |
| 12 | PSB 1 System-1 | 07.05.2024 | 723 | --- | 38 | 42 | 5.85 | 30 | 1.2 | 31.82 | 50 |
| 13 | PSB 1 System-2 | 07.05.2024 | 724 | --- | 39 | 44 | 5.61 | 30 | 1.2 | 34.68 | 50 |
| 14 | PSB 2 System-1 MCC | 08.05.2024 | 807 | --- | 36 | 40 | 5.76 | 30 | 1.2 | 25.77 | 50 |
| 15 | PSB 2 System-2 Road | 08.05.2024 | 808 | --- | 37 | 42 | 5.90 | 30 | 1.2 | 32.92 | 50 |
| 16 | Junction House Old & New | 09.05.2024 | 837 | --- | 31 | 37 | 6.19 | 30 | 1.2 | 34.94 | 50 |
| 17 | Storage Bunker | 09.05.2024 | 838 | --- | 32 | 38 | 5.69 | 30 | 1.2 | 32.47 | 50 |
| 18 | Dispatch | - | - | --- | - | - | - | 30 | 1.2 | - | 50 |

| Sl. No | 2 X 500 TPD Sponge Iron Kiln 1 & 2 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|------------------------------------|---|--|-----------|
| 9 | Cooler Discharge -1 | 25558 | 24074 | - |
| 10 | Cooler Discharge -2 | 23623 | 22308 | - |
| 11 | Coal stock house | 21599 | 20321 | - |
| 12 | PSB 1 System-1 | 23834 | 22464 | - |
| 13 | PSB 1 System-2 | 22843 | 21381 | - |
| 14 | PSB 2 System-1 MCC | 20115 | 19353 | - |
| 15 | PSB 1 System-2 Road | 20115 | 19353 | - |
| 16 | Junction House Old & New | 18772 | 17971 | - |
| 17 | Storage Bunker | 18161 | 17490 | - |
| 18 | Dispatch | - | - | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

INFERENCE: The Measured Values are within the limits.

Priyanka B M
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-33
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ **VBSS2**
Sl.No:Stack Monitoring Kit/ **032308**
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : **MAY-2024(1st Fort Night)**
- 10 Date of Sample Received : 09.05.2024, 10.05.2024&11.05.2024
- 11 Date of Sample Analysis : 10.05.2024, 11.05.2024&13.05.2024
- 12 Date Sample Analysis Completion : 12.05.2024, 12.05.2024&14.05.2024
- 13 Report Issued Date : **06.06.2024**
- 14 Report Number : **ULR-TC532324000000504F**

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/s | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|---|---|--------------------|-------------|-----------|-------|-------|-------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| 2X500 TPD Sponge Iron Kiln 3&4 | | | | | | | | | | | |
| 19 | DE 3, Axis 3 CD | 09.05.2024 | 839 | --- | 35 | 40 | 5.55 | 30 | 1.2 | 35.65 | 50 |
| 20 | DE 4, DE 7, DE 7A Axis 4 CD Junction House (Stand By) | 09.05.2024 | 840 | --- | 38 | 42 | 5.46 | 30 | 1.2 | 28.77 | 50 |
| 21 | DE 8 & 12 I-Bin, (Stand By) | 10.05.2024 | 877 | --- | 35 | 39 | 5.51 | 30 | 1.9 | 34.61 | 50 |
| 22 | DE 9 & 10 PSB 1 & 2 Product Separation bin | 10.05.2024 | 878 | --- | 35 | 41 | 5.77 | 30 | 1.9 | 29.51 | 50 |
| 23 | Coal Dryer | 11.05.2024 | 900 | --- | 32 | 42 | 5.87 | 27 | 1.2 | 37.32 | 50 |

| Sl. No | 2X500 TPD Sponge Iron Kiln 3&4 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|---|---|--|-----------|
| 19 | DE 3, Axis 3 CD | 18079 | 17390 | - |
| 20 | DE 4, DE 7, DE 7A Axis 4 CD Junction House (Stand By) | 19586 | 18771 | - |
| 21 | DE 8 & 12 I-Bin, (Stand By) | 51041 | 49267 | - |
| 22 | DE 9 & 10 PSB 1 & 2 Product Separation bin | 50225 | 48290 | - |
| 23 | Coal Dryer | 20808 | 19856 | - |

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-34
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(2 nd Fort Night) |
| 10 | Date of Sample Received | : 30.05.2024 |
| 11 | Date of Sample Analysis | : 31.05.2024 |
| 12 | Date Sample Analysis Completion | : 01.06.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000746F |

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|-----------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Beneficiation Plant-2 | | | | | | | | | | | |
| 1 | Iron Ore Cone Crusher | - | - | --- | - | - | - | - | - | - | 50 |
| 2 | Iron Ore Screening | 30.05.2024 | 1281 | --- | 34 | 37 | 5.62 | 30 | 0.90 | 13.67 | 50 |

| Sl. No | Beneficiation Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|-----------------------|---|--|-----------|
| 1 | Iron Ore Cone Crusher | - | - | - |
| 2 | Iron Ore Screening | 12868 | 12285 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither Inferred nor Implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-35
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|--|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No: Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024 (2nd Fort Night) |
| 10 | Date of Sample Received | : 16.05.2024 & 17.05.2024 |
| 11 | Date of Sample Analysis | : 17.05.2024 & 18.05.2024 |
| 12 | Date Sample Analysis Completion | : 18.05.2024 & 20.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC53232400000607F |

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|---|--|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| Pellet Plant | | | | | | | | | | | |
| 3 | AGB main bag Filter | 16.05.2024 | 1009 | --- | 34 | 38 | 5.26 | 6.5 | 0.5 | 26.18 | 50 |
| 4 | Lime & Bentonite Powder bin top bag filter | 16.05.2024 | 1010 | --- | 34 | 37 | 5.65 | 3 | 0.35 | 24.02 | 50 |
| 5 | AGB De dusting Bag Filter | - | - | --- | - | - | - | 6 | 0.6 | - | 50 |
| 6 | Powder Coal main bagfilter | - | - | --- | - | - | - | 6 | 0.6 | - | 50 |
| 7 | RP-6 Conveyor bag Filter | - | - | --- | - | - | - | 6 | 0.3 | - | 50 |
| 8 | Pellet discharge bin bagfilter | 17.05.2024 | 1042 | --- | 30 | 42 | 5.60 | 20 | 0.5 | 30.48 | 50 |

| Sl. No | Pellet Plant | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|--|---|--|-----------|
| 3 | AGB main bag Filter | 3301 | 3177 | - |
| 4 | Lime & Bentonite Powder bin top bag filter | 1587 | 1521 | - |
| 5 | AGB De dusting Bag Filter | - | - | - |
| 6 | Powder Coal main bagfilter | - | - | - |
| 7 | RP-6 Conveyor bag Filter | - | - | - |
| 8 | Pellet discharge bin bagfilter | 3963 | 3735 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255 (Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255 (Part 03) (RA 2014) |

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-36
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Vayubodhan Stack sampler/ VBSS2 Sl.No:Stack Monitoring Kit/ 032308 |
| 5 | Instrument Details | : Calibration Date: 28.03.2024 Calibration Due Date: 27.03.2025 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Atmospheric Pollution |
| 8 | Sample Type | : Stack Monitoring |
| 9 | Month of Sampling | : MAY-2024(2nd Fort Night) |
| 10 | Date of Sample Received | : 21.05.2024,30.05.2024,22.05.2024,23.05.2024&27.05.2024 |
| 11 | Date of Sample Analysis | : 22.05.2024, 31.05.2024, 23.05.2024, 24.05.2024 & 28.05.2024 |
| 12 | Date Sample Analysis Completion | : 23.05.2024, 01.06.2024, 24.05.2024, 25.05.2024 & 29.05.2024 |
| 13 | Report Issued Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000679F |

RESULTS

| Sl. No | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/Sec | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|--------------------------|--------------------|-------------|-----------|-------|-------|---------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| 2 X 500 TPD Sponge Iron Kiln 1 & 2 | | | | | | | | | | | |
| 9 | Cooler Discharge -1 | 21.05.2024 | 1137 | Coal | 30 | 36 | 6.13 | 30 | 1.2 | 28.45 | 50 |
| 10 | Cooler Discharge -2 | 30.05.2024 | 1135 | Coal | 33 | 38 | 5.58 | 30 | 1.2 | 28.97 | 50 |
| 11 | Coal stock house | 21.05.2024 | 1136 | Coal | 31 | 37 | 6.06 | 30 | 1.2 | 9.52 | 50 |
| 12 | PSB 1 System-1 | 22.05.2024 | 1183 | Coal | 34 | 37 | 5.74 | 30 | 1.2 | 32.92 | 50 |
| 13 | PSB 1 System-2 | 22.05.2024 | 1184 | Coal | 34 | 39 | 5.68 | 30 | 1.2 | 27.30 | 50 |
| 14 | PSB 2 System-1 MCC | 23.05.2024 | 1202 | Coal | 34 | 38 | 5.51 | 30 | 1.2 | 35.74 | 50 |
| 15 | PSB 1 System-2 Road | 23.05.2024 | 1203 | Coal | 35 | 39 | 5.74 | 30 | 1.2 | 32.32 | 50 |
| 16 | Junction House Old & New | 27.05.2024 | 1242 | Coal | 27 | 37 | 6.13 | 30 | 1.2 | 34.36 | 50 |
| 17 | Storage Bunker | 27.05.2024 | 1243 | Coal | 28 | 37 | 5.78 | 30 | 1.2 | 27.66 | 50 |
| 18 | Dispatch | - | - | --- | - | - | - | 30 | 1.2 | - | 50 |

| Sl. No | 2 X 500 TPD Sponge Iron Kiln 1 & 2 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|------------------------------------|---|--|-----------|
| 9 | Cooler Discharge -1 | 24969 | 23982 | - |
| 10 | Cooler Discharge -2 | 22707 | 21626 | - |
| 11 | Coal stock house | 24675 | 23604 | - |
| 12 | PSB 1 System-1 | 23360 | 22332 | - |
| 13 | PSB 1 System-2 | 23129 | 21954 | - |
| 14 | PSB 2 System-1 MCC | 20400 | 19702 | - |
| 15 | PSB 1 System-2 Road | 20115 | 19353 | - |
| 16 | Junction House Old & New | 18772 | 17971 | - |
| 17 | Storage Bunker | 18161 | 17490 | - |
| 18 | Dispatch | - | - | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255(Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255(Part 03) (RA 2014) |

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



ANNEXURE-37
GEMS-LD/TF/10/01

Analysis Report of Stack Emission

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Vayubodhan Stack sampler/ VBSS2
Sl.No: Stack Monitoring Kit/ 032308
- 5 Instrument Details : Calibration Date: 28.03.2024
Calibration Due Date: 27.03.2025
- 6 Discipline : Chemical
- 7 Group : Atmospheric Pollution
- 8 Sample Type : Stack Monitoring
- 9 Month of Sampling : MAY-2024 (2nd Fort Night)
- 10 Date of Sample Received : 20.05.2024 & 27.05.2024
- 11 Date of Sample Analysis : 21.05.2024 & 28.05.2024
- 12 Date Sample Analysis Completion : 22.05.2024 & 29.05.2024
- 13 Report Issued Date : 06.06.2024
- 14 Report Number : ULR-TC53232400000669F

RESULTS

| Sl. NO | Stack Attached to | Date of Monitoring | Sample Code | Fuel Used | Ta °C | TS °C | V m/s | Height (m) | Diameter (m) | PM mg/Nm ³ | KSPCB Std mg/Nm ³ |
|--|---|--------------------|-------------|-----------|-------|-------|-------|------------|--------------|-----------------------|------------------------------|
| Chimneys attached to Bag Filter (De dusting Units) | | | | | | | | | | | |
| 2X500 TPD Sponge Iron Kiln 3&4 | | | | | | | | | | | |
| 19 | DE 3, Axis 3 CD | 20.05.2024 | 1113 | --- | 28 | 36 | 5.83 | 30 | 1.20 | 33.88 | 50 |
| 20 | DE 4, DE 7, DE 7A Axis 4 CD Junction House (Stand By) | 20.05.2024 | 1114 | --- | 29 | 37 | 5.50 | 30 | 1.20 | 31.46 | 50 |
| 21 | DE 8 & 12 I-Bin, (Stand By) | 20.05.2024 | 1115 | --- | 30 | 39 | 5.89 | 30 | 1.30 | 29.01 | 50 |
| 22 | DE 9 & 10 PSB 1 & 2 Product Separation bin | 27.05.2024 | 1245 | --- | 30 | 38 | 5.40 | 30 | 1.40 | 36.13 | 50 |
| 23 | Coal Dryer | 27.05.2024 | 1244 | --- | 31 | 40 | 5.95 | 35 | 1.90 | 32.99 | 50 |

| Sl. No | 2X500 TPD Sponge Iron Kiln 3&4 | Gas flow rate at Stack Condition m ³ /hr | Gas flow rate at NTP Nm ³ /hr | KSPCB Std |
|--------|---|---|--|-----------|
| 19 | DE 3, Axis 3 CD | 18079 | 17390 | - |
| 20 | DE 4, DE 7, DE 7A Axis 4 CD Junction House (Stand By) | 19586 | 18771 | - |
| 21 | DE 8 & 12 I-Bin, (Stand By) | 51041 | 49267 | - |
| 22 | DE 9 & 10 PSB 1 & 2 Product Separation bin | 50225 | 48290 | - |
| 23 | Coal Dryer | 20808 | 19856 | - |

| Parameter | Protocol |
|--|---|
| Particulate Matter (mg/Nm ³) | IS: 11255 (Part 1) - 1985 (reaffirmed 2014) |
| Gas flow rate at Stack Condition | IS-11255 (Part 03) (RA 2014) |
| Gas flow rate at NTP | IS-11255 (Part 03) (RA 2014) |

INFERENCE: The Measured Values are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-38
GEMS-LD/TF/08/01

NOISE LEVEL MONITORING REPORT

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Noise Level Monitoring
 Particulars of Sample Collected : Lutron: SL- 4023SD
 Sl. No: Q679952
 Instrument Details : Calibration Date: 02.11.2023
 Due Calibration: 01.11.2024
 Month : MAY-2024
 Report Issue Date : 06.06.2024
 Method Adopted : IS 9989-1981 Reaffirmed 2014
 Report No : ULR-TC532324000000397F

| Sl. No | Location | Date of Monitoring | Noise Level dB (A) | | |
|--------|-------------------------------|--------------------|--------------------|------|----------|
| | | | Day Time | | Standard |
| | | | Min | Max | |
| 1 | Main Gate | 02.05.2024 | 51.8 | 56.4 | 75 |
| 2 | Near ATM | 02.05.2024 | 49.2 | 57.2 | 75 |
| 3 | Transit House | 03.05.2024 | 54.2 | 59.8 | 75 |
| 4 | CAAQMS Station | 03.05.2024 | 49.0 | 60.8 | 75 |
| 5 | Gunda Road | 04.05.2024 | 59.2 | 65.9 | 75 |
| 6 | Gunda Railway Station | 04.05.2024 | 62.8 | 71.8 | 75 |
| 7 | Bagging Shed | 06.05.2024 | 59.2 | 66.7 | 75 |
| 8 | Railway Siding | 06.05.2024 | 61.8 | 70.5 | 75 |
| 9 | 4th Gate | 07.05.2024 | 52.9 | 62.2 | 75 |
| 10 | Bricks Plant | 07.05.2024 | 54.6 | 66.1 | 75 |
| 11 | Kempuhalla (Wagon Tippler) | 08.05.2024 | 57.6 | 66.9 | 75 |
| 12 | Danapura Bridge | 08.05.2024 | 58.2 | 68.9 | 75 |
| 13 | 2nd Gate | 09.05.2024 | 49.2 | 54.6 | 75 |
| 14 | Project Store | 09.05.2024 | 46.2 | 53.4 | 75 |
| 15 | Dispatch (Truck Parking Area) | 10.05.2024 | 62.4 | 68.9 | 75 |

Note : Each Location above the Noise Level taken Readings 15 Minutes.


| | |
|------------------|---|
| INFERENCE | As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit. |
|------------------|---|

Signature
 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-39
GEMS-LD/TF/08/01

NOISE LEVEL MONITORING REPORT

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Noise Level Monitoring
 Particulars of Sample Collected : Lutron: SL- 4023SD
 Sl. No: Q679952
 Instrument Details : Calibration Date: 02.11.2023
 Due Calibration: 01.11.2024
 Month : MAY-2024
 Report Issue Date : 06.06.2024
 Method Adopted : IS 9989-1981 Reaffirmed 2014
 Report No : ULR-TC532324000000609F

| Sl. No | Location | Date of Monitoring | Noise Level dB (A) | | |
|--------|-------------------------------|--------------------|--------------------|------|----------|
| | | | Day Time | | Standard |
| | | | Min | Max | |
| 1 | Main Gate | 16.05.2024 | 49.8 | 55.8 | 75 |
| 2 | Near ATM | 16.05.2024 | 46.4 | 54.8 | 75 |
| 3 | Transit House | 17.05.2024 | 50.1 | 57.6 | 75 |
| 4 | CAAQMS Station | 17.05.2024 | 47.8 | 55.0 | 75 |
| 5 | Gunda Road | 18.05.2024 | 58.4 | 64.8 | 75 |
| 6 | Gunda Railway Station | 18.05.2024 | 68.2 | 70.2 | 75 |
| 7 | Bagging Shed | 20.05.2024 | 57.6 | 62.5 | 75 |
| 8 | Railway Siding | 20.05.2024 | 54.2 | 61.4 | 75 |
| 9 | 4th Gate | 21.05.2024 | 51.4 | 59.8 | 75 |
| 10 | Bricks Plant | 21.05.2024 | 48.2 | 58.8 | 75 |
| 11 | Kempuhalla (Wagon Tippler) | 22.05.2024 | 49.2 | 56.6 | 75 |
| 12 | Danapura Bridge | 22.05.2024 | 51.4 | 58.2 | 75 |
| 13 | 2nd Gate | 23.05.2024 | 51.2 | 57.1 | 75 |
| 14 | Project Store | 24.05.2024 | 45.6 | 56.4 | 75 |
| 15 | Dispatch (Truck Parking Area) | 24.04.2024 | 60.4 | 69.2 | 75 |

Note : Each Location above the Noise Level taken Readings 15 Minutes.

| | |
|------------------|---|
| INFERENCE | As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit. |
|------------------|---|

[Signature]
Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 150 days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-40
GEMS-LD/TF/08/01

AMBIENT NOISE LEVEL MONITORING REPORT

Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
 Customer Reference : WO/ADMIN/FY24/R018 - 450000125
 Sample collected by : Global Environment & Mining Services
 Discipline : Chemical
 Group : Atmospheric Pollution
 Sample Type : Noise Level Monitoring
 Particulars of Sample Collected : Lutron: SL- 4023SD
 SL No: Q679953
 Instrument Details : Calibration Date: 02.11.2023
 Due Calibration: 01.11.2024
 Month : MAY-2024
 Report Issue Date : 06.06.2024
 Method Adopted : IS 9989-1981 Reaffirmed 2014
 Report No : ULR-TC532324000000011F

| Sl. No | Location | Date of Monitoring | Noise Level dB (A) | | | | | | | |
|--------|----------------------|--------------------|--------------------|------|-------|----------|------------|------|-------|----------|
| | | | Day Time | | | Standard | Night Time | | | Standard |
| | | | Min | Max | Avg | | Min | Max | Avg | |
| 1 | Danapur Village | 06.05.2024 | 43.8 | 53.6 | 51.34 | 55 | 36.8 | 43.8 | 41.12 | 45 |
| 2 | Mariyammana Halli | 07.05.2024 | 46.2 | 54.1 | 52.68 | | 39.2 | 43.1 | 40.34 | |
| 3 | Hanumana Halli | 16.05.2024 | 45.1 | 53.4 | 52.64 | | 38.4 | 42.2 | 41.64 | |
| 4 | Galemmanagudi | 13.05.2024 | 46.6 | 54.3 | 53.76 | | 40.4 | 44.4 | 42.12 | |
| 5 | G.Nagalapura Village | 14.05.2024 | 43.4 | 53.8 | 51.04 | | 37.6 | 40.1 | 40.84 | |
| 6 | Gunda Tanda Village | 23.05.2024 | 42.6 | 53.1 | 49.82 | | 38.1 | 40.6 | 38.72 | |

Note: Each Location above the Noise Level taken Readings 15 Minutes.

INFERENCE

As per CPCB Standards,

Report Status: - Measured Values for the above parameters are within the limit.

[Signature]
 Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager

NOISE: (AMBIENT STANDARDS)

| Area code | Category of Area | Limit in dB(A) Leq | |
|-----------|------------------|--------------------|------------|
| | | Day Time | Night Time |
| A | Industrial Area | 75 | 70 |
| B | Commercial Area | 65 | 55 |
| C | Residential Area | 55 | 45 |
| D | Silence Area | 50 | 40 |

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-41
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 905 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 13.05.2024 |
| 12 | Date of Analysis | : 14.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : ULR-TC532324000000556F |

Results

| Sl. No. | Parameters | Protocol | Unit | Danapur Village (GW1) | Standards as per IS: 10500:2012 | |
|---------|---------------------------------------|--|-------|-----------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.13 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | µS/cm | 2500 | - | - |
| 3. | Total Dissolved Solids | APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 1500 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.4 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 305.20 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 293.8 | - | - |
| 9. | Potassium as K | APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 144.0 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 43.74 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 540.0 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76) | mg/L | 394.27 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.86 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 17.74 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 505.25 | 200 | 600 |

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-41

| | | | | | | |
|-----|------------------------------|--|------|-------|------|------|
| 17. | Acidity as CaCO ₃ | APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.12 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.314 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.250 | 5 | 15 |
| 23. | Lead as Pb | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |

Note: GW1: Danapur Village. NR-No relaxation.

INFERENCE

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limits.

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-41
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data


- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical/Biological
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : 905
- 10 Date of Sampling : 11.05.2024
- 11 Sample Received : 13.05.2024
- 12 Date of Analysis : 14.05.2024
- 13 Date of Analysis Completion : 18.05.2024
- 14 Report Issue Date : 06.06.2024
- 15 Report Number : GEMS/WATER/2024-2025/556

Results

| Sl. No | Parameters | Protocol | Unit | Danapur Village (GW1) | Standards as per IS: 10500:2012 | |
|--------|------------------------|--|------------------|-----------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | Color | APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8) | Hazen | <5 | 5 | 15 |
| 2. | Cadmium as Cd | APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 3. | Total Coli form count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |
| 4. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



ANNEXURE-42
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 907 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : ULR-TC532324000000558F |

Results

| Sl. No | Parameters | Protocol | Unit | Hanumanahalli Village (GW2) | Standards as per IS: 10500:2012 | |
|--------|---------------------------------------|--|-------|-----------------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.66 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | μS/cm | 650 | - | - |
| 3. | Total Dissolved Solids | APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 390 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.3 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 53.79 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 61.51 | - | - |
| 9. | Potassium as K | APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 29.14 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 26.47 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 181.8 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23 rd Edition 2017 4500 Cl- | mg/L | 76.00 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.45 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 15.24 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 161.25 | 200 | 600 |

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-42


| | | | | | | |
|-----|------------------------------|--|------|-------|------|------|
| 17. | Acidity as CaCO ₃ | APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.14 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.214 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.111 | 5 | 15 |
| 23. | Lead as Pb | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |


Note: GW2: Hanumanahalli Village. NR-No relaxation.

INFERENCE

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limit.


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-42
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical/Biological |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 907 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : GEMS/WATER/2024-2025/558 |

Results

| Sl. No | Parameters | Protocol | Unit | Hanumanahalli Village (GW2) | Standards as per IS: 10500:2012 | |
|--------|------------------------|--|------------------|-----------------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | Color | APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8) | Hazen | <5 | 5 | 15 |
| 2. | Cadmium as Cd | APHA-23RD Edition-3111 –B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 3. | Total Coli form count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |
| 4. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-43

GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 908 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : ULR-TC532324000000559F |

Results

| Sl. No | Parameters | Protocol | Unit | Galemmana Gudi Village (GW3) | Standards as per IS: 10500:2012 | |
|--------|---------------------------------------|--|-------|------------------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.61 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | μS/cm | 2600 | - | - |
| 3. | Total Dissolved Solids | APHA 23rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 1560 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.4 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 153.99 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 211.7 | - | - |
| 9. | Potassium as K | APHA 23rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 176.0 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 29.16 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 560.0 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76) | mg/L | 546.28 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.85 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 21.52 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 483.75 | 200 | 600 |

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-43

| | | | | | | |
|-----|------------------------------|--|------|-------|------|------|
| 17. | Acidity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23 rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.20 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.326 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.235 | 5 | 15 |
| 23. | Lead as Pb | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23 rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |

Note: GW3: GalemmanaGudi Village. NR-No relaxation.

| | |
|------------------|---|
| INFERENCE | As per Standards IS: 10500:2012 Report Status: - Measured Values for the above parameters are within the limits. |
|------------------|---|

Priyanka B M
Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-43
GEMS-LD/TF/23/01


Analysis Report of Water Quality Data


| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical/Biological |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 908 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : GEMS/WATER/2024-2025/559 |

Results

| Sl. No | Parameters | Protocol | Unit | Galemmana Gudi Village (GW3) | Standards as per IS: 10500:2012 | |
|--------|------------------------|--|------------------|------------------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | Color | APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8) | Hazen | <5 | 5 | 15 |
| 2. | Cadmium as Cd | APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 3. | Total Coli form count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |
| 4. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation


Analysed By
 Priyanka B M
 Chemist


Authorised Signatory
 K. Ramakrishna Reddy
 Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-44
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 906 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : ULR-TC532324000000557F |

Results

| Sl. No | Parameters | Protocol | Unit | Mariyammana Halli Village (GW4) | Standards as per IS: 10500:2012 | |
|--------|---------------------------------------|--|-------|---------------------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.44 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | μS/cm | 2350 | - | - |
| 3. | Total Dissolved Solids | APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 1410 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.4 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 161.00 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 346.85 | - | - |
| 9. | Potassium as K | APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 131.14 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 55.07 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 554.49 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76) | mg/L | 413.27 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.75 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 19.21 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 451.5 | 200 | 600 |

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-44

| | | | | | | |
|-----|------------------------------|--|------|-------|------|------|
| 17. | Acidity as CaCO ₃ | APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.15 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.238 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.208 | 5 | 15 |
| 23. | Lead as Pb | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23 rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |

Note: GW4: Mariyammanahalli Village. NR-No relaxation

INFERENCE

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limit.

Priyanka B M

Analysed By
Priyanka B M
Chemist

K. Ramakrishna Reddy
Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-44
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical/Biological |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 906 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : GEMS/WATER/2024-2025/557 |

Results

| Sl. No | Parameters | Protocol | Unit | Mariyammana Halli Village (GW4) | Standards as per IS: 10500:2012 | |
|--------|------------------------|--|------------------|---------------------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | Color | APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8) | Hazen | <5 | 5 | 15 |
| 2. | Cadmium as Cd | APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 3. | Total Coli form count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |
| 4. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey

Analysis Report of Water Quality Data

- | | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 909 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.05.2024 |
| 15 | Report Number | : ULR-TC532324000000560F |

Results

| Sl. No | Parameters | Protocol | Unit | Gunda Thanda (GW5) | Standards as per IS: 10500:2012 | |
|--------|---------------------------------------|--|-------|--------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.90 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | μS/cm | 900 | - | - |
| 3. | Total Dissolved Solids | APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 540 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.4 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 37.58 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 87.29 | - | - |
| 9. | Potassium as K | APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 72.86 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 17.58 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 254.52 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76) | mg/L | 95.00 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.79 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 14.28 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 333.25 | 200 | 600 |

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GEMS



NABET

GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE - 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in




TC-5323

ANNEXURE-45

| | | | | | | |
|-----|------------------------------|--|------|-------|------|------|
| 17. | Acidity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23 rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.18 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.220 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.109 | 5 | 15 |
| 23. | Lead as Pb | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23 rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |

Note: GW5: Gunda Thanda. NR-No relaxation.

| | |
|------------------|--|
| INFERENCE | As per Standards IS: 10500:2012 Report Status: - Measured Values for the above parameters are within the limit. |
|------------------|--|


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

**Note:**

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-45
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical/Biological |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 909 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : GEMS/WATER/2024-2025/560 |

Results

| Sl. No | Parameters | Protocol | Unit | Gunda Thanda (GW5) | Standards as per IS: 10500:2012 | |
|--------|------------------------|--|------------------|--------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | Color | APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8) | Hazen | <5 | 5 | 15 |
| 2. | Cadmium as Cd | APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 3. | Total Coli form count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |
| 4. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GEMS

**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE - 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-46
GEMS-LD/TF/23/01**Analysis Report of Water Quality Data**

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : Ground Water
- 9 Sample Code : **910**
- 10 Date of Sampling : 11.05.2024
- 11 Sample Received : 11.05.2024
- 12 Date of Analysis : 11.05.2024
- 13 Date of Analysis Completion : 18.05.2024
- 14 Report Issue Date : **06.06.2024**
- 15 Report Number : **ULR-TC532324000000561F**

Results

| Sl. No | Parameters | Protocol | Unit | G.Nagalapura (GW6) | Standards as per IS: 10500:2012 | |
|--------|---------------------------------------|--|-------|--------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.80 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23 rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | μS/cm | 940 | - | - |
| 3. | Total Dissolved Solids | APHA 23 rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 564 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23 rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.3 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23 rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 34.16 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23 rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23 rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 170.55 | - | - |
| 9. | Potassium as K | APHA 23 rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23 rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 51.00 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23 rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 13.19 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23 rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 181.8 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23 rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76) | mg/L | 76.00 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23 rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.74 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23 rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 12.18 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 430.00 | 200 | |

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey





GEMS



NABET

GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE - 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in





TC-5323

ANNEXURE-46

| | | | | | | |
|-----|------------------------------|--|------|-------|------|------|
| 17. | Acidity as CaCO ₃ | APHA 22nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.14 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.175 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | 0.099 | 5 | 15 |
| 23. | Lead as Pb | APHA 23rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |

Note: GW6: G.Nagalapura. NR-No relaxation.**INFERENCE****As per Standards IS: 10500:2012****Report Status: - Measured Values for the above parameters are within the limit.**


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

**Note:**

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-46
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical/Biological |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Ground Water |
| 9 | Sample Code | : 910 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : GEMS/WATER/2024-2025/561 |

Results

| Sl. No | Parameters | Protocol | Unit | G. Nagalapura(GW6) | Standards as per IS: 10500:2012 | |
|--------|------------------------|--|------------------|--------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | Color | APHA-23RD Edition-2120 C (Pg No. 2 -7 to 2-8) | Hazen | <5 | 5 | 15 |
| 2. | Cadmium as Cd | APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 3. | Total Coli form count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |
| 4. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GEMS



NABET

GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE – 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-47
GEMS-LD/TF/23/01**Analysis Report of Water Quality Data**

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18 - 450000125
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Grab Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : RO Drinking Water
- 9 Sample Code : 911
- 10 Date of Sampling : 11.05.2024
- 11 Sample Received : 11.05.2024
- 12 Date of Analysis : 11.05.2024
- 13 Date of Analysis Completion : 18.05.2024
- 14 Report Issue Date : 06.05.2024
- 15 Report Number : ULR-TC532324000000562F

Results

| Sl. No | Parameters | Protocol | Unit | RO Drinking Water | Standards as per IS: 10500:2012 | |
|--------|---------------------------------------|--|-------|-------------------|---------------------------------|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | pH | APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.70 | 6.5 to 8.5 | NR |
| 2. | Conductivity | APHA 23rd Edition 2017 2510 A (Pg. No.2-56 to 2-58) | µS/cm | 140 | - | - |
| 3. | Total Dissolved Solids | APHA 23rd Edition 2017 2540 C (Pg. No.2-69 to 2-70) | mg/L | 84 | 500 | 2000 |
| 4. | Turbidity (NTU) | APHA 23rd Edition 2017 2130 B (Pg. No.2-13 to 2-15) | NTU | 0.0 | 1 | 5 |
| 5. | Total Suspended Solids | APHA 23rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | <1.0 | - | - |
| 6. | Sulphate as SO ₄ | APHA 23rd Edition 2017 4500 -SO ₄ ²⁻ E (Page No. 4-199 to 4-200) | mg/L | 8.52 | 200 | 400 |
| 7. | Phosphorus as P | APHA 23rd Edition 2017 4500-P D (Page No. 4-163 to 4-164) | mg/L | Nil | - | - |
| 8. | Sodium as Na | APHA 23rd Edition 2017 Na 3500 B (Pg. No.3-99 to 3-100) | mg/L | 6.68 | - | - |
| 9. | Potassium as K | APHA 23rd Edition 2017 K 3500 B (Pg. No.3-89 to 3-90) | mg/L | 0.0 | - | - |
| 10. | Calcium as Ca | APHA 23rd Edition 2017 3500 Ca B (Pg. No.3-69 to 3-70) | mg/L | 7.28 | 75 | 200 |
| 11. | Magnesium as Mg | APHA 23rd Edition 2017 3500-B Mg By calculation (Pg. No.3-86) | mg/L | 2.20 | 30 | 100 |
| 12. | Total Hardness as CaCO ₃ | APHA 23rd Edition 2017 2340 C (Page No. 2-48 to 2-50) | mg/L | 27.27 | 200 | 600 |
| 13. | Chloride as Cl | APHA 23rd Edition 2017 4500 Cl- (Page No. 4-75 to 4-76) | mg/L | 23.75 | 250 | 1000 |
| 14. | Fluoride as F | APHA 23rd Edition 2017 4500 F- D (Page No. 4-90 to 4-91) | mg/L | 0.04 | 1 | 1.5 |
| 15. | Nitrate Nitrogen as NO ₃ | APHA 23rd Edition 2017 4500 NO ₃ E (Pg. No.4-131 to 4-132) | mg/L | 1.56 | 45 | NR |
| 16. | Total Alkalinity as CaCO ₃ | APHA 22nd Edition 2017 2320 B (Pg. No.2-37 to 2-39) | mg/L | 53.75 | 200 | 600 |

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete Jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGFS survey





GEMS

**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE - 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in





TC-5323

ANNEXURE-47

| | | | | | | |
|-----|------------------------------|--|------|-------|-------|------|
| 17. | Acidity as CaCO ₃ | APHA 22 nd Edition 2017 2320 B (Pg. No.2-34 to 2-36) | mg/L | Nil | - | - |
| 18. | Total Iron as Fe | APHA 23 rd Edition 2017 3500 Fe-B. (Pg. No.3-80 to 3-82) | mg/L | 0.06 | 0.30 | NR |
| 19. | Nickel as Ni | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.02 | 0.02 | NR |
| 20. | Manganese as Mn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.1 | 0.10 | 0.30 |
| 21. | Copper as Cu | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.05 | 1.50 |
| 22. | Zinc as Zn | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 5 | 15 |
| 23. | Lead as Pb | APHA 23 rd Edition 3111 B. Direct Air Acetylene Flame Method | mg/L | <0.01 | 0.01 | NR |
| 24. | Arsenic as As | APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | <0.01 | 0.01 | 0.05 |
| 25. | Chromium as Cr | APHA 23 rd Edition 2017 3500 Cr-B. (Pg. No.3-71 to 3-72) | mg/L | <0.05 | 0.05 | NR |
| 26. | Mercury as Hg | APHA 23 rd Edition 2017 3114 B. (Pg. No.3-36 to 3-40) | mg/L | Nil | 0.001 | NR |

Note: W6: RO Drinking Water. NR-No relaxation. Ab-Absent.**INFERENCE****As per Standards IS: 10500:2012****Report Status: - Measured Values for the above parameters are within the limit.**


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

**Note:**

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-47
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/R018 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Grab Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical/Biological |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : RO Drinking Water |
| 9 | Sample Code | : 911 |
| 10 | Date of Sampling | : 11.05.2024 |
| 11 | Sample Received | : 11.05.2024 |
| 12 | Date of Analysis | : 11.05.2024 |
| 13 | Date of Analysis Completion | : 18.05.2024 |
| 14 | Report Issue Date | : 06.06.2024 |
| 15 | Report Number | : GEMS/RO/2024-2025/562 |

Results

| Sl. No | Parameters | Protocol | Unit | RO Drinking Water | Standards as per IS: 10500:2012 | |
|--------|------------------------------|--|------------------|-------------------|---|--------------------|
| | | | | | Desirable Limits | Permissible Limits |
| 1. | colour | IS: 3025 (PART 4)- 1984, RA-2012 Platinum cobalt Method | Hazen | <5 | 5 | 15 |
| 2. | Odour | IS: 3025 (PART 5)- 1983, RA-2012, True Odour | - | Agreeable | Agreeable | Agreeable |
| 3. | Total Residual chlorine | IS:3025 (part 26)-1986, RA-2003, Iodometric method | mg/L | Nil | 0.2 | 1.0 |
| 4. | Oil & Grease | Clause 6 of IS 3025 (Part 39) Infrared | mg/L | Nil | 0.5 | No Relaxation |
| 5. | Cadmium as Cd | APHA-23RD Edition-3111 -B (Pg No.3 -20 to 3-21) | mg/L | BDL | 0.003 | NR |
| 6. | Selenium as Se | APHA 23 rd Edition 3114 B. Direct Air Acetylene Flame Method | mg/L | BDL | 0.01 | No Relaxation |
| 7. | Cyanides (as CN) | APHA 23 rd Edition 4500 CN- (Pg. No.4-45 to 4-46) | mg/L | BDL | 0.05 | No Relaxation |
| 8. | Phenolic Compound as phenols | IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method | mg/L | BDL | 1.0 | - |
| 9. | Anionic detergents (as MBAS) | APHA 23 rd Edition 5540 C (Pg. No.5-55 to 5-57) | mg/L | BDL | 0.2 | 1.0 |
| 10. | Boron as B | APHA 23rd Edition 2017 4500 B-B (p.no.4-25 to 4-26) | mg/L | BDL | 0.5 | 1.0 |
| 11. | Escherichia coli count | IS : 1622 : 1981 | 1 CFU/ 100 ml | Absent | Shall not be detectable in any 100ml sample | - |

Note: Ab: Absent, NR: No Relaxation,

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-48
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Composite Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Sewage Treatment Plant (Outlet) |
| 9 | Date of Sampling | : 09.05.2024 |
| 10 | Sample Received | : 10.05.2024 |
| 11 | Date of Analysis | : 10.05.2024 |
| 12 | Date of Analysis Completion | : 14.05.2024 |
| 13 | Report Issue Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000511F |

| Sl. No. | Parameters | Protocol | Unit | Results | | | As per KSPCB Std |
|---------|---|--|------|------------|--------------|--------------|------------------|
| | | | | STP 45 KLD | STP-1 90 KLD | STP-2 90 KLD | |
| | | Sample code | - | 846 | 847 | 848 | |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.11 | 6.96 | 7.04 | 6.5 to 8.5 |
| 2. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | 14.00 | 12.00 | 8.0 | <20 |
| 3. | Biochemical Oxygen Demand as BOD (3 days at 27°C) | IS:3025 (part 44)-1993, Reaffirmed -2019 | mg/L | 6.0 | 4.00 | 4.00 | <10 |
| 4. | Chemical Oxygen Demand as COD | APHA 23 rd Edition 2017 5220 C (Pg. No.5-18 to 5-19) | mg/L | 32.88 | 20.08 | 21.44 | <50 |
| 5. | Oil & Grease | APHA 23 rd Edition 2017 5520 B (Pg. No.5-41 to 5-42) | mg/L | 2.0 | 4.0 | 2.0 | 10 |

Note: BDL-Below detectable Limit. **INFERENCE:** The Measured values are within the Limit.

STP 45 KLD – Near Fortivia

STP-1 90 KLD –Near ISP Area

STP-2 90 KLD –Near Gunda Guest House

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist, Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-48
GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Composite Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : Sewage Treatment Plant (Outlet)
- 9 Date of Sampling : 09.05.2024
- 10 Sample Received : 10.05.2024
- 11 Date of Analysis : 10.05.2024
- 12 Date of Analysis Completion : 14.05.2024
- 13 Report Issue Date : 06.06.2024
15. Report Number : GEMS/RO/2024-2025/511

| Sl. No. | Parameters | Protocol | Unit | Results | | | As per KSPCB Std |
|---------|--|---|-------|------------|--------------|--------------|------------------|
| | | | | STP 45 KLD | STP-1 90 KLD | STP-2 90 KLD | |
| | | Sample code | - | 846 | 847 | 848 | |
| 1. | Color | APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7) | Hazen | 4 | 2 | 4 | - |
| 2. | Odour | IS: 3025 (PART 5)- 1983, RA-2012, True Odour | - | Agree able | Agree able | Agree able | - |
| 3. | Cyanides (as CN) | APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46) | mg/L | BDL | BDL | BDL | - |
| 4. | Phenolic Compounds (as C ₆ H ₅ OH) | IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method | mg/L | BDL | BDL | BDL | - |
| 5. | Chromium (as Cr ⁶⁺) | APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72) | mg/L | <0.001 | <0.001 | <0.001 | - |
| 6. | Ammonical nitrogen as N | IS:3025 (part 34)-1988, RA-2014, Nesslerization method | mg/L | 0.56 | 1.40 | 0.98 | - |

Note: BDL-Below detectable Limit. INFERENCE: The Measured values are within the Limit.

STP 45 KLD – Near Fortivia

STP-1 90 KLD –Near ISP Area

STP-2 90 KLD –Near Gunda Guest House

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GEMS

**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,**HOSAPETE - 583201**, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



TC-5323

ANNEXURE-49
GEMS-LD/TF/23/01**Analysis Report of Water Quality Data**


| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 - 450000125 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Composite Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Waste Water |
| 9 | Date of Sampling | : 11.05.2024 |
| 10 | Sample Received | : 12.05.2024 |
| 11 | Date of Analysis | : 13.05.2024 |
| 12 | Date of Analysis Completion | : 18.05.2024 |
| 13 | Report Issue Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000563F |


Results

| Sl. No. | Parameters | Protocol | Unit | Results | | As per KSPCB Std |
|-------------|-------------------------------|--|------|---|---|------------------|
| | | | | Neutralization Pit 70 MW Power Plant | Neutralization Pit 2x70 MW Power Plant | |
| Sample Code | | | | 912 | 913 | |
| 1. | pH | APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.54 | 7.46 | 6.5 to 9.0 |
| 2. | Total Suspended Solids | APHA 23rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | 10.0 | 4.0 | 100 |
| 3. | Chemical Oxygen Demand as COD | APHA 23rd Edition 2017 5220 C (Pg. No.5-18 to 5-19) | mg/L | 18.36 | 12.24 | 250 |
| 4. | Oil & Grease | APHA 23rd Edition 2017 5520 B (Pg. No.5-41 to 5-42) | mg/L | 2.0 | 2.0 | 10 |

Note: BDL-Below detectable Limit.

INFERENCE: The Measured values are within the Limit.


Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

**Note:**

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-50
GEMS-LD/TF/23/01

Analysis Report of Surface Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/RO18
- 3 Sample collected by : -
- 4 Particulars of sample collected : -
- 5 Sampling Procedure : -
- 6 Discipline : Chemical
- 7 Group : Pollution & Environment
- 8 Sample Type : Surface Water
- 9 Date of Sampling : -
- 10 Sample Received : -
- 11 Date of Analysis : -
- 12 Date of Analysis Completion : -
- 13 Report Issue Date : 06.06.2024

| Sl. No. | Parameters | Protocol | Unit | Results | | IS 2296 - 1982 CLASS -B |
|-------------|--|---|-------------|-------------------------|---------------------------|----------------------------|
| | | | | Danayakanakere Upstream | Danayakanakere Downstream | |
| Sample code | | | | | | |
| 1. | pH | APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | - | - | 6.5-8.5 |
| 2. | Biochemical Oxygen Demand as BOD (3 days at 27°C) | IS:3025 (part 44)-1993, Reaffirmed -2019 | mg/L | - | - | 3.0 |
| 3. | Fluorides as F | APHA 23 RD Edition 4500F- D (Pg. No.4-90 to 4-91) | mg/L | - | - | 1.5 |
| 4. | Arsenic as As | APHA-23 RD Edition-3114 -B (Pg. No.3 -36 to 3-40) | mg/L | - | - | 0.2 |
| 5. | Dissolved Oxygen | APHA 23 RD Edition 4500 C (Pg. No.4-146) | mg/L | - | - | >5.0 |
| 6. | Color | APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7) | Hazen | - | - | 300 |
| 7. | Cyanides (as CN) | APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46) | mg/L | - | - | 0.05 |
| 8. | Phenolic Compounds (as C ₆ H ₅ OH) | IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method | mg/L | - | - | 0.005 |
| 9. | Chromium (as Cr ⁶⁺) | APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72) | mg/L | - | - | 1.0 |
| 10. | Anionic detergents (as MBAS) | APHA 23 RD Edition 5540 C (Pg. No.5-55 to 5-57) | mg/L | - | - | 1.0 |
| 11. | Total Coliform Organisms | | | | | |
| | Total Coli forms | IS : 15185 : 2016 | MPN/ 100 ml | - | - | 500 |
| | Escherichia coli or E. coli | IS : 15185 : 2016 | MPN/ 100 ml | - | - | - |

Note: Water Sample not collected, Because No water inside Danayakanakere

Authorised Signatory

K. Ramakrishna Reddy

Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-51
GEMS-LD/TF/23/01

Analysis Report of Surface Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Composite Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Surface Water |
| 9 | Date of Sampling | : - |
| 10 | Sample Received | : - |
| 11 | Date of Analysis | : - |
| 12 | Date of Analysis Completion | : - |
| 13 | Report Issue Date | : 06.06.2024 |

| Sl. No. | Parameters | Protocol | Unit | Results | | IS 2296 - 1982 CLASS -B |
|---------|--|--|-------------|---------------------|-----------------------|-------------------------|
| | | | | KempuHalla Upstream | KempuHalla Downstream | |
| | | Sample code | | - | - | |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | - | - | 6.5-8.5 |
| 2. | Biochemical Oxygen Demand as BOD (3 days at 27°C) | IS:3025 (part 44)-1993, Reaffirmed -2019 | mg/L | - | - | 3.0 |
| 3. | Fluorides as F | APHA 23 rd Edition 4500F- D (Pg. No.4-90 to 4-91) | mg/L | - | - | 1.5 |
| 4. | Arsenic as As | APHA-23 rd Edition-3114 -B (Pg. No.3 -36 to 3-40) | mg/L | - | - | 0.2 |
| 5. | Dissolved Oxygen | APHA 23 rd Edition 4500 C (Pg. No.4-146) | mg/L | - | - | >5.0 |
| 6. | Color | APHA 23 rd Edition 2120 B (Pg. No.2-6 to 2-7) | Hazen | - | - | 300 |
| 7. | Cyanides (as CN) | APHA 23 rd Edition 4500 CN- (Pg. No.4-45 to 4-46) | mg/L | - | - | 0.05 |
| 8. | Phenolic Compounds (as C ₆ H ₅ OH) | IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method | mg/L | - | - | 0.005 |
| 9. | Chromium (as Cr ⁶⁺) | APHA-23 rd Edition-3500 Cr B (Pg. No.3-71 to 3-72) | mg/L | - | - | 1.0 |
| 10. | Anionic detergents (as MBAS) | APHA 23 rd Edition 5540 C (Pg. No.5-55 to 5-57) | mg/L | - | - | 1.0 |
| 11. | Total Coliform Organisms, | | | | | |
| | Total Coli forms | IS : 15185 : 2016 | MPN/ 100 ml | - | - | 500 |
| | Escherichia coli or E. coli | IS : 15185 : 2016 | MPN/ 100 ml | - | - | - |

Water Sample not collected, Because KempuHalla no Water Flowing.

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

ANNEXURE-52
GEMS-LD/TF/23/01

Analysis Report of Surface Water Quality Data

- 1 Name of the Industry : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District.
- 2 Customer Reference : WO/ADMIN/FY24/R018
- 3 Sample collected by : GLOBAL Environment & Mining Services
- 4 Particulars of sample collected : Composite Sampling
- 5 Sampling Procedure : GEMS-LD/SOP/32
- 6 Discipline : Chemical/Biological
- 7 Group : Pollution & Environment
- 8 Sample Type : **Surface Water**
- 9 Date of Sampling : 11.05.2024
- 10 Sample Received : 11.05.2024
- 11 Date of Analysis : 11.05.2024
- 12 Date of Analysis Completion : 18.05.2024
- 13 Report Issue Date : **06.06.2024**
- 14 Report Number : **GEMS/SW/2024-2025/565**

| Sl. No. | Parameters | Protocol | Unit | Results | IS 2296 -1982 CLASS -B |
|-------------|--|---|-------------|-----------------|------------------------|
| | | | | Tungabhadra dam | |
| Sample Code | | | 914 | | |
| 1. | pH | APHA 23rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.45 | 6.5-8.5 |
| 2. | Biochemical Oxygen Demand as BOD (3 days at 27°C) | IS:3025 (part 44)-1993, Reaffirmed -2019 | mg/L | 2.0 | 3.0 |
| 3. | Fluorides as F | APHA 23 RD Edition 4500F- D (Pg. No.4-90 to 4-91) | mg/L | BDL | 1.5 |
| 4. | Arsenic as As | APHA-23 RD Edition-3114 –B (Pg. No.3 -36 to 3-40) | mg/L | <0.1 | 0.2 |
| 5. | Dissolved Oxygen | APHA 23 RD Edition 4500 C (Pg. No.4-146) | mg/L | 6.2 | >5.0 |
| 6. | Color | APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7) | Hazen | <5 | 300 |
| 7. | Cyanides (as CN) | APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46) | mg/L | BDL | 0.05 |
| 8. | Phenolic Compounds (as C ₆ H ₅ OH) | IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method | mg/L | BDL | 0.005 |
| 9. | Chromium (as Cr ⁶⁺) | APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72) | mg/L | BDL | 1.0 |
| 10. | Anionic detergents (as MBAS) | APHA 23 RD Edition 5540 C (Pg. No.5-55 to 5-57) | mg/L | BDL | 1.0 |
| 11. | Total Coliform Organisms, | | | | |
| | Total Coli forms | IS : 15185 : 2016 | MPN/ 100 ml | Absent | 500 |
| | Escherichia coli or E. coli | IS : 15185 : 2016 | MPN/ 100 ml | Absent | - |

Note: BDL-Below detectable Limit

INFERENCE: The measured values are within the Limit.



Analysed By
Priyanka B M
Chemist


Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website : www.globalmining.in



GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Composite Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Sewage Treatment Plant (Outlet) |
| 9 | Date of Sampling | : 09.05.2024 |
| 10 | Sample Received | : 10.05.2024 |
| 11 | Date of Analysis | : 10.05.2024 |
| 12 | Date of Analysis Completion | : 14.05.2024 |
| 13 | Report Issue Date | : 06.06.2024 |
| 14 | Report Number | : ULR-TC532324000000514F |

| Sl. No. | Parameters | Protocol | Unit | Results | As per KSPCB Std |
|---------|---|--|------|------------|------------------|
| | | | | STP 30 KLD | |
| | | Sample code | - | 849 | |
| 1. | pH | APHA 23 rd Edition 2017 4500 H+ B (Pg. No.4-95 to 4-99) | - | 7.06 | 6.5 to 8.5 |
| 2. | Total Suspended Solids | APHA 23 rd Edition 2017 2540 D (Pg. No.2-70 to 2-71) | mg/L | 12.0 | <20 |
| 3. | Biochemical Oxygen Demand as BOD (3 days at 27°C) | IS:3025 (part 44)-1993, Reaffirmed -2019 | mg/L | 6.0 | <10 |
| 4. | Chemical Oxygen Demand as COD | APHA 23 rd Edition 2017 5220 C (Pg. No.5-18 to 5-19) | mg/L | 22.88 | <50 |
| 5. | Oil & Grease | APHA 23 rd Edition 2017 5520 B (Pg. No.5-41 to 5-42) | mg/L | 2.0 | 10 |

Note: BDL-Below detectable Limit. **INFERENCE:** The Measured values are beyond the Limit.
STP 30 KLD -Near Hanumanahalli Colony

Analysed By
Priyanka B M
Chemist

Authorised Signatory
K. Ramakrishna Reddy
Technical Manager

Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 3 Months, Filter papers & Thimbles After analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.
5. Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey



GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3rd Main Road, Basaveswara Badavane,

HOSAPETE - 583201, Dist., Vijayanagara (Karnataka)

Ph : 08394 355369

e-mail : gems_hpt@yahoo.com

Website: www.globalmining.in

GEMS-LD/TF/23/01

Analysis Report of Water Quality Data

| | | |
|----|---------------------------------|---|
| 1 | Name of the Industry | : BMM Ispat Ltd., Danapur, Hosapete Taluk, Vijayanagara District. |
| 2 | Customer Reference | : WO/ADMIN/FY24/RO18 |
| 3 | Sample collected by | : GLOBAL Environment & Mining Services |
| 4 | Particulars of sample collected | : Composite Sampling |
| 5 | Sampling Procedure | : GEMS-LD/SOP/32 |
| 6 | Discipline | : Chemical |
| 7 | Group | : Pollution & Environment |
| 8 | Sample Type | : Sewage Treatment Plant (Outlet) |
| 9 | Date of Sampling | : 09.05.2024 |
| 10 | Sample Received | : 10.05.2024 |
| 11 | Date of Analysis | : 10.05.2024 |
| 12 | Date of Analysis Completion | : 14.05.2024 |
| 13 | Report Issue Date | : 06.06.2024 |
| 14 | Report Number | : GEMS/BMM/STPWW/2024-2025/514 |

| Sl. No. | Parameters | Protocol | Unit | Results STP 30 KLD | As per KSPCB Std |
|-------------|--|--|-------|--------------------------|------------------------|
| Sample code | | | - | 849 | |
| 1. | Color | APHA 23 RD Edition 2120 B (Pg. No.2-6 to 2-7) | Hazen | 4.0 | - |
| 2. | Odour | IS: 3025 (PART 5)- 1983, RA-2012, True Odor | - | Agree able | - |
| 3. | Cyanides (as CN) | APHA 23 RD Edition 4500 CN- (Pg. No.4-45 to 4-46) | mg/L | BDL | - |
| 4. | Phenolic Compounds (as C ₆ H ₅ OH) | IS:3025 (part 43)-1992, RA-2014, Chloroform extraction method | mg/L | BDL | - |
| 5. | Chromium (as Cr ⁶⁺) | APHA-23 RD Edition-3500 Cr B (Pg. No.3-71 to 3-72) | mg/L | <0.001 | - |
| 6. | Ammonical nitrogen as N | IS:3025 (part 34)-1988, RA-2014, Nesslerization method | mg/L | 1.12 | - |

Note: BDL-Below detectable Limit. **INFERENCE:** The Measured values are within the Limit.

STP 30 KLD -Near Hanumanahalli Colony

Analysed By
Priyanka B M
Chemist

Authorized Signatory
K. Ramakrishna Reddy
Technical Manager



- Recognised by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognised by Government of Karnataka, Maharashtra, Goa for DGPS survey